		500	CETT	MA	1) Date:	August	30	. 19 84
FORM IV-4(B) Obverse	FILE CO	THE REPORT OF THE PERSON OF TH	,	OT TO		Operator's Well No.	10513		(Rewerse)
8-83	VET	1	SEP 7 - 1		3) API Well No.	47 - State	OO1 County	- 0153 - I Permit
5) LOCATION 6) WELL OPE Address	N: Eleva Distri ERATOR Coss 445 We Clarks	Gas", Production	FICE OF OIL A TION FOR A PI S X LO54' Fas Transm eet Virginia	Liquid in Liquid in Undergro Watershe County: ission Corp.	jection jection ound storage)_ d: Gnat Barbour 7) DESIGN	Waste of Mines Waste of Dee ty Creek ATED AGENT _ ress 445 Wes Clarksb	lisposalSS	Shallow A 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
NameAddress _	Phillip	Tracy Fest Terr. W 26241	USSEZL	BEAU	Name _	NG CONTRACT Tri-Stat S Clarksbu	e Well Se	rvice,	Inc.
	ent ent ent ent ent ent ent ent	work order for the m 2361 - 2100 2100 - 1700 1700 - 1600 1600 - 1400 1400 - 1300 1300 - 1000 1000 - 900 900 - 550 550 - 500 500 - 100 100 - surfa	Cut and Cut and Cut and Remove	d remove of the state of the st	+ 1/2" cs 7" csg. @ 3 5/8" cs LO 3/4" c	g. @ 1000'			The part of Application
			PL	UGGING P	ERMIT			Stalgen	Plagging co
Permit number_	47-001	-0153-Р				S	September Date		19 84
quirements subje	rmitted work The permitted reverse here	ber 13, 1986	ed in the Notice and	reverse hereof. Note that the notation of the	lotification mu	st be given to the	n accordance we District Oil and as and condition at date and prose	d Gas Inspectors on the secuted with	ctor 24 hours
NOTE: Keep o	one copy of the	nis permit posted at						- 0.0	File
		See the reverse s	ide of the APPL	ICANT'S COP	Y for instruction	ons to the well op	erator.		

OFFICE USE ONLY

PERMIT MODIFICATIONS AND CONDITIONS (IF ANY) TO THE PROPOSED PLUGGING

		ON FOR A PERMIT TO PLUG AND ABA	manage Carl	VIO CAR
		nor orn out to think to an area	11/1	1 3 3 312
				170 72 100
				1777
4		Liquid injections as		O V HEALT TIEM OF
C wolling	e_Uecpa_		"Sas Production	n a
LLI P M		CILC Watershed CILC'S	Otto de la contra del	(5) LOCATIONS E
iggiAt II		County Carry Carry	und Valon	
XO.	TED VOENT A.	a Transpission of Discover	Consolidated Ca	6) WELL OPERATOR
Street	with lest Noin	to group.	South Main Street	
est Virginie	Clarksburg, W	nginia 26301	deburg, West Vi	LELO,
	ACTOMATAGE DE			B) OH. & GAS INSPER
Serwice, Tro.	Telephone 11	TODATA (6		THE MANAGEMENT
	Claricaburg, WV	Address Address		nono la sentida
			1997	TITO SEE
		mer of plugging tals well is as follows	he work order for the glad	O WORK ORDERE
			2251 - 2100	
	10071 0 14	Gut and remove W 1/2" as		fell
			TYCO - TOCO	fire web
	1001	Out and remove 7" csg. 6	7 500 - 7 100	feD
			1400 - 1300	firemp0
	10001	Cut and revove 8 5/8" ca	1200 - 1000	FAD
			000 - 000 5	Cement
			055 - 003	1.7
			002 4- 025	ThereD
		OFFICE USE ONLY	500 - 300	- 0 Marco
	• 80		00F	Cepent
This part of Form IV-4(b)	is to record the dates of cer	tain occurrences and any follow-up inspection	ns.	0113120
	Date		<u> </u>	Date(s)
Application received		Follow-u	p inspection(s)	
Plugging started		" OFFICE USE ONLY	,,	
Plugging completed		" PLUGGRYG PERMIT	,,	
Well Record received			,,	

OTHER INSPECTIONS one brook of being not being not being not being to supplied a wolst work not be not been all yellows in the research of the supplied of the

Reason:

See person to a work is a substituted on the Notice and Anglica doub, plan substitution and conditions and conditions and substitution of the substitution of

All least and the or of the or of and Gas

La ma Malus

FEATINET

orm OG-10



DEPARTMENT OF MINES OIL AND GAS DIVISION 2

uadra	ngle	Phi	illippi	
ermit	No.	Bar	153	

arm. C. C. Ward ocation (waters)____ ell No. 10513

lineral rights are owned by___

pen Flow /10ths Water in_

10ths Merc. in 23.8M

1260

12-27-63

no

ith____

ock Pressure_

ELL ACIDIZED_

ELL FRACTURED___

il___

he surface of tract is owned in fee by_

Address rilling commenced 8-16-63 rilling completed 12-12-63 ate Shot____From__

ompany Hope Matural Gas Company deress Clarksburg, W. Va.

istrict Union County Barbour

WELL RECORD

Holland Control of the Control of th			(KIND)
Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16		-	Kind of Packer
13			
10	402	402	Size of
81/4	1320	1320	
65/8	1963	1963	Depth set
88XXX4 1/2	2361	2361	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTE 4 1/2" casing	DSIZE cemented wi	No. Ft th 70 bags	Date
· COAL WAS ENCOU	NTERED AT	FEET_	INCHES
none FEET			
FEET	INCHES	FEET	·INCHES

ESULT AFTER TREATMENT 119M

__bbls., 1st 24 hrs.

36

Elev. 1054

h Water	see log	Feet		Salt Water		Feet	7
ormation	Colòr	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth	Remarks
			<u>o v e</u>	R			
a			-				
					,		
						MAR 1964 ECEIVED West Virginia Dept. of Mines	
				•	E STATE OF THE STA	MAR 1964	
			•		11.00.00.00.011.	ECEIVED West Virginia	5
					and the same	Dept. of Williams	7-
						5855757632	
-							
					Hap	Gas lo.	
					By DA	& Barley	

		, 24						
FORMATION	Open or Close Hard or Soft	TOP 2	воттом	Steel Line Measurement	Water Found Depth	Oil Found Depth	Gas Found Depth	RÉMARKS.
Soil		0	6					
Slate		6	20		1.	1	1	
Red Rock		20	55	1		1		
Slate		55	103	1		())	1	
Lime		103	113	1		1	1	
Slate		113	203	Language 13	1	free free !	1	
Sand		203	233		The same of the same of	1 , ,	1	
Slate		233	275			1	1	accarated s
Sand.		275	296	1 1 2 -	the product	I de la constant de l	1 - 2 - 7	
Black Slate	11 12 1	296	299			1.	1	Contract Contract
Slate		299	312	and the second	***************************************	Transpar Augus	1	
Sand		312	343			4 Cupus		Luink arcii
Slate		343	364	W. 188		1	.sv	watajuatti - i jajajaj
Lime	Tarak .	364	390		Line LO		1	lune it is
Red Rock		390	394	1		(1	
Slate		394	410	1 !	14701	1 4 4	513	
Sand		410	480	1		Larbenz	1	.roleT
Lime Gritty		480	510	1	1	1000	[
Slate	W. N.	510	522	1.5	1: 2 3	1	()	f · 1
Lime		522	590		10000	(Section)	1 21	100
Slate		590	680		615	()	1 - 1	Show of water
Lime	And the second	680	735	Terky	770	(1	Show of water-2 b. per
Sand		735	838	2	805	(4)	f	hr. Show of water 2
Lime		838	850		825-830	(- ,)	[bailers per hr. Hole f
Sand	Danale	850	914		1	(1	[(]
Slate	Black	914	954	James !		(3.)		(
Lime Gritty Sand		954	998	1		1	OBS. J	(
Slate	Black	998	1011			1	1	f
Sand	PTSCK	1011	1025	1	1	1	[]	1
Slate	Black	1025	1050	10.00			((
Lime	DIMUN.	1112	1152	4 1/3		1	()	1
Red Rock		1152	1245	1	[:		1. 47	(· . /
LAXTON LIME		1245	1285				1 3 - 1	of.
Slate		1285	1288	(Wint)	- 1.	1200	(1000)	f
Lime Gritty		1288	1340	1	1	Legisland A	(
Red Rock		1340	1348			()	00-11-0	1
Slate & Shells		1348	1404		FE STY	1	1	1
Red Rock		1404	1408		1	A Section 1	1:	1
LITTLE LIME		1408	1416	A A A P. Sec.	1	34X	,	
Red Rock	1 4 4 4	1416	1418	100	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	The state of		1
BIG LIME		1418	1505		1.	The second	1	
INJUN SAND		1505	1612		1527	A to the		
Cime	(sit	1612	1690			1 1 1 1 1 1	1	
Slate		1690	1707		the same of the same	person property and	Private de la companya del companya della companya	
GANTZ FIFTY FE	CT	1707	1836		1725-30	1 - 1 - 1 - 1	La Carre	Hole full
Lime		1836	1877					
Slate	1 2 2	1877	1900		1 2 2 0	I V	1	
Lime	Line Tolker	1900	1912			1	1	1 790
Red Rock		1912	1914					
Lime		1914	1946	1.00		100		
Slate		1946	1950		IN THE			
Lime	1	1950	1980		Jan Bay	1		
Red Rock		1980	1983				1.11	
Red Lime	1.	1983	23.66		10 200			
FOURTH SAND		27.55	2220					
Slate & Shells	ſ. · .	2220	2233					1
FIFTH SAND	1	2233	2310				2238-95	
Slate		2310	2326					11/10 N in 1" FM
Lime.		2326	2370					10/21/63 38/10-1" W. 1

Total Depth

2270

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

FARM C. C Filling Material U Liner	Local	RD Gel-	DISTRICT	NT ADDRESS BRIDGE		RBO	UR
Filling Material U	Local	Gel-	Cene		COUNTY_BK	RBO	UR
Liner	Local			NT			
		tion	Ameunt				
PLUG	S USED AN			Packer	Location		
		D DEPTH PLACED		BRIDGES	CASIN	G AND TU	ING
CEMENT-THICK	NESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED SIZE		LOST
Cenert		2290	1599		1460	4/2	
11		1460	1360		1200	7"	
11		1200	1075				
					100		
							_
				· · · · · · · · · · · · · · · · · · ·			
				· · · · · · · · · · · · · · · · · · ·			
Orillers' Names	TRI	STATE	well	1 Service			
	Dou	vell		en e			
Remarks: Pull Cut	1,NG	7" C	256. To	R11		• 3 3	
9-17-8							

Robert Stewar

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S WELL REPORT

INSPECTOR'S PLUGGING MEROUT

Permit No.		53 American	Security and an experience	Oil or	Gas Well	
Company	27300	CASING AND TUBING	USED IN	LEFT IN	PACK	ERS
Address		Size	maring of the Control	and the second section of the second section of the second section of the second section of the second seco		
Farm	Packer.	A TOWN THE PERSON ASSESSMENT OF THE PERSON ASS	Or a representati		Kind of Pacl	cer
Well No	5460185	13			Size of	C-1 × 8-28
District	County	81/4				in the state of the
Drilling commenced	1	6%			Depth set	
Drilling completed	Total depth	3		are and a fine to a second of the second	Perf. top	
Date shot	Depth of shot	2			Perf. bottom	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch				Perf. bottom	
Volume	Cu. Ft.	CASING CEMEN	NTED	SIZE	No. FT	Date
lock pressure	lbshrs.	NAME OF SER	VICE COMPA	NY		
)il	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEET	_INCHES
Fresh water	feetfeet	FEET_	INCH	ES	FEET	_INCHES
Salt water	feetfeet	FEET_	INCH	ES	FEET	_INCHES
Orillers' Names				A. Venny Spanish St.		
D				308		
demarks:						

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application.

 However, see also Code § 22-4-lm(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-1k and Regulation 7.02 provide that the original and two copies of the Application must be filed with the Administrator, accompanied by (i) an original and four copies of the Notice, (ii) an original and four copies of a plat in the form prescribed by Regulation 11, and (iii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-9.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code §§ 22-4-lm and 22-4-9.



1) Date: ____ August 30, 19 84

2) Operator's

Well No. 10513

3) API Well No. 47 - 001 - 0153-/
State County Permit

STATE OF WEST VIRGINIA OFFICE OF OIL AND GAS, DEPARTMENT OF MINES MOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

) SURFACE OWNER	R(S) OF RECORD TO BE SERVED	
(i) Name	Morry Alice December	Address
	Mary Alice Bragg Rt. 1, Box 45	F/111 0011 0011
		5 (ii) COAL OWNER(S) WITH DECLARATION ON RECORD:
(ii) Name	Volga, WV 26238	Notice
Address		Address
Address		
Isial Name		Name SEP 7 - 1984
(iii) Name		Address
Address		OIL & GAS DIVISION
	the state of the s	5 (iii) COAL LESSEE WITH DECDARATION ON RECOMPLES
		Name None
	e ist ity spania, at being or	Address
TO THE PERSO	Pro	duotion Don't think notes
CON	SOL. GAS SUPPLY CORP PAPER	duction Dept. Well 10513 mts:
(1) Th	A	
(2) Tr		GBURG parties involved in the
CC1		WE 116 2
	RAGE PROVAL MATERIAL	B F AUG
IN THE "INST	INSURANCE COVERAGE NOT FOR INTERNATION (See Reverse) TY Alice Braand No. 145 TY AND ALICE BRAAND N	TION WHICH ARE SUMMARIZED SIGNATED FOR YOU. HOW-
THE PETER SHOWS A		1984 SIGNATED FOR YOU. HOW-
EVER, YOU AF	NO INSURANCE COVERAGIONOT FOR INTERNATION (See Reverse TTO (See Reverse TT	TON 1001 IN 10
	CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	
Take no	NO INSURANC NO INSURANC NOT FOR I (Set and Division of the control	SHOWN TO WE SHAWN TO WE SHOWN TO WE SHOWN TO WE SHAWN TO WE SHAWN TO WE SHOWN TO WE SHAWN THE WE SHAWN TO WE SHAWN
has filed the	NO INSUIR NO INS	
location de:	PT SERVICES CERTIFICATION OF THE PROPERTY OF T	et to the well at the
Application	D E SERVICES O SHOWERS JA	
named above	THE STREAM TO SET SAMTS	Od Linespoo 0 v hand to the person (s)
Administrate		9761.14A,0088 mrof 294 par delinerA to the
	SANSAN TRANSPORT A MARKAN ARABAN SANSAN SANS	2501 ag 6 0088 mroff 29
and Application the Notice is s Operator in my	ne information on the Notice in is verified and sworn to and signed on behalf of the Well County and State by	OPERATOR Consolidated Gas Transmission Co By



FORM IV-38

STATE OF WEST VIRGINIA

(Affidavit of Plugging)

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses. be mailed to each coal operator at their respective addresses.

None		Consolida	ated Gas Transmission		
Coal Operator or C	wner		Name of Well Oper		
		445 W. Ma	ain St., Clarksburg,		
Address			Complete Addres		0.1
None	Taylor Commencer		September 27,	19	81
Coal Operator or (Owner		WELL AND LOCATION		
		Union		_ Distr	ict
Address					
Mary Alice Bragg		Barbour		_ Count	У
Lease or Property	Owner				
Rt. 1, Box 45, Volga, W	v 26238	WELL NO.	10513		
Address					
		C. C. Wa	rd		Farm
ATE INSPECTOR SUPERVISIN	NG PLUGGING Philli	p Tracy. For	est Fest. Terr., Apt	. 24, El	kins,
eing first duly sworn accork of plugging and fill: ansmission Corp., weig the above well, that	ing oil and gas we ll operator, and p said work was comm	ells and were participated menced on the	employed by Consolin the work of pluggers 19th day of Se	idated G ging and ptember	as fill
84 , and that the we					
and or Zone Record	Filling Ma	terial	Plugs Used		sing
Formation			Size & Kind	PULLED	
		00 - 1599		13	3/8
	Gel 159	9 - 1460			43
	Cement 146	0 - 1360			
		50 - 1360 50 - 1 3 00	•	1.0	3/4
	Gel 136			10	-
	Gel 136 Cement 120 Gel 107	60 - 1300 00 - 1075 75 - 500		10	402
	Gel 136 Cement 120	60 - 1300 00 - 1075 75 - 500		0	402 5/8
	Gel 136 Cement 120 Gel 107	60 - 1300 00 - 1075 75 - 500		100	402 5/8
	Gel 136 Cement 120 Gel 107	60 - 1300 00 - 1075 75 - 500		0	402 5/8
	Gel 136 Cement 120 Gel 107	60 - 1300 00 - 1075 75 - 500		0	402 5/8
	Gel 136 Cement 120 Gel 107	60 - 1300 00 - 1075 75 - 500		8	402 5/8 1320 771
	Gel 136 Cement 120 Gel 107	50 - 1200 00 - 1075 75 - 500 0 - surface		0 8 0 7 1192	402 5/8 1320 771
	Gel 136 Cement 120 Gel 107	60 - 1300 00 - 1075 75 - 500	10-3-89	8	402 5/8 1320 771
Coal Seams	Gel 136 Cement 120 Gel 107	50 - 1200 00 - 1075 75 - 500 0 - surface	Description of	0 8 0 7 1192 4 1460	1402 5/8 1320 771 1/2 901
	Gel 136 Cement 120 Gel 107	50 - 1200 00 - 1075 75 - 500 0 - surface	Description o	0 8 0 1192 1460	402 5/8 1320 771 1/2 901
ame)	Gel 136 Cement 120 Gel 107	50 - 1200 00 - 1075 75 - 500 0 - surface		0 8 0 1192 4 1460 well ma	402 5/8 1320 771 1/2 901 ent
ame) ame)	Gel 136 Cement 120 Gel 107	50 - 1200 00 - 1075 75 - 500 0 - surface	Description of Erected regular	0 8 0 1192 4 1460 well ma	402 5/8 1320 771 1/2 901 ent
ame) ame)	Gel 136 Cement 120 Gel 107	50 - 1200 00 - 1075 75 - 500 0 - surface	Description of Erected regular	0 8 0 1192 4 1460 well ma	1402 5/8 1320 771 1/2 901 ent
ame) ame) ame) ame) and that the work of	Gel 136 Cement 120 Gel 107 Cement 500	50 - 1200 00 - 1075 75 - 500 0 - surface	Description of Erected regular properly install	0 8 0 1192 1460 of Monumewell ma	1/2 901 ent rker scrib
September ,	Gel 136 Cement 120 Gel 107 Cement 500 Plugging and fill 19 84 saith not.	50 - 1200 00 - 1075 75 - 500 0 - surface	Description of Erected regular properly install	0 8 0 1192 1460 of Monume well ma Led & in	1402 5/8 1320 771 1/2 901 ent rker scribe

Permit No. 47-001-0153-P



State of West Birginia

Department of Miner ENERGY

Gil and Gas Bivision

Charleston 25305

FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT October 4, 1984

COMPA	NY <u>Consolidated Gas Transmiss</u> ion Cor	PERMIT NO 001-0153-P (9-13-84)
44!	5 West Main Street	FARM & WELL NO C. C. Ward #10513
C1a	arksburg, West Virginia 26301	DIST. & COUNTYUnion/Barbour
RULE	DESCRIPTION	IN COMPLIANCE Yes No
23.06 16.01 17.02 18.01 23.02 25.01 23.04 23.05 17.06 7.06 7.05	The state of the s	
I HAVE	INSPECTED THE ABOVE CAPTIONED WELL AND	RECOMMEND THAT IT BE RELEASED:
Your Ai The wel	fidavit of Plugging was received and related to the second	eclamation requirements approved. r has been released under your bond. Administrator-Oil & Gas Division
	_	October 9, 1985