

TRASCO 600 6-76 MC4783. 4300' Benson

(316).1111 2 0 1976

1-1 Taylor Drain

TRASCO 500 5-78 MC4793+

ハフハハ

** *** *** *** *** *** *** *** *** ***		,01
FORM 1	WW-4(B) FILE A
Obverse		1975
7/85		4





1)	Date:	19 13 13
-,		Anavelle Young #2
		/7 • 001 • 0777=PP

3) API Well No. 47 - 001 - 0///-P

DIVISION OF OIL & GAS STATE OF WEST VIRGINIA CHOUTADIFICOM THATES DEPARTMENT OF ENERGY, OIL AND GAS DIVISION

APPLICATION FOR A PERMIT TO PLUG AND ABANDON A WELL

	, } ₽ ₹ ₹ ₹		1.1			
		converting to	brine di	lsposal wel	1	
4)	WELL TYPE: A Oil/ GasXX_/	Liquid injection	/ W	aste disposal	XX_/	
٠,	B (If "Gas", Production	/ Underground storage	:)/	Deep	Shallow	/)/,
•	LOCATION: Elevation: 1167'	Watershed: Plea	sant Cree	ek		564
2)	District: Pleasants 5	County: Barbo	ur <i>00</i>]	Quadrangle:	<u>Philippi</u>	7½101
	WELL OPERATOR PETROLEUM DEV. CORPCODE 382	200 7) DESIG	NATED AGE	NT _Steven	R. Willia	ams
6)			ddress PO			
	1 to 01 con		Br	idgeport, W	V 26330	
	Bridgeport, WV 26330	ov_PLUG	GING CONT	-		
8)	OIL & GAS INSPECTOR TO BE NOTIFIED					
	Name Phillip Tracy			N 11.88		
	Address PO Box 2536	Add	Iress			1
	<u>E1kins, WV 26241</u>				· · · · · · · · · · · · · · · · · · ·	
						
10)	WORK ORDER: The work order for the manner of plugging t	his well is as follows:	- 1. s			
	1. Run tubing to TD (4144') & circul	ate the well w	ith 6% g	e 1.		
		to 3600' (to c	over Ben	son/Riley)		
	2. Spot a plug of cement from 4144	20 3000 (55 2			•	
	3. Pull tubing to 2100'.4. Spot a plug of cement from 2100'	to 10501 (to s	eal the	4½" casing	below the	. *
	4. Spot a plug of cement from 2100	1930 (10 8	ear che	72 00000		
	Thirty foot sand). 416				•	
	Partial Plus for UIC.	Consider	•11			
	tential thing for 4.DC.	Corrección			Prince of the	
		•				
	and the second of the second o	and the second section of the second section is a second section of the second section of the second section of the second section sec				
	A CONTRACTOR OF THE CONTRACTOR	्रामाः ।		معسنو سأنطيف محاديوا الريار		
	goal of the gradient specification of the state of	and the dates	s to reco	1 VW-4(F) 1	rt of Fers	This pa
		÷		ions.	up inspect	follow-
	. servi		Dete		•	
	्राच्या (रोजावर्ष) मुल्ला स्टूल्याच्या राज्याच्या स्ट्रांस्ट	•			hgrda.a n	nçlik dan f
	· · ·	ICE USE ONLY				
	PLU	GGING PERMIT			aplated	Plucy 68 cor
						ing S.C. Annual Company of the
	1- 205 ABS NN		4	June 15	5/87/17/2016 1	51623 ^{4 []} 88
D-	47-001-0777-PP					19
		•		Da		
TL	is permit covering the well operator and well location shown below	w is evidence of permis	sion granted to	plug in accordan	ice with the pert	inent legal re-
QU	irements subject to the conditions contained herein and on the revo	erse hereof. Notification	must be giver	to the District O	il and Gas Inspe	ctor 24 hours
be	fore actual permitted work has commenced.)		****		n:	Reaso
	The permitted work is as described in the Notice and	Application, plat, subje	ect to any modi	fications and cond	litions on the	. Kenso
	reverse hereof.			and the same of th		081.371
	June 15, 1990	unless plugging is c	ommenced pri	or to that date and	prosecuted with	due diligence.
Pe	ermit expires	unicss progging to c			•	
	- A ANT A			1 1		
	Bond: Aggill Plat Casing WP	CP OTHER				
	AN AN AN TAN				•	
	17 11 1					
	V	:	Director	, Division	of Oil &	Gas
N	OTF: Keep one copy of this permit posted at the plugging location			The second second		File



DIVISION OF OIL & GAS DEPARTMENT OF ENERGY

1)	Date:	May	23		19 88
	Operato	r's			
2)	Well No	•	Avai	nelle You	ing #2
3)	API Wel	1 No.	47	- 001 -	00777
		S	tate	County	Permit

STATE OF WEST VIRGINIA

DIVISION OF OIL AND NOTICE OF APPLICATION	D GAS, DEI ON TO PLUG	PARTMENT OF ENERGY AND ABANDON A WELL
URFACE OWNER(S) OF RECORD TO BE SERVED	5 (1)	COAL OPERATOR Address
i) Name Avanelle Young Corley		Address
Address 85 South Kanawha Street	E (44)	COAL OUR DESCRIPTION OF THE PROPERTY OF THE PR
Buckhannon, WV 26201	5 (11)	COAL OWNER(S) WITH DECLARATION ON RECORD: Name Black Diamond Energy
i) Name		
		Address P. O. Box 217
	F (Corriganville, MD 21524
i) Name	5 (iii)	COAL LESSEE WITH DECLARATION ON RECORD:
Address		Name
vadī ess		Address
TO THE PERSON(S) MAMED ABOVE: You should have	a received thi	a Form and the fallows?
(1) The Application to Flug and Abandon parties involved in the work, and deliverable and the state of the st	escribes the w	m WW-4(B), which sets out the ell and its location and the
plugging work order; and (2) The plat (surveyor's map) showing the		
and bree (egges) a may, smooths for	ue Astt focatt	on on Form WW-6.
THE REASON TOU RECEIVED THESE DOCUMENTS	7. T.	
I WATCH WAS SOMMANICED IN THE "INSTRINCTIONS" ON	THE DEVENCE O	The An elle cone on eller cone .
(FORM WW-4(B)) DESIGNATED FOR YOU. HOWEVER,	YOU ARE NOT RE	QUIRED TO TAKE ANY ACTION AT ALL.
•••		*
Take notice that under Chapter 22B of the proposes to file or has filed this Notice and	West Virginia	Code, the undersigned well operator
to had and analigous a mell with the Di-	roctor of the 1	Marian of All and Art Hara
e pakerrment of whalks Alle tembers to	n the well so (the leagedon december to as
attached Application and depicted on the attac Application, and the plat have been mailed by to the person(a) named shows (as he walls are	resistated as	aambiliai mail a- d-11
to the person(s) named above (or by publication of mailing or delivery to the Director.	n in certain o	ircumstances) on or before the day
or delivery to the Director.		1
•	WELI	
uth of the information on the Notice and		
ation is verified and sworn to and the	Orth	ATOR Petrolem Development Corporation
is signed on behalf of the Well Operato	or By	
County and State by		
•	Its	President
Steven R. Williams	11.5	restuent
23rd day of May 1988		
day or, 19 oo		
mission expires July 1, 1997		Bridgeport, WV 26330
/ / / / /		
·		
showna W. I barbon	·	
Public, Harrison County,	Tele	phone 304-842-6256
West Virginia	~~~~	····
	OFFICIAL SEAL TARY PUBLIC	
STATE STATE	E OF WEST VIRGINI	
	INIA D WEAVE	R
Gra Gra	Rt. #3, Box 377 afton, W.Va. 26354	
My Commis	ssion Expires July 1	, 1997

FORM WR-38 (Affidavit of Plugging)

BLACK DIAMOND ENERGY

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

BLACK DIAMOND ENERGY	PETROLEUM	DEVELOPMENT CORPORAT	TON	
Coal Operator or Owner		Name of Well Opera	tor	
P.O. BOX 217, CARRIGANVILLE, MD 21524	P.O. BOX 2	6, BRIDGEPORT, WV 2		
Address		Complete Address		
	JULY 20	TIL AND LOCATION	19	9 88
Coal Operator or Owner	PLEASANT	ELL AND LOCATION	.	
- Address			_ Distr	ıct
Avanelle Young Corley	BARBOUR		Count	••
Lease or Property Owner			Count	У
85 South Kanawha St, Buckhannon, WV 26201	WELL NO.	ANAVELLE YOUNG #2		
Address				
		Anavelle Young		Farm
STATE INSPECTOR SUPERVISING PLUGGING PHILI	LIP TRACY	IDNEY	TEN	WIE
-				ALL
AFFIDA	AVIT		11 26	1988
STATE OF WEST VIRGINIA,		•		1000
County ofss:		DIVISI	UN OF O	IL & GAS
GERRY ERAMBERT	and			
heing first duly sworn according to law dep				
work of plugging and filling oil and gas we				
CORPORATION , well operator, and paint the above well, that said work was comm				1111-
19 88 , and that the well was plugged and			111	······································
				
Sand or Zone Record Filling Ma	terial	Plugs Used	Са	sing
Formation		Size & Kind		CSG
PARTIAL PLUG FOR UIC CONVERSION			PULLED	LEFT_IN
				/156
		$4\frac{1}{2}$ " csg.		1 41201
4058-3464 cement		4½" csg.		4156
3464-2144 6% gel		4½" csg.		4136
		4½" csg.		839
3464-2144 6% gel				
3464-2144 6% gel		<u></u>		
3464-2144 6% gel		<u></u>		
3464-2144 6% gel		<u></u>		
3464-2144 6% gel		<u></u>		
3464-2144 6% gel		<u></u>		
3464-2144 6% gel		<u></u>		
3464-2144 6% gel 2144-1941 cement		<u></u>	Monum	839
3464-2144 6% gel 2144-1941 cement Coal Seams 94-97		8 5/8" csg.	Monum	839
3464-2144 6% gel 2144-1941 cement Coal Seams 94-97 (Name) 106-109		8 5/8" csg.	Monum	839
3464-2144 6% gel 2144-1941 cement Coal Seams 94-97 (Name) 106-109		8 5/8" csg.	Monum	839
3464-2144 6% gel 2144-1941 cement Coal Seams 94-97 (Name) 106-109 (Name) 165-170 (Name) 386-391 (Name) 435-440		8 5/8" csg.	Monum	839
3464-2144 6% gel 2144-1941 cement Coal Seams 94-97 (Name) 106-109 (Name) 165-170 (Name) 386-391 (Name) 435-440 and that the work of plugging and fill	ing said well	B 5/8" csg. Description of		839 ent
3464-2144 6% gel 2144-1941 cement Coal Seams 94-97 (Name) 106-109 (Name) 165-170 (Name) 386-391 (Name) 435-440 571-580	ing said wall	B 5/8" csg. Description of		839 ent
3464-2144 6% gel 2144-1941 cement Coal Seams 94-97 (Name) 106-109 (Name) 165-170 (Name) 386-391 (Name) 435-440 and that the work of plugging and fill	ing said well	B 5/8" csg. Description of		839 ent
3464-2144 6% gel	A	Description of	ne 15th	839 ent
3464-2144 6% gel	Steven R	B 5/8" csg. Description of	ne 15th	839
3464-2144 6% gel	Steven R	Description of Williams, President	ne <u>15th</u>	839 ent
3464-2144 6% gel	Steven R	Description of Williams, President July	ne 15th	839 839 ent day
3464-2144 6% gel	Steven R Ott day of OFFICIAL SEAL	Description of Williams, President	ne <u>15th</u>	839
3464-2144 6% gel	Steven R	Description of Williams, President July	ne 15th	839 ent day

AUG 0 1 1988



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES

DECEIVED AUG 1 0 1976

OIL & GAS DIVISION DEFT. OF MINES

Oil and Gas Division

V	VELL	RECORD		RotaryX	X Oil
Quadrangle Philippi Permit No. BAR-777				Cable Recycling_ Water Floo	Gas_XX Combd Storage
47–001		Ÿ.		Disposal	(Kind)
Company Petroleum Development Corp Address P.O. Box 26, Bridgeport, W Farm Avanelle Young Acres.	.Va.	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
District Pleasant County Barbo		Size 20-16 Cond.			
The surface of tract is owned in fee by Avane	lle Young				
A.1. Por 122 W.11 4 VV		9 5/8	920	-	000 01
Address Box 132, Philippi, W.Va.		8 5/8 7	839		200 Sks.
Mineral rights are owned by Avanelle Your Address Box 132, Philippi	W.Va	5 1/2	 		
7 0 76		4 1/2	4156	4156	245 Sks.
Drilling Commenced 7-9-76 Drilling Completed 7-13-76	3	4130	4130	245 SKS.	
Initial open flow cu. ft.	hhlo	$\frac{3}{2}$			
Final production 875,000 cu. ft. per day		Liners Used			
Well treatment details:	м.	Attach copy of	cementing rec	ord.	
Fractured Benson and Riley Form	nation wi	th 750 bb1 120	tor 40 (000# Sand	
Fractured 30' Sand with 500 bb	l. water.	30,000# San		000# Sand	
		,			
				······································	
Coal was encountered at 106', 386', 435' Fresh water Feet	571 Feet	3', 5', 5',	1' Inche	es , 800'	Feet
Producing Sand Benson, Riley, 30'	5	Dentif	4060-80	3844-48)	1796-1812
			Ben	Riley	30 Foot
Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas o	Water **	* Remarks
Sand Coal	0 10 94 97	10 94 97 106		41' ½ sti	

Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
Clay Sand Coal Sand Coal Sand Coal Sand & Shale Coal Sand Coal Sand Coal Sand Coal Sand Coal Sand Coal Sand Sand Coal Sand Sand Sand Sand Big Lime Injun Sand-Shells-Red Rock 4th Sand Sand & Shale 5th Sand Sand & Shale Riley	0 10 94 97 106 109 165 170 386 391 435 440 571 580 1149 1283 1367 1967 2036 2131 2220 3758	10 94 97 106 109 165 170 386 391 435 440 571 580 1149 1283 1367 1967 2036 2131 2220 3758 3811	Water @ 41' ½ stream Water increased @ 530' 10' of 13" Cond 839' 8-5/8. 200 Sks. Gas 1597 No Show Gas @ 2005 30/10=5/8" Gas @ 2223 40/10=5/8" Gas @ 3819 46/10=5/8" Gas @ 4101 46/10=5/8"


(over)

^{*} Indicates Electric Log tops in the remarks section.

Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
Sand & Shale Benson Sand & Shale	3811 4026 4065	4026 4065 4225	
			AND THE RESERVE OF THE PROPERTY OF THE PROPERT

			* " "	
APPROVED	PETROLEUM	DEVELOPMENT	CORP.	Owner
		1		OWINCE

August 18







Oil and Gas Division

OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES, Charleston, W. Va.		_ ,	···1 2 1076	•
Charleston, w. va.	DATE	S	July 2, 1976)
Surface Owner Avanelle Young	Comp	any Petrol	eum Develop	ment Corporation
Address Box 132, Phillipi, W.Va.	Addre		/ 1	lgeport, W.Va.
Mineral Owner Avanelle Young	Farm_	Young	(Avane 11e	2) Acres
Address Box 132, Phillipi, W.Va.	Locat	ion (waters)	Pleasant	: Creek
Coal Owner Hillman Coal Company		No		
Address Box 1, Grafton, W.Va.	Distric	ctPleas	sant	County_Barbour
Coal Operator	Quadr	rangle	Phillipi	
Address				
THIS PERMIT MUST BE POSTED AT THE	WELL SITE			
All provisions being in accordance with Ch of the W. Va. Code, the location is hereby				
for drilling . This permit sho	all expire if			
operations have not commenced by //- 7				
Tobethoose	INSPECTOR TO BE NO	תידידידית	Billie Ha	atfield
0100	PH: 472-4268			on, W. Va.
GENTLEMEN:	,н <u></u>	ADDRESS		
The undersigned well operator is entitled to	o drill upon the above n	named farm or	tract of land fo	r oil and gas, having fe
title thereto, (or as the case may be) under g	grant or lease dated	July 18	19 23	by E.L. Young,
et. al., made to Hope Nat				
1923, in Barbour County, Boo			<u> </u>	
XXNEW WELLDRILL	DEEPER	REDRILL	FRACT	URE OR STIMULATE
OIL AND GAS WELL ORIGINA				
The enclosed plat was prepared by a regist have been notified as of the above date.	ered engineer or license	d land surveyo	or and all coal	owners and/or operators
The above named coal owners and/or opera to make by Section 3 of the Code, must be re				
Copies of this notice and the enclosed plate or coal owners at their above shown respective same day with the mailing or delivery of this of	re address <u>July</u>	3 da	у	before, or on the
POFACE SUBMIT COPIES OF ALL GLOPHYSICAL LOCS DIRECTLY TO:	Very tru (Sign Na	lly yours, ime)	um So	um
Test Virginia Geological and Ecor P. O. Sox 879	nomic Survey	P.O. 1	Well Operator	
Morganisown, W. Va. 26505	Address		Street	<u></u>
- · · · · · · · · · · · · · · · · · · ·	of Well Operator	Bridge	port	
	F	(City or Town	
		West V	irginia 26	330
			State	

*SECTION 3 If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

BLANKET BOND

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	DRILL XX	DEEPEN	FRACTURE-STIMULATE
DRILLING CONTRACTOR: (If	·	RESPONSIBLE AGEN	T:
NAME Union Drilling	Corporation	NAME <u>Petrolew</u>	n Development Corporation
ADDRESS P.O. Drawer 40,	•		26, Bridgeport, W.Va.
TELEPHONE 304/472-4			04/842-3597
ESTIMATED DEPTH OF COMPLI	ETED WELL: 4300 V	ROTARY XX	_ CABLE TOOLS
PROPOSED GEOLOGICAL FORM	ATION: Benson		
TYPE OF WELL: OIL_	GAS XX CO	OMB STORAG	GE DISPOSAL
	RECYCLIN	NG WATER F	LOODOTHER
TENTATIVE CASING PROGRAM	-		
CASING AND TUBING SIZE	USED FOR DRILLING	LEFT IN WELL	CEMENT FILL UP OR SACKS - CUBIC FT.
20 - 16			
13 - 10 11-3/4"	25'		
9 - 5/8	· · · · · · · · · · · · · · · · · · ·		
8 - 5/8 850		850	200
5 ½			
4 ½ 4200		4200	150
2		7200	Perf. Top
2			Perf. Bottom
Liners			Perf. Top
			Perf. Bottom
WELLS DRILLED PRIOR T MUST ALSO BE SUBMITTE TO FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLAT OIL AND/OR GAS WELL OF ING ORIGINAL PERMIT NUT Required forms must be filed	OF OG - 1, SHOWING ORIGI O 1929, A PERMANENT CO D. EIGINALLY DRILLED BEFOR AND ORIGINAL WELL REC EIGINALLY DRILLED ON AN MBER, AND PERFORMANCE	OPY OF THE PLAT ANI RE JUNE 5, 1929, FIVE (CORD. ND/OR AFTER JUNE 5, 1 BOND.	AND PERFORMANCE BOND. ON D THE ORIGINAL WELL RECORD 5) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW- 6. Inspector to be notified twenty-
four (24) hours in advance.			
		-	
The following waiver must be thereof.	pe completed by the coal ope	erator if the permit is to	be issued within ten days of receipt
	nt fored and place on our mine m		ner or Operator of the coal under cation.
			I well being drilled at this location, and 7, Chapter 22 of the West Virginia
		-	For Coal Company

Official Title

10-Jun-99

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

		-	•	
	Farm name: CORLEY	AVANELLE YOUNG	Operator V	Vell No ·A YOUNG #2
Farm name: CORLEY,AVANELLE YOUNG Operator Well No.:A YOUNG #2 LOCATION: Elevation: 1,167.00 Quadrangle: PHILIPPI				TITEET
	Distri	ct: PLEASANT	aurangre: Phi	
	Tatitu	de Allo Fort C	COU	inty: BARBOUR
	Latitu	de: 4120 Feet S	outh of 39 1	Deg. 15 Min. 0 Sec.
	Longiti	ide 3250 Feet W	lest of 80 I	Deg. 2 Min. 30 Sec.
			•	• 1
	Well Type: OIL	GAS _ x		
				
	Company: Petroleum D	evelopment Corpora	tion Coal Ope	erator philippi Development, Inc. Rt 12, Box 245
	PO Box 26,	103 East Main Stre	et or Owner	Rt 12. Box 245
	Bridgeport,	WV 26330	or Owner	Morgantown, WV 26550
	bridgepore,		•	Morganicown, WV 20000
	Agent.	•		
	Agent: Eric R. Ste	arns		erator
			or Owner	
	Permit Issued: 06/	11/99		
	,			
		AF	'FIDAVIT .	•
	STATE OF WEST VIRG			
	County of Barbour			
	Barbour			
	Steven Tri	nnett	J Pandy	Underwood
first duly sworn according to law depose and say that they are experience				Underwood being
				y that they are experienced
	in the work of plugging and filling oil and gas wells and were employed by			
	the above named w	well operator a	nd narticinat	ed in the work of plugging
				Oil and
	Gas Inspector re	epresenting the	Director, s	say that said work was
	commenced on the	e 19th da	v of Augus	t , 19 ⁹⁹ , and that
	the well was plug		in the follo	wing manner:
	TYPE	FROM	TO	PIPE REMOVED LEFT
	1		· .	The state of the s
	Packer plug			665' of 2 3/8"thg 3044' of 44" csg
	cast iron bridge p	lug	16041	112' of 45"csg 839' of 8 5/8" csg
	Class A cement	1604	1456	80' of 2 3/8" tbg
	6% gel	1456	1112	
	Class A cement	1112	892	
	6% gel	892	surface	
			- Surruse	22.
		i		111111111111111111111111111111111111111
	1	!!		41191
	NOTE: well was pr	eviously plugged b	ack to 1942' f	or inspection purposes.
	Description of	monument: approx	. 4' of 8 5/8'	csg with 2" vent and API#
			g and filling	said well was completed on
	the 20th day of	August ,	19 99 .	$\Lambda = II$
			_ 5	d ST
			/ .	
	And furthur deponer	nts saith not.		/ / / 1 00 ~ .
	And furthur deponer	nts saith not.		1 Clean
	And furthur deponer	its saith not.	Eria D	Steems.
			Eric R.	
	Sworn and subscribe	e before me this	27H day of	
		e before me this	27H day of	
	Sworn and subscribe	e before me this	27H day of	Q Clark 19 <u>99</u>
	Sworn and subscribe My commission expi	e before me this res: Aun 2, 200	27H day of	
Note	Sworn and subscribe My commission expinance OFFICIAL SEAL Ary Public, State of West Virgini RITA A. CLARK	e before me this res: Aun 2, 200	27H day of	Q Clark 19 <u>99</u>
Note	Sworn and subscribe My commission expi: OFFICIAL SEAL ary Public, State of West Virgini RITA A. CLARK etroleum Development Corporation	e before me this res: Aun 2, 200	27H day of	Q Clark 19 <u>99</u>
Note	Sworn and subscribe My commission expiration OFFICIAL SEAL TRY Public, State of West Virgini RITA A. CLARK etroleum Development Corporation 103 East Main Street, Box 26	e before me this res: Aun 2, 200	27H day of	Q Clark 19 <u>99</u>
Note Pe	Sworn and subscribe My commission expi: OFFICIAL SEAL ary Public, State of West Virgini RITA A. CLARK etroleum Development Corporation	e before me this res: Aun 2, 200	27H day of	Q Clark 19 <u>99</u>

BAR 0777-P