

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

Friday, September 23, 2016 WELL WORK PERMIT Vertical / Plugging

EOT PRODUCTION COMPANY 120 PROFESSIONAL PLACE **BUILDING II** BRIDGEPORT, WV 26330

Re: Permit approval for 1-B-46

47-001-00789-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Marti

Chief

Operator's Well Number: 1-B-46

Farm Name: MURPHY, WILLIAM T.

U.S. WELL NUMBER: 47-001-00789-00-00

Vertical / Plugging

Date Issued: 9/23/2016

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged within two years of the date of issuance of this permit.

Form WW-4 (B) Permit Copy (Rev 2/01)

Date:		August	4, 2016	
Operator's Well				
Well No.	151781	(William	Murphy #1	B-46
API Well No.:	47	001 -	00789	

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

					OFFICE O	FOIL AND	GAS			
ı			APP	LICATIO	N FOR A PE	RMIT TO P	LUG AI	ND ABANDON		
V	Vell Type: f Gas, Prod			_ Gas _ X		quid Injection ound storage		Waste Disp	osal: Shallow	X
		Eleva	ation:	1550 ft.	Watershed:	Rock Camp)			
	ocation:		Pleasa		County:	Barbo		Quadrangle:	Nestorvill	e
	District: Vell Opera	tor 1		duction Co		-	esignated		C. Ray	
	\ddress:			ort, WV 263		- ^	uu:655.	120 Profession: Bridgeport, WV		
١	Dil & Gas <u>I</u> lame: <u>G</u> Address: <u> </u>	613 Broa	ad Run	Road		_ N	ame:	Contractor: HydroCarbon Well PO BOX 995 Buckhannon, WV		
=		·- <u>-</u>			OFFIC	E USE ONLY				-
N	otification	must be	given	to the distr	ict oil and gas	inspector 24	hours t	pefore permitted wo	k can commen	

PLUGGING PROGNOSIS

Murphy, E. B-46 (151781) Barbour Co. WV District, Pleasant API # 47- 001- 00789

BY: Craig Duckworth

DATE: 7/18/16

CURRENT STATUS:

8 5/8" csg @ 793' (185 sks) 4 1/2" csg @ 4096' (350sks)

Elevation @ 1542"

TD: 4157'

Fresh Water @ 45' Coal @ 195'-200', 250'-255', 315'-320', 420'-425', 760'-765' Saltwater @ 1590°

Gas shows @ Benson 3700'-3704', Riley 3037'-3041', Riley 3037'-3041'

- 1. Notify State Inspector, Kenneth Greynolds @ (304) 206-6613, 48 hrs. Prior to commencing operations.
- 2. Check TD w/wireline
- 3. TIH w/tbg to 4096 or actable TD', set 500'C1A cement plug from 4096' to 3596'. (Gas shows @ Benson 3700'-3704' WOC 4 HLS & TAG PLUG, ADD CEMENT IF NEEDED.
- TOC 00 41/2"
- 5. TOOH w/tbg to 3596', gel hole 3596' to 3100'
- 6. TOOH w/tbg to 3100' set 200' C1A cement plug from 3100' to 2900', (Gas Show @ Riley 3037'-3041', Riley 3037'-3041').
- 7. TOOH w/tbg to 2900' gel hole 2900' to 2200'
- 8. TOOH w/tbg, Free point 4 1/2" csg, cut csg @ free point, TOOH w/csg.
- 9. Set 100' C1A cement plug 50' in/out of casing cut, perforate all freshwater, saltwater, coal, oil and gas shows below cut. Do not omit any plugs
- 10. TIH w/tbg to 2200' set 200' C1A cement plug 2200' to 2000'. (4 ½" csg cut).
- 11. TOOH w/tbg to 2000' gel hole 2000' to 1542'

- 11. TOOH w/tbg to 252

 12. TOOH w/tbg to 1542' set 200' CTA community 1542')

 13. TOOH w/tbg to 1342' gel hole 1342' to 850'

 14. TIH w/tbg to 850' set 250' C1A cement plug from 850' to 600' (8 5/8" csg 793'&

 Coal @760'-765')

 Coal @760'-765')

 Aug 19 2016

 Gas

16. TOOH w/tbg to 425', set 425' C1A cement plug 425' to 0'. (Coal Shows @ 195'-200', 250'-255', 315'-320', 420'-425'

17. Erect monument with API#

18. Reclaim location and road to WV-DEP specifications.

Office Received

AUG 19 2016

Gas

Rotary X Oil



STATE OF WEST VIRGINIA **DEPARTMENT OF MINES**

Oil and Gas Division

WELL RECORD

Quadrangle_Nestorville (7.5)			Cable Recycling_	
Permit No. BAR 789			Water Floo	d Storage(Kind)
Company (Berry Energy Consultants Address 309 Prof. Bldg., Clarksburg, Farm Everett Murphy Acres 92	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Location (waters) Rock Camp Run Well No. B-46 District Pleasant County Barbour	Size 20-16 Cond.			
The surface of tract is owned in fee by L. S. Murphy Heirs	13-10" 9 5/8			
Address Route 2, Moatsville, W. Va. Mineral rights are owned by Evertt Murphy	8 5/8 7	793	793	185 sks (
Address Rt. 2, Moatsville, W. Va.	5 1/2			
Drilling Commenced 11/20/76 Drilling Completed 11/29/76	4 1/2	4096	4096	350 sks
Initial open flow Show cu. ft. bbls. Final production 417,000 cu. ft. per day bbls.	2 Liners Used			
10 1000				

hrs. before test 1305 RP. 7 days Well open _____10 Well treatment details: Attach copy of cementing record.


Water Frac Benson	Water Frac Riley	Water Frac Balltown
29,000 20/40	33,000 20/40 Sand	32,000# 20/40 Sand
500 Gal Acid	500 Gal Acid	500 Gal Acid
750 BBl. T. Fluid	795 Bbl. T. Fluid	780 Bbl. T. Fluid

Fresh water. Feet Feet _ Benson, Riley, Balltown Producing Sand See Below

1.7		рерп	
Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
Clay, Shale, Sand Coal Shale, Sand Coal Sand, Shale Coal Sand, Shale Coal Sand Shale Coal Sand Shale Goal Sand Shale Goal Sand, Sand—Shale— R. R. Big Lime Big Injun Sand, Sand Shale, Shale, RR Benson Sand—Shale	0 195 200 250 255 315 320 420 425 760 765 1150 1290 1350 3985 4025	195 200 250 255 315 320 425 760 765 1150 1290 1350 3985 4025 4157	* Log Tops Big Lime 1127-1194 Big Injun 1194-1332 Fifty Foot 1498-1622 Fifth 2121-2192 Balltown 2942-3042 Gas 2952-57 3037-3041 Riley 3698-3848 Gas 3700-3704 Benson 3973-4003

(over)

* Indicates Electric Log tops in the remarks section.



1- Late 1 2.

WW-4-A	
Revised 6/07	

County

Permit

State

STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT
DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL & GAS
NOTICE AND APPLICATION TO PLUG AND ABANDON WELL

4)	Surface Owner(s) to be served:	5) (a) Coal C	Operator:
	(a) Name	Pamela Lindberg	Name	None
	Address	2739 Eastwood Drive	Address	
		Wooster, OH 44691		
	71.5			
	(b) Name	Thomas M. Fast		ner(s) with Declaration
	Address	2739 Eastwood Drive	Name	Arch Coal / Ark Land Company
		Wooster, OH 44691		c/o Vaughn R. Miller
			Address	Ark Land Northern Appalachia
				100 Tygart Drive
	(c) Name	Robert L. Fast	Name	
	Address	2739 Eastwood Drive	Address	
		Wooster, OH 44691		
	2 0			
3)	Inspector	Kenneth Greynolds	(c) Coal Less	see with Declaration
	Address	613 Broad Run Road	Name	None
		Jane Lew, WV 26378	Address	
	Telephone	(304) 206-6613		
			1	

TO THE PERSONS NAMED ABOVE:

You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Division of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Well Operator:
By:
Its:
Address:
Po Box 280
Bridgeport, WV 26330
Telephone:

Subscribed and sworn before me this
My Commission Expires:

Well Operator:
EQT Production Company
Victoria J.Roark
Permitting Supervisor
(304) 848-0076

day of

Notary Public

The Office of Oil & Gas processes your personal information, such as name, address and phone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DER's Chief Privacy Officer at depprivacy officer@wv.gov.

STATE OF WEST VIRGINIA
NOTARY PUBLIC
Misty S Christie
1207 Briercliff Rd
Bridgeport, WV 25330
My Commission Expires February 20, 2018

09/23/2016

WW-9 Revised 5/16

Page of		
2) Operator's Well	Number	
151781 (William N	urphy #1 B-46)	
3) API Well No.:	47 001 - 0078	9

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL & GAS

FLUIDS / CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name:	EQT PRODUCTION COMPANY	OP C	ODE:
Watershed (HUC 10):	Rock Camp	Quadrangle:	Nestorville
	ore than 5,000 bbls of water to complete		Yes No_X_
	X No	the proposed treatment.	100 110_21_
If so, please describe antic		Formation Fluid	ds ·
Will a synthetic liner be us	ed in the pit? Yes X No	Is so, what ml.?	20 10 ml
Proposed Disposal Metho	d for Treated Pit Wastes:	-	
		ride a completed form WW-9-GPP))
	Underground Injection (UIC Perm	•	
X	Reuse (at API Number Various		
X		form WW-9 for disposal location.	See attachment)
	Other: (Explain	j	· Maria
Mill algored languages by	used 2. If an describe:		
Will closed loop system be		Air frankrighter eilbered ats	
	d for this well? (vertical and horizontal)?	Air, freshwater, oil based, etc.	
	at type? Synthetic, petroleum, etc.		
Additives to be used in dri		1-	
•	nod? Leave in pit, landfill, remove offsit		
5. 150	lan to solidify what medium will be used? (c		
Landfill or offsite	name/permit number?		
(5)	n notice to the Office of the Oil and Gas of a ility. The notice shall be provided within 24 led.		
1, 2016, by the Office of O the permit are enforceable can lead to enforcement a I certify under penalty of form and all attachments t	nd and agree to the terms and conditions il and Gas of the West Virginia Division by law. Violations of any term or condiction. If law that I have personally examined a hereto and that, based on my inquiry of the information is true, accurate and conditions.	of Environmental Protection. I un tion of the general permit and/or o nd am familiar with the information those individuals immediately resp	derstand that the provisions of ther applicable law or regulation a submitted on this application consible for obtaining the
Company Official Sig	gnature	il h	
Company Official (Ty	rped Name) Vicki Roark		
Company Official Tit	7	1	
Subscribed and sworn My Commission Expire	OFFICIAL SEAL TO SEAL	Must in Notary	Public Aug of Oil &
N. S.	Misty S Christie Misty S Christie 1207 Briercliff Rd Bridgeport, WV 26330 My Commission Expires February 20, 2018		09/23/2010

EQT Production Water plan Offsite disposals

Waste Management - Meadowfill Landfill

Rt. 2, Box 68 Dawson Drive Bridgeport, WV 26330 304-326-6027 Permit #SWF-1032-98 Approval #100785WV

Waste Management - Northwestern Landfill

512 E. Dry Road Parkersburg, WV 26104 304-428-0602 Permit #SWF-1025 WV-0109400 Approval #100833WV



OPERATOR'S WELL NO.: 151781 (William Murphy #1 B-46)

LEGEND

Water Way Cross Drain Rock Drill site Application of Pit Was
Cross Drain Rock Drill site
Cross Drain Rock OOO Drill site
Rock Orill site
Drill site
Drill site
\oplus
_
d Application of Pit Was
Area il
lbs/acre
15
5

Topo Quad: Nestorville 7.5' Scale: 1" = 200' County: Barbour Date: August 12, 2016 District: Pleasant Project No: 163-10-00-16 47-001-00789 WV 151781 (William Murphy #1 B-46) Pit Location Map WV 151781 **Existing Well** Access Road NAD 27, North Zone N:266218.06 **LEGEND** E:1860318.87 PIT-CUT WALLS WGS 84 PIT-COMPACTED WALLS LAT:39.229970 AREA OF LAND APPLICATION OF PIT WASTE LONG:-79.992885 ELEV:1549.87 SURVEYING AND MAPPING SERVICES PERFORMED BY: EQT Production Company ALLEGHENY SURVEYS, INC. P.O. Box 280 Bridgeport, WV 26330 1-800-482-8606 237 Birch River Road Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608

Topo Quad: Nestorville 7.5' 1" = 2000' Scale: County: Barbour Date: July 25, 2016 District: Pleasant Project No: 163-10-00-16 47-001-00789 WV 151781 (William Murphy #1 B-46) Topo BACKWATER OF Clemtown 47-001-00789 WV 151781 NAD 27, North Zone N:266218.06 ALLEN_ HL E:1860318.87 **WGS 84** LAT:39.229970 Arden LONG:-79.992885 Truss Bridge Arden ELEV:1549.87 SURVEYING AND MAPPING SERVICES PERFORMED BY: PREPARED FOR: ALLEGHENY SURVEYS, INC. **EQT Production Company** 1-800-482-8606 P.O. Box 286 /// Bridgeport, WV 26330 237 Birch River Road Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608



West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 47-001-00789 WELL NO.: WV 151781 (William Murphy #1 B-46)					
FARM NAME: William T. Murphy					
RESPONSIBLE PARTY NAME: _ EQT Production Company					
COUNTY: Barbour DISTRICT: Pleasant					
QUADRANGLE: Nestorville 7.5'					
SURFACE OWNER: Pamela J. Linberg, Thomas M. Fast and Robert L. Fast, et al.					
ROYALTY OWNER: Wilma Jean Garner, et al.					
UTM GPS NORTHING: 4342780					
UTM GPS EASTING:586926					
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential Real-Time Differential 4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.					

09/23/2016



POTENTIAL WATER SAMPLE DATA SHEET

CLIENT: EQT PRODUCTION COMPANY LEASE NAME AND WELL No. William Murphy #1 B-46 - WV 151781 - API No. 47-001-00789.

POTENTIAL SAMPLE LOCATIONS

Site: 1 Spacing: 686 +/- Owner: Pamela Lindberg, et al.		
Address: 2739 Eastwood Dr., Wooster, OH 44691	Phone No	
Comments:		
Site: 2 Spacing:505+/- Owner: Pamela Lindberg, et al.		
Address: 2739 Eastwood Dr., Wooster, OH 44691	Phone No	
Comments:		

BIRCH RIVER OFFICE

237 Birch River Road Birch River, WV 26610 phone: 304-649-8606 fax: 304-649-8608

BRIDGEPORT OFFICE

172 Thompson Drive Bridgeport, WV 26330 phone: 304-848-5035 fax: 304-848-5037

ALUM CREEK OFFICE P.O. Box 108 • 1413 Childress Rd Alum Creek, WV 25003 phone: 304-756-2949 fax: 304-756-2948

25 Lights Addition Drive Martinsburg, WV 25404 phone: 304-901-2162 fax: 304-901-2182

Topo Quad: Nestorville 7.5' Scale: 1" = 2000' Barbour County: Date: July 25, 2016 Pleasant District: 163-10-00-16 Project No: Water 47-001-00789 WV 151781 (William Murphy #1 B-46) 2 Potential Water Sources within 1000 47-001-00789 Clemtown WV 151781 Site 2 NAD 27, North Zone N:266218.06 ALLEN_HL E:1860318.87 WGS 84 LAT:39.229970 Arden LONG:-79.992885 Truss Bridge Arden ELEV:1549.87 SURVEYING AND MAPPING SERVICES PERFORMED BY: PREPARED FOR: ALLEGHENY SURVEYS, INC. **EQT Production Company** 1-800-482-8606 P.O. Box 280 237 Birch River Road Bridgeport, WV 26330 Birch River, WV 26610 PH: (304) 649-8606

FAX: (304) 649-8608