


Copy





STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

## OIL & GAS DIVISION DEPT. OF MINES

#### Oil and Gas Division

Quadrangle PHILIPPI Permit No. BAR-1084		RECORD		Cable Recycling_ Water Floo	Comt d Stora
J&J Enterprises, Inc					STANCES TODAY OF STANCES
Company c/o Berry Fnergy Const		Casing and	Used in	Lest	Cement for up
Address Clarksburg, W. Va.		Tubing	Drilling	in Well	Cu. ft. fo ks.
Farm Virgil White		the observe of the designation of the second of		<del> </del>	*
Location (waters) Big Run		Size			
Well No. B-203		20-16		Y-1	
District Union County.		· Cond.	30'	30'	To surface
The surface of tract is owned in fee by		13-10"			
Maud Brown		9 5/8			
Address Volga, W. Va.		8 5/8	804 *	804	To surface
Mineral rights are owned by Virgil Wh	9 4	7			
Address_Rt.#1, Phili	ppi, WV	5 1/2			
Drilling Commenced 2 12 79		4 1/2	4060	40601	150 sks
Drilling Completed 2-19-79		3			TO OKO
Initial opėn flow <u>Show</u> cu. ft		2 .			
Final production 295 M cu. 10 per day		Liners Used			
Well openhrs. before test	1205# pp			<del>                                     </del>	
resh water 35! 214! Fooducing Sand Benson  Formation Color Hard or Soft	CCI	Salt 1 Depti	Water 1306 h 3985-8	1	Feet
Tale of Soil	Top Feet		1		
and & Shale	1	Bottom Feet	Oil, Gas or	Water *	Remarks
al	0	140	Oil, Gas or	Water *	
	140	140	Water	351	Fresh
nd & Shale	140	11 <sub>1</sub> 0 142 253			Fresh
and & Shale nd & Shale	140	11 <sub>1</sub> 0 142 253	Water	351	Fresh
nd & Shale al nd & Shale al	140 142 253 257 350	140 142 253 257 350 355	Water	351	Fresh
and & Shale nd & Shale al nd & Shale	140 142 253 257 350 355	140 142 253 257 350 355 386	Water	351	Fresh
and & Shale al al al al al al	140 142 253 257 350 355 386	140 142 253 257 350 355 386 391	Water	351	Fresh
and & Shale al	140 142 253 257 350 355 386 391	140 142 253 257 350 355 386 391 1128	Water	351	Fresh
and & Shale all and & Shale all and al and & Shale ttle Lime g Lime	140 142 253 257 350 355 386	140 142 253 257 350 355 386 391 1128 1216	Water Water	35° 214°	Fresh
and & Shale  all  and & Shale  all  and  al  nd  al  nd & Shale  ttle Lime  g Lime  jun	140 142 253 257 350 355 386 391 1128 1218	140 142 253 257 350 355 386 391 1128	Water	351	Fresh
and & Shale  all and & Shale  all and al al al at & Shale  ttle Lime g Lime jun and & Shale	140 142 257 350 355 386 391 1128 1218 1338	140 142 253 257 350 355 386 391 1128 1216 1338 1412	Water Water	35° 214°	Fresh Fresh
and & Shale  all  and & Shale  all  and  al  nd & Shale  ttle Lime  g Lime  jun  nd & Shale  nd & Shale	140 142 253 257 350 355 386 391 1128 1218 1338 1412 1530	140 142 253 257 350 355 386 391 1128 1216 1338 1412 1530 1690	Water Water Water	35' 214' 1306'	Fresh Fresh Salt
and & Shale al and & Shale al and al and al al al by al by al	140 142 253 257 350 355 386 391 1128 1218 1338 1412 1530	140 142 253 257 350 355 386 391 1128 1216 1338 1412 1530 1690	Water Water Water Water Gas	214' 214' 1306' 1550' 3783'	Fresh Fresh Salt
and & Shale al and & Shale al al al al al al al al al by al	140 142 253 257 350 355 386 391 1128 1218 1218 1338 1412 1530 3580 3940	140 142 253 257 350 355 386 391 1128 1216 1338 1412 1530 1690 3740 3965	Water Water Water	35' 214' 1306'	Fresh Fresh Salt
and & Shale al and & Shale al and al and al al al by al	140 142 253 257 350 355 386 391 1128 1218 1338 1412 1530	140 142 253 257 350 355 386 391 1128 1216 1338 1412 1530 1690 3740 3965 4138	Water Water Water Water Gas	214' 214' 1306' 1550' 3783'	Fresh Fresh Salt
and & Shale and & Shale and & Shale and	140 142 253 257 350 355 386 391 1128 1218 1218 1338 1412 1530 3580 3940	140 142 253 257 350 355 386 391 1128 1216 1338 1412 1530 1690 3740 3965	Water Water Water Water Gas	214' 214' 1306' 1550' 3783'	Fresh Fresh Salt
and & Shale and & Shale and & Shale and & Shale and	140 142 253 257 350 355 386 391 1128 1218 1218 1338 1412 1530 3580 3940	140 142 253 257 350 355 386 391 1128 1216 1338 1412 1530 1690 3740 3965 4138	Water Water Water Water Gas Gas	35' 214'  1306'  1550' 3783' 4138'	Fresh  Fresh  Salt
and & Shale and & Shale and & Shale and	140 142 253 257 350 355 386 391 1128 1218 1218 1338 1412 1530 3580 3940	140 142 253 257 350 355 386 391 1128 1216 1338 1412 1530 1690 3740 3965 4138	Water Water Water Gas Gas Gas JAJ J	35' 214'  1306'  1550' 3783' 4138'	Fresh Fresh Salt Salt Salt
and & Shale al and & Shale al and al and al al al begin al	140 142 253 257 350 355 386 391 1128 1218 1218 1338 1412 1530 3580 3940	140 142 253 257 350 355 386 391 1128 1216 1338 1412 1530 1690 3740 3965 4138	Water Water Water Water Gas Gas Gas J. J. J. F. C. O Ber 309 Pro	1306' 1550' 3783' 4138' Chterprise Ty Energy fessional	Fresh Fresh Salt Salt Salt Consultants Building
and & Shale al and & Shale al and al and al al al begin al	140 142 253 257 350 355 386 391 1128 1218 1218 1338 1412 1530 3580 3940	140 142 253 257 350 355 386 391 1128 1216 1338 1412 1530 1690 3740 3965 4138	Water Water Water Water Gas Gas Gas Clarksh	1306' 1550' 3783' 4138' Anterprise Ty Energy fessional	Fresh Fresh Salt Salt Salt Consultants Building
and & Shale and & Shale and & Shale and	140 142 253 257 350 355 386 391 1128 1218 1218 1338 1412 1530 3580 3940	140 142 253 257 350 355 386 391 1128 1216 1338 1412 1530 1690 3740 3965 4138	Water Water Water Water Gas Gas Gas Clarksh	1306' 1550' 3783' 4138' Anterprise Ty Energy fessional	Fresh Fresh Salt Salt Salt Consultants Building



### Oil and Gas Division

### OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES,	<b>.</b>	
Charleston, W. Va.	DATE October 19, 19	978
Surface Owner Maude Brown	Company J & J Enterprises	s, Inc.
Address Volga, West Virginia		ts & Mgrs. Inc.
Mineral Owner Virgil White, Agent	Farm Virgil White	
Address Rt. 1, Philippi, WV		
Coal Owner Maude Brown		
Address Volga, Wv		
Coal Operator Not Operated		County Dai Doul
Address	Quadrangie	
THIS PERMIT MUST BE POSTED AT THE WELL SITE All provisions being in accordance with Chapter 22, of the W. Va. Code, the location is hereby approved	INSPECTOR TO BE NOTIFIED Robert	Stewart
for <u>drilling</u> . This permit shall expire if		
operations have not commenced by 2-25-79.	ADDRESS	w, W. Va.
Trauth Land	PHONE 884-7782	
Députy Director - Oil & Gas Division GENTLEMEN:		
The undersigned well engages is entitled to dell		
The undersigned well operator is entitled to drill upon the thereto (or as the case may be) and the drill upon the transfer of the case may be a second to the case may be		
title thereto, (or as the case may be) under grant or lease White, et al W. R. Berry	dated <u>repruary 12</u> 19 78	by Virgil
White, et al made to	and recorded on the	day of
		•
X NEW WELLDRILL DEEPER		RE OR STIMULATE
OIL AND GAS WELL ORIGINALLY DRILL	ED BEFORE JUNE 5, 1969.	
The enclosed plat was prepared by a registered engineer have been notified as of the above date.	or licensed land surveyor and all coal or	wners and/or operators
The above named coal owners and/or operator are hereb to make by Section 3 of the Code, must be received by, or	y notified that any objection they wish to filed with the Department of Mines withi	make, or are required n ten (10) days. *
Copies of this notice and the enclosed plat were mailed by coal owners at their above shown respective addresssame day with the mailing or delivery of this copy to the I		before or on the
DI TAGE GYMYTH GODING OF ATT	Very truly yours, J & J Enterpri	ses, Inc.
PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO:	c/o Berry Energy Consultants (Sign Name)	, & Mgrs., INC.
CHOINIUM HOOD DINECIDI 10.	OVER KANEGIO	· ·
WEST VIRGINIA GEOLOGICAL AND	309 Professional	Bldg.
ECONOMIC SURVEY  Addi	Oli co.	
Well On		26301
MORGANTOWN, WEST VIRGINIA 26505 """ OP AC-304 - 292-6331	City or Town	
· i	State	
<u> </u>		

\*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

BLANKET BOND

BAR-1084 PERMIT NUMBER

# THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

DRILLING CONTRACTOR: (If			FRACTURE-STIMULATE		
NAME S. W. Jack	DRILLING CONTRACTOR: (If Known) RESPONSIBLE AGENT:				
	Drilling Co.	NAME Jim Willett			
ADDRESS Indiana, PA		ADDRESS Buckh	ADDRESS Buckhannon, WV TELEPHONE 472-2161		
TELEPHONE 412-349-680	00	TELEPHONE 472			
ESTIMATED DEPTH OF COMPL	ETED WELL: 4100	ROTARY X	CABLE TOOLS		
PROPOSED GEOLOGICAL FORM	MATION: Benson				
TYPE OF WELL: OIL_	GAS <u>X</u>	COMBSTORA	GE DISPOSAL		
			CLOOD OTHER		
TENTATIVE CASING PROGRAM	1				
CASING AND TUBING SIZE	USED FOR DRILLING	LEFT IN WELL	CEMENT FILL UP OR SACKS - CUBIC FT.		
20 - 16					
13 - 10 11 3/4	30	30	To Surface		
9 - 5/8					
8 - 5/8	1600	1600	To Surface		
7					
5 ½ 4 ½	4050				
3	4050	4050	To 2800		
2			Perf. Top		
Liners			Perf. Bottom Perf. Top		
			Perf. Bottom		
TO DRILL DEEPER OR REDRILI	<b>L:</b>		BOND AND PERMANENT COPY		
O FRACTURE - STIMULATE: OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT	O 1929, A PERMANENT ( ). IGINALLY DRILLED BEFO AND ORIGINAL WELL RE	OPY OF THE PLAT ANI ORE JUNE 5, 1929, FIVE (1 CORD.	D THE ORIGINAL WELL RECORI		
MUST ALSO BE SUBMITTED OFRACTURE - STIMULATE: OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM	IGINALLY DRILLED BEFO AND ORIGINAL WELL RE IGINALLY DRILLED ON A IBER, AND PERFORMANCE	OPY OF THE PLAT ANI ORE JUNE 5, 1929, FIVE ( CORD. OND/OR AFTER JUNE 5, 1 OF BOND.	D THE ORIGINAL WELL RECORI 5) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW-		
MUST ALSO BE SUBMITTED OFRACTURE - STIMULATE: OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM	IGINALLY DRILLED BEFO AND ORIGINAL WELL RE IGINALLY DRILLED ON A IBER, AND PERFORMANCE	OPY OF THE PLAT ANI ORE JUNE 5, 1929, FIVE ( CORD. OND/OR AFTER JUNE 5, 1 OF BOND.	D THE ORIGINAL WELL RECORI 5) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW-		
MUST ALSO BE SUBMITTED OFRACTURE - STIMULATE: OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed	IGINALLY DRILLED BEFO AND ORIGINAL WELL RE IGINALLY DRILLED ON A IBER, AND PERFORMANCE	OPY OF THE PLAT ANI ORE JUNE 5, 1929, FIVE ( CORD. OND/OR AFTER JUNE 5, 1 OF BOND.	D THE ORIGINAL WELL RECORI		
MUST ALSO BE SUBMITTED OFRACTURE - STIMULATE: OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance.  The following waiver must be	IGINALLY DRILLED BEFO AND ORIGINAL WELL RE IGINALLY DRILLED ON A IBER, AND PERFORMANCE within ninety (90) days of	ORE JUNE 5, 1929, FIVE (SCORD.  ND/OR AFTER JUNE 5, 1 BOND.  completion for bond release	D THE ORIGINAL WELL RECORD  5) COPIES OG - 1, PERFORMANCE  929, FIVE COPIES OG - 1, SHOW-  12. Inspector to be notified twenty		
MUST ALSO BE SUBMITTED OFRACTURE - STIMULATE: OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance.  The following waiver must be hereof. WAIVER: I the undersigned, Agent	IGINALLY DRILLED BEFORMANCH OF COMPLETE ON A STATE OF COMPLETE OF	ORE JUNE 5, 1929, FIVE (SCORD.  ND/OR AFTER JUNE 5, 1829 BOND.  completion for bond release crator if the permit is to be company, Own	DETHE ORIGINAL WELL RECORD  5) COPIES OG - 1, PERFORMANCE  929, FIVE COPIES OG - 1, SHOW-  10. Inspector to be notified twenty-  10. Inspector to be notified twenty-  10. Inspector of the coal under		
MUST ALSO BE SUBMITTED OFRACTURE - STIMULATE: OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance.  The following waiver must be hereof. WAIVER: I the undersigned, Agent	IGINALLY DRILLED BEFORMANENT (CO.)  IGINALLY DRILLED BEFORMANCH DESCRIPTION AND PERFORMANCH WITHIN ninety (90) days of the coal open completed by the coal open completed coal open completed coal open completed coal open coal o	ORE JUNE 5, 1929, FIVE (SCORD.  ND/OR AFTER JUNE 5, 1829 BOND.  completion for bond release crator if the permit is to be company, Own	DETHE ORIGINAL WELL RECORD  5) COPIES OG - 1, PERFORMANCE  929, FIVE COPIES OG - 1, SHOW-  10. Inspector to be notified twenty-  10. Inspector to be notified twenty-  10. Inspector of the coal under		
MUST ALSO BE SUBMITTED FO FRACTURE - STIMULATE: OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance.  The following waiver must be hereof. WAIVER: I the undersigned, Agent this lease have examined We the	IGINALLY DRILLED BEFORMANCH AND ORIGINAL WELL RE IGINALLY DRILLED ON A IBER, AND PERFORMANCH within ninety (90) days of  completed by the coal op t for	OPY OF THE PLAT AND ORE JUNE 5, 1929, FIVE (SCORD. OND/OR AFTER JUNE 5, 102 BOND. Completion for bond release  erator if the permit is to be compared to be company. Own taps this proposed well located to be compared	D THE ORIGINAL WELL RECORD  5) COPIES OG - 1, PERFORMANCE  929, FIVE COPIES OG - 1, SHOW-  10. Inspector to be notified twenty-  10. Inspector to be notified twenty-  11. Inspector of the coal under  12. Inspector of the coal under  13. Inspector of the coal under  14. Inspector of the coal under  15. Inspector of the coal under  16. Inspector of the coal under		
MUST ALSO BE SUBMITTED FO FRACTURE - STIMULATE: OIL AND/OR GAS WELL OR BOND, PERMANENT PLAT OIL AND/OR GAS WELL OR ING ORIGINAL PERMIT NUM Required forms must be filed four (24) hours in advance.  The following waiver must be hereof. WAIVER: I the undersigned, Agent this lease have examined We the	IGINALLY DRILLED BEFORMANCH AND ORIGINAL WELL RE IGINALLY DRILLED ON A IBER, AND PERFORMANCH within ninety (90) days of  completed by the coal op t for	OPY OF THE PLAT AND ORE JUNE 5, 1929, FIVE (SCORD. OND/OR AFTER JUNE 5, 102 BOND. Completion for bond release  erator if the permit is to be compared to be company. Own taps this proposed well located to be compared	D THE ORIGINAL WELL RECORD  5) COPIES OG - 1, PERFORMANCE  929, FIVE COPIES OG - 1, SHOW-  10. Inspector to be notified twenty-  10. Inspector to be notified twenty-  10. Inspector of the coal under		