

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C, Huffman, Cabinet Secretary www.dep.wv.gov

January 21, 2015

WELL WORK PERMIT Re-Work

This permit, API Well Number: 47-102483, issued to COMMONWEALTH ENERGY INC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: RIGGS 1, K-68

Farm Name: BELINGTON BANK

API Well Number: 47-102483 Permit Type: Re-Work Date Issued: 01/21/2015

Promoting a healthy environment.


PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code §22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR 4-19.1.c, if the operator is unable to sample and analyze any water well or spring with one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours
- 7. Well work activities shall not constitute a hazard to the safety of persons.
- 8. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov within 30 days of commencement of drilling.
- 9. The Re-work of API Well # 47-001-02483 excludes the land application of pit waste.

WW - 2B (Rev. 8/10)



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

) Well Operation	or: Comn	nonwealt	th Energy Inc.	310248	Barbour	Barker	Belington 7.5'
	_			Operator ID	County	District	Quadrangle
) Operator's V	Vell Numb	er: <u>K-68</u>			3) Elevation:	1562'	
) Well Type: (a	a) Oil	or Ga	ıs_X				
(1	b) If Gas:	Produ	ction X / Unc	derground Sto	rage	_	
		Deep	o/ S	Shallow X	_		
			: Haverty		Proposed Tar		
) Proposed To) Approximate				Formation at I	Proposed Tota	al Depth: Ha	verty
) Approximate	salt water	r depths	None shown in offset	t records			Received
) Approximate	coal sea	m denth:	s: 14-21'			Off	ice of Oil & C
				White see to d			DEC 0 8 2014
0) Approxima	te void de	pths,(co	al, Karst, other):	None shown in	offset records		
1) Does land	contain co	al seam	s tributary to ac	tive mine?	lo		
A Carpan - A Car					- 3 355		
2) Describe pro	posed we	ll work ar	nd fracturing meth	nods in detail (a	attach additiona	I sheets if no	eeded)
A RESIDENCE OF THE PROPERTY OF			conventional produ				
	2						
			ONO AND TH	DINO DDOOD	· 42	/ /	hognech
3) TYPE S	SPECIFIC	ATTACK SHOP	ASING AND TU	FOOTAGE	INTERVALS		
	Size	Grade	Weight per ft	For Drilling	Left in Well	Fill -up (C	u. Ft.)
Conductor	11 3/4"		Existing	180.95	180.95		
Fresh Water	8 5/8"		Existing	707.30	707.30		
Coal							
Intermediate							
Production	4 1/2"			5300	5300	300 S	acks
Tubing							
Liners							
Dookora: Vin	4.						
Packers: Kin							
Size							
Dep	oths Set						11/23/2 015



Reviewed	
Recorded	;

₩R-35

Well No. K-68	
Farm O.C. Riggs	

-35	SEERS LINE	Date_j		14. 1991	· .
_	Mest Birgini		K-68		
	ENT OF ENERGY		.C. Rigo	as i	
	6 Ges Bivision			1 -2463	_
Gu un	a Ass Sunamu			2485	
	RATOR'S REPORT OF			<i>:</i>	
DRILLING, FRACTURING AND/OR	STIMULATING, O	R PHYSICA	L CHANGE	1	
	•			. 1 .	
II. TYPE: Oil / Gas / Liquid Inj (If "Gas," Production / Und	ection/ Wast erground Storag	e Disposa e/ Deep	<u>1/</u> Sha	11ow/)	
CATION: Elevation: 1570 Watersh	ed Sugar Cr	eek	<u> </u>	·	
District: Barker County	Barbour	Quadrangle	Belinc	ton 7.5	
•					_
MPANY Keelex Corporation					-
DRESS P.O.B. 2564, Clarksburg, WV	Casing	Used in	Left	Cement	7
SIGNATED AGENT Thomas A. Keeley	Tubing	Drilling		fill up Ou. ft.	
DRESS P.O.B. 2564, Clarksburg, WV 2			17544		1
•	20-16				Į
RFACE OWNER Belington Bank	Cond.				┥
DRESS 315 Crim Ave., Belington, WV	1.11.3/4	180.95		93 SKS	7
NERAL RIGHTS CWNER Belington Bank	9 5/8				4
ORESS 315 Crim Ave., Belington. WV	8 5/8	707.30	707.30	173.95	sk
L AND GAS INSPECTOR FOR THIS WORK Phil					7
Tracy ADDRESS Box 2536, Elkins,	WV 5 1/2				1
RATT ISSUED 09/22/89	3 1/2		13	eceived	1
10/89/89	— 4 1/2 — 3_			of Oil & G	<u>.t</u> .
TILING COMPLETED 11/1/89	— <u>3</u>	 			- 1
			:DF	0 8 2014	4
P APPLICABLE: PLUGGING OF DRY HOLE ON ENTINUOUS PROGRESSION FROM DRILLING OR	Liners		·		
MORKING. VERBAL PERMISSION OBTAINED	used				٦
Y			<u> </u>		_
COLOGICAL TARGET FORMATION Ballton	vn	Dep	th 300	0 · feet	:
Depth of completed well / 1596	eet Rotary	x / Cabl	e Tools_		_
Water strata depth: Fresh 32	eet; Salt	feet	•		
Coal seam depths: 14-21	Is coal	being min	ed in the	area?n	0
COAT Seam deputs.		•		· · · · · · · · · · · · · · · · · · ·	•
PEN FLOW DATA					
Producing formation Gantz	Pay	zone dep	th 157	<u>1</u> feet	-
Gas: Initial open flow 2.3 Mc	f/d Oil: Ini	itial open	flow	Bb1/d	3
Final open flow 2.3 Mc	f/d Fir	al open f	low	Bb1/d	i
Time of open flow between	initial and fi	inal tests	72 hc	xirs	5
Static rock pressure n/a psig(s	surface measurem	ment) afte	rhou	urs shut in	ז ה
(If amplicable due to multiple compl	letion)		01/2	23/2015	1
iel abbesses and a series	Pav	zone dep	th	feet	= ;
Carried throughted by formation					3
Second producing formation MC	ef/d Oile Thi	itial open	flow	<u>Bb1/d</u>	
Gas: Initial open flow Mr	:f/d Oil: Ini	itial open	flow	Bb1/c	3
Gas: Initial open flow Mc	:f/d Oil: Ini :f/d Oil: Fir	itial open ral open f	flow	Bbl/c	- .
Gas: Initial open flow Mr	of/d Oil: Ini of/d Oil: Fir n initial and fi	itial open val open f inal tests	flowho	Bbl/c Bbl/c wurs	⊒ . :

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

DID NOT FRAC. NATURAL

WELL LOG

] · · · · · · · · · · · · · · · · · · ·	7-3-32-	REMARKS	-# - •	
FORMATION COLOR HARD OR SOFT	JOP FEET	BOTTOM FEET	and salt v	ater, coal	or al	and gr
Sandy Dirt Sandy Shale Coal Sand & Shale	0 4 14 21 238	4 14 21 238 243			".	
Coal Sand & Shale Little Lime Big Lime Shale Big Injun (Gantz) T.D.	243 1100 1186 1315 1320 #1596	1100 1186 1315 1320 1596				
						÷
	. •				•	
, ,				•		
				·		•


(Attach separate sheets as necessary)

By: Showas A Kuley Prompto 2015

Date: January 14, 1991

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including in the drilling of a well."



WW-2A			1) Det	0.			
(Rev. 6-14)			1). Dat		J. T. W.	- 10 4	
			2.) Ope	erator's Wel	l Number	K-68	
					State	County	Permit
			3.) API	Well No .:	47-	001	- 2483
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		001	2400
		STATE	OF WEST VIR	GINIA			
DEP	ARTMENT OF EN	VIRONMENT	AL PROTEC	TION, OFF	ICE OF	OIL AND	GAS
	NOTICE AN	ID APPLICAT	TION FOR A	NELL WO	RK PER	MIT	
4) Surface Ov	vner(s) to be served:	/	5) (a) Coal Op	erator			
(a) Name	Neil Rollins Et Al	/	Name	N/A			
Address	RR 2 Box 45D		Address				
	Belington, WV 20	6250	-				
(b) Name			(b) Coal C	Owner(s) wit	h Declara	ation	
Address			Name	N/A			
			Address	1307			
			- 1/20/20	-			
(c) Name			Name				
Address			Address	-			
Address	-		_ Address	-			
6) Inconstar	Vannath Crayna	ldo	- (c) Coal I	essee with	Doclarati	on	
6) Inspector Address	Kenneth Grevno		Name		Deciarati	OII	
Address	613 Broad Run F		Address	N/A			
Talente and	Jane Lew. WV 2	03/8	Address	-			
Telephone	304-206-6613			ALCE NOTE	OF TILAT		
1076-40-05-4		PERSONS NAI					tional all and ann
	he lease or leases or o	other continuing	contract or conti	acts by whic	n i noid th	e right to ex	tract oil and gas
OR V Included is t	the information require	d by Chanter 22	Article 6 Section	on 8(d) of the	Code of I	Most Virgini	a (see nage 2)
	that as required unde						
	cation plat, and accomp						
application, a loc		e (Affidavit attac				CLEANING DAY	
-		ostmarked post		ed)			
		tice of Publicatio					
I have re	ead and understand Cl	napter 22-6 and	135 CSR 4, and	I agree to t	the terms	and conditi	ons of any permit
issued under this	s application.						
	under penalty of law t						
this application	form and all attachme ormation, I believe that	nts, and that ba	sed on my inqu	ry of those i	naividuais to	immediate	ly responsible for
botaining the init	are that there are sign	ificant nenalties	for submitting fa	alse informati	on includ	ing the pos	sibility of fine and
imprisonment.	are that there are sign	mount penamos	Tor Subtritting it	alac imamilian	ori, monas	mig the poor	oldinity of fine diffe
imprisoritierit.		Well Operator	Commonwe	alth Energy	Inc.		
Commission	FFICIAL SEAL	By:	04/1	1	_		
NOTAL PURIOR	IIG, State Of Hoof Frigues =	Its:	Designated /	Agent			Received
32	ICKI A BROWN 7 Broadway Ave	Address:	28 Magnolia	Plaza		0	ffice of Oil & Ga
Clari	kshurg, WV 26301 =		Weston, WV				TALL STATE
My Commis	ision Expires April 9, 2024	Telephone:	304-269-014	18			DEC 08 2014
21		Email:					

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer #23/2015 depprivacyofficer@wv.gov

2014

Notary Public

day of

Subscribed and sworn before me this

My Commission Expires
Oil and Gas Privacy Notice

SENDER: COMPLETE THIS SECTION

2. Article Number (Transfer from strong tabel) PS Form 3811, July 2013 Complete items 1, 2, and 3, Also complete liters 4 if Restrand Uselway to desaret.

Print your mans and address on its revente up that we can return the card to you.

Attach this card to the lock of the natippeer, or cut the front if space permits. METL ROLLINS ET AL.
RR2 BOX 45D
BELLINGTON, WV 26250 1. Nach Activised to 5222 E955 h000 0212 h102 3. Segrico Type

The Central Depth To Pentry Hall Dypen

The Registral Depth To Pentry Hall Dypen

The Registral Depth To Dentry

C. Restrant Followy? (2775 Edg)

(4. Restrant Followy? (2775 Edg)

(5. Restrant Followy? (2775 Edg)

Received Office of Oil & Gas DEC 0 8 2014

SENDER: COMPLETE THIS SE	CTION	COMPLETE THIS SECTION ON DEL	IVERY	
 Complete items 1, 2, and 3. Alsitem 4 if Restricted Delivery is Print your name and address of 	desired.	À. Signature	☐ Agent ☐ Addressee	
so that we can return the card Attach this card to the back of or on the front if space permits	the mailpiece,	B. Received by (Printed Name)	C. Date of Delivery	
1. Article Addressed to: NEIL ROLLINS ET AL. RR2 BOX 45D BELINGTON, WV 26250		D. Is delivery address different from item 1? ☐ Yes If YES, enter delivery address below: ☐ No		
		3. Service Type Certified Mail Registered Insured Mail Collect on	ceipt for Merchandise	
		4. Restricted Delivery? (Extra Fee)	☐ Yes	
Article Number (Transfer from service label)	7014 218	o 0004 5563 7225	1515	
PS Form 3811, July 2013	Domestic Re	eturn Receipt		



9X12 (



Received Office of Oil & Gas DEC 08 2014





SMITH LAND SURVEYING, INC.

12 Vanhorn Drive PO Box 150 Glenville, WV 26351

TO:

NEIL ROLLINS ET AL RR 2 BOX 45D BELINGTON, WV 26250

Received
Office of Oil & Gas

WW-2B1
(5-12)

Well No.	K-68	

West Virginia Department of Environmental Protection Office of Oil and Gas

NOTICE TO SURFACE OWNERS

The well operator named below is preparing to file for a permit from the state to drill a new well. Before a well work permit can be filed with the Chief of the Office of Oil and Gas, the well operator is required to have given notice of the right to request water well or spring analytical testing. This notice shall be given to the owners or occupants of land which have a water well or spring being utilized for human consumption, domestic animals, or other general use and which is located within 1000 feet of the proposed well site.

With this form, the operator is giving you notice of your right to request analytical testing. The operator is required to sample and analyze the water wells or springs of all owners or occupants who request it. Therefore, if you wish to have your water well or spring tested, contact the operator named below.

All sampling shall be completed prior to drilling. Within thirty (30) days of the receipt of such sample analyses the operator shall submit the results to the Chief of the Office of Oil and Gas and to the owners or occupants who may have requested them.

Be advised, you have the right to sample and analyze any water supply at your own expense.

Listed below is the laboratory chosen by operator to perform analysis, and contactor chosen to collect sample.

Certified Laboratory Name Sampling Contractor		Reliance Labs	
		Smith Land Surveying, Inc Environmental Division	
Well Operator Commonwealth		h Energy Inc.	
Address	28 Magnolia Pla	aza	
	Weston, WV 26	6452	
Telephone 304-269-0148			

FOR OPERATOR'S USE ONLY: Below, or on an attached page, list those persons which were given this notice. Place an asterisk beside the one(s) that contacted you and requested sampling and analyses. If there were no requests made, indicate by underling which one you have selected to sample and analyze. If there are no water wells or springs within 1000 feet of the proposed site, the Chief may require the operator to test wells up to 2000 feet from the proposed site.

NOTE: There appears to be 3 potable water sources within 1500', therefore tests will be offered and samples taken as required.

Peceived
Office of Oil & Gas
DEC 0 8 2014

Operator's Well Number K-68

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6, Section 8(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Edgar Southern	Commonwealth Energy Inc.	.0625	81/537
Glade Energy	Commonwealth Energy Inc.	.08563	81/537
Cecil R. & Linda Howell	Commonwealth Energy Inc.	.0003	81/537
Roy A. & Gloria White	Commonwealth Energy Inc.	.00028	81/537
Rodney & Delores Tallman	Commonwealth Energy Inc.	.0000898	81/537
Douglas K. & Deborah L. Baldwin	Commonwealth Energy, Inc.	.000393	81/537
Lowell & Marjorie Larew	Commonwealth Energy, Inc.	.00254	81/357

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application he reby a cknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources
- WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

Received
Office of Oil & Gas

DEC 08 2014

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be nec essary and further affirms that all needed permits/approvals should be ac quired from the appr opriate aut hority before the affected activity is initiated.

Well Operator:

Commonwealth Energy Inc.

By:lts:

Designated Agent


	Page	of	
API Number 47 - 001	-2483	- 6 - 6-6	
Operator's Well	No. K-68		


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name_ Commonwealth Energy Inc.	OP Code 310248
Watershed (HUC 10) Sugar Creek	Quadrangle Belington
Elevation 1562' County	Barbour DistrictBarker
Do you anticipate using more than 5,000 bbls of water to	o complete the proposed well work? Yes NoX
Will a pit be used for drill cuttings? Yes X No	5
If so, please describe anticipated pit waste: Dr	ill water, flowback, and various formation cuttings.
Will a synthetic liner be used in the pit? Yes _	x No If so, what ml.?-60 20 Ml. 9 M/M
Land Application No	CHUB APPLICATION AS WATER IS POOLING ON ST
Reuse (at API Number	Permit Number)
	rm WW-9 for disposal location) MUST DISPOSE WELL EFFLU PROPERLY.
Will closed loop system be used? No	
Drilling medium anticipated for this well? Air, freshwat	ter, oil based, etc. Air
-If oil based, what type? Synthetic, petroleum,	etc.
Additives to be used in drilling medium? None	
	moved offsite, etc. Leave in pit
	will be used? (cement, lime, sawdust) Lime
on August 1, 2005, by the Office of Oil and Gas of the Aprovisions of the permit are enforceable by law. Violatlaw or regulation can lead to enforcement action. I certify under penalty of law that I have perapplication form and all attachments thereto and that obtaining the information, I believe that the information penalties for submitting false information, including the	Nest Virginia Department of Environmental Protection. I understand that the tions of any term or condition of the general permit and/or other applicable resonally examined and am familiar with the information submitted on this t, based on my inquiry of those individuals immediately responsible for ion is true, accurate, and complete. I am aware that there are significant possibility of fine or imprisonment.
Company Official Signature	Received
Company Official (Typed Name) Commonwealth Ener	Office of Oil & Gas
Company Official Title Designated Agent	DEC. 0 8 2014
Subscribed and sworn before me this 5 da	Notary Public, Slate Of West Virginia
My commission expires Upul 9	3024 327 Box 2013 April 9, 2024 Clark burg 443 2630 15 My Commission Expires April 9, 2024

Property Boundary Rond = = = = = = = = = Spring Existing Fence = X = X = X = Wet Spot Planned Fence = / Drain Pipe with size in inches Waterway Waterway Pit: cut walls Pit: cut walls Pit: compacted fill walls Area for Land Application of Fit Wassa Proposed Revegetation Treatment: Acres Disturbed Lime _ 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON Ibs/acre (500 lbs minimum) Mulch HAY		Operator's W	ell NoK-68
Property Boundary Road = = = = = = = = = = Spring Existing Fence		LEGEND	
Existing Fence — X — X — X — Wet Spot Planned Fence — / — Drain Pipe with size in inches Stream — Waterway — Waterway — Open Ditch Rock — Artificial Filter Strip — Artificial Filter Strip — Artificial Filter Strip — Artificial Filter Strip — Area for Land Application of Pit Waste — Proposed Revegetation Treatment: Acres Disturbed — 1.48 ± — Prevegetation pH — Lime3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 10s/acre (500 lbs minimum) Mulch BAY	Property Boundary		
Proposed Revegetation Treatment: Acres Disturbed 1.48 ± Prevegetation pH Lime 3 Tons/acre or to correct to pH Lime 3 Tons/acre or to correct to pH Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type Ibs/acre KY-31 40 ORCHARD GRASS 15	Road = = = = = = = = =		
Proposed Revegetation Treatment: Acres Disturbed 1.48 ± Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON Ibs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type Ibs/acre Seed Type Ibs/acre KY-31 40 ORCHARD GRASS 15	•		
Open Ditch Rock North N Builtdings Water wells Drill site Proposed Revegetation Treatment: Acres Disturbed Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON lbs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type lbs/acre Seed Type lbs/acre KY-31 40 ORCHARD GRASS 15		. •	6
Open Ditch Rock North N Buildings Water wells Drill site Proposed Revegetation Treatment: Acres Disturbed Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON lbs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type lbs/acre Seed Type lbs/acre KY-31 40 ORCHARD GRASS 15			
Artificial Filter Strip Pit: cut walls Pit: compacted fill walls Area for Land Application of Pit Watte Proposed Revegetation Treatment: Acres Disturbed 1.48 ± Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON Ibs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type Ibs/acre Seed Type Ibs/acre KY-31 40 ORCHARD GRASS 15			
Pit: cut walls Pit: compacted fill walls Water wells Drill site Proposed Revegetation Treatment: Acres Disturbed 1.48 ± Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON lbs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type lbs/acre Seed Type lbs/acre KY-31 40 ORCHARD GRASS 15	Anna da		
Proposed Revegetation Treatment: Acres Disturbed 1.48 ± Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON lbs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type lbs/acre Seed Type lbs/acre KY-31 40 ORCHARD GRASS 15	20000		
Proposed Revegetation Treatment: Acres Disturbed 1.48 ± Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON lbs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type lbs/acre Seed Type Seed Type			wire.
Proposed Revegetation Treatment: Acres Disturbed 1.48 ± Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON Ibs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type Ibs/acre Seed Type Ibs/acre KY-31 40 ORCHARD GRASS 15		•	PT CTC CC
Proposed Revegetation Treatment: Acres Disturbed 1.48 ± Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON lbs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Area II Seed Type lbs/acre Seed Type lbs/acre KY-31 40 ORCHARD GRASS 15			
Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON lbs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type lbs/acre Seed Type lbs/acre KY-31 40 ORCHARD GRASS 15	•	G-:	
ANNUAL RYE 15	Lime3 Tons/acre or to correct to pheroilizer (10-20-20 or equivalent) 1/3 1b. Mulch HAY 2 Tons/ Seed Type	H6_5 s/acre (500 lbs minimum) facre ed Mixtures Seed Type ORCHARD GRASS	ili ibs/acre 15
	Attach: Drawing(s) of road, location, pit and proposed area for land appropriate section of involved 7.5' topographic sheet. Plan Approved by: Comments: Location 1 Location Locatio	olication. Assay	
Photocopied section of involved 7.5' topographic sheet. Plan Approved by:	₩	· ·	









01/23/2015