


Latitude 38° 10'

Longitude 81° 00'



2.37 5
 3.11 W
 5WC (H-4)

COAL NOT OPERATED.

On top location 76%
 7.5 0615 topo loc 15.162
 38° 10' 00" 2.18 S 2.18 S
 81° 52' 30" 0.89 W 3.16 W

Well Location
 of Deepur X
 of Burdenment

Company CAMERON O. & G. CO.
 Location CHARLESTON, WVA.
 Name L.R. GRIFFITH.
 Acres 642
 (Farm) No. 2
 Elevation (BAR Level) 285.
 Township MADISON. - C
 County BOONE District SCOTT.
 Engineer B.E. Krebs.
 Engineer's Registration No. 5.
 File No. 11,872. Drawing No.
 Date 10-19-44 Scale 1" = 400 FT.

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. BOO-691

★ Denotes location of well on United States Topographic Maps, scale 1" to 62,500', latitude and longitude lines being represented by border lines as shown.

— Denotes one inch squares on border line of original tracing

6-6 236

No. drillers Log filed
 Deep Well?

GAS WELL
 VOL 179,000
 (BEREA)

L. R. GRIFFITH NO. 2 WELL

Scott District, Boone County, W. Va.
 By Cameron Oil & Gas Co., 801 Grant St., Charleston, W. Va.
 Drilled under permit Boo-691; Madison Quadrangle
 On 64.2 acres on Horse Creek
 Elevation 885' L.
 Surface and minerals owned by L.R. Griffith, Madison, W. Va.
 Drilling commenced 6/27/28; deepened 11/4/44; completed Sept. 19, 1928;
 completed deepening 2/45.
 Well shot 9/15/28 from 2160-2183'; with
 Shot second time 2/14/45, from 3200-4324'
 8 1/4" casing 368'4", pulled; 6 5/8", 1513'10", left in.
 Record from Cameron Oil and Gas, May 12, 1960

	Top	Bottom
Surface	0	12
Sand	12	80
Lime	80	110
Slate	110	160
Lime	160	175
Sand	175	192
Slate	192	215
Lime	215	230
Sand	230	325
Slate	325	380
Lime	380	450
Slate	450	470
Sand	470	485
Slate and lime shells	485	540
Sand	540	860
Slate	860	865
Sand	865	1039
Lime	1039	1050
Sand	1050	1060
Shale	1060	1080
Lime	1080	1100
Lime shells	1100	1125
Lime	1125	1140
Sandy shale	1140	1160
Sand	1160	1250
Slate	1250	1285
Lime	1285	1290
Slate and Lime shells	1290	1476
Big Lime	1476	1676
Big Injun	1676	1710
Slate and shells	1710	2145
Brown shale	2145	2159
Berea Sand	2159	2182
Slate	2182	2203
Slate and shells	2203	2500
Lime	2500	2525
Slate and shells	2525	2600
Lime	2600	2700
Slate and shells	2700	2950
Lime	2950	3000
Slate and shells	3000	3060
Lime	3060	3108
Slate and shells	3108	3225
Line	3225	3322

	Top	Bottom
Shale, brown	3322	3750
Shale, white	3750	4071
Lime, black	4071	4081
Shale, brown	4081	4300
Shale, black - MARCELLUS	4300	4320
Corniferous Lime	4320	4324
TOTAL DEPTH		4324

46

Gas 2161-76'; 2649-69'; 3977'.

4320
885

3435