



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

February 22, 2016

FINAL INSPECTION REPORT

New Well Permit Cancelled

NEW RIVER ENERGY CORPORATION,

The FINAL INSPECTION REPORT for the CANCELLED permit, API Well Number: 47-502349, issued to NEW RIVER ENERGY CORPORATION, and listed below has been received in this office. The permit has been cancelled as of 2/22/2016.

James Martin

Chief

Operator: NEW RIVER ENERGY CORPORATION

Operator's Well No: NREC 39A

Farm Name: WESTVARENDRAG

API Well Number: 47-502349

Date Issued: 06/23/2010

Date Cancelled: 02/22/2016

Promoting a healthy environment.

INSPECTORS PERMIT SUMMARY FORM

GPS YES[] NO[]

DATE STARTED/LOCATION:	OPERATOR:	NEW RIVER ENERGY CORPORATION
DRILLING COMMENCED:	FARM:	WESTVARENDRAG
TO DATE: DEPTHS:		NREC 39A
WATER DEPTHS:	COAL DEPTHS	S
QUESTIONS FOR THIS REPORT ARE IN ACCORD 4-12.1 AND 35CSR 4-16 AND THE GENERAL WATE POINTS ARE TO BE GIVEN UP TO MAXIMUM A	ER POLLUTION CONT	ROL PERMIT.
DID OPERATOR GIVE PROPER NOTICE TO IN	NSPECTOR BEFORE T	HE FOLLOWING:
	S[] NO[] (2 PTS	
B. DRILLING YES	S[] NO[] (2_PTS	
2. WAS THE TIMBER CUT, STACKED, AND BRU BEFORE DIRT WORK STARTED? YES	JSH USED FOR SEDIM S [] NO [] (2_PT	
3. ARE ALL LOCATION AND/OR ROAD BANKS	BEING SLOPED? YES	S[] NO[] (4_PTS) (4_PTS)
	S) B. CROSS DR. (PT S) D. CREEK CR F. BARRIERS	AINS (1)_(2)_(3)_(4)_(5)_(PTS) OSSINGS (1)_(2)_(3)_(PTS)
07	POINTS AVAILABL	E FOR QUESTION 4: (33_PTS)
5. HAS TOP SOIL (IF ANY) BEEN STOCKED PILI	ED? YES[]	NO[] (2_PTS) (2_PTS)
6. IS THE PIT PROPERLY INSTALLED AND MAI	NTAINED? YES[]	NO [] (9_PTS) (9_PTS) ——
7. RECLAMATION: A. ROADWAY C. PITS E. TANK DIKES C. ADEQUATE SEEDING MATERIALS (1)_(2)_(3)_(PTS) (1)_(2)_(3)_(PTS)	B. LOCATION D. PIPELINES F. API INSTALL (2) (3) (PTS)	(1)_(2)_(3)_(PTS)
	(2)_(3)_(PTS)	
(1)		E FOR QUESTION 7: (24_PTS)
 WAS RECLAMATION COMPLETED WITHIN: 6 MTHS OF TD 6_PTS ONLY; 4 MTHS OF TE 	D 12_PTS ONLY; 2 M	THS OF TD 19_PTS ONLY;
		E FOR QUESTION 8: (19_PTS)
TOTAL MAXIMUM POSSIBLE SCORE OF 99.	TOTAL R	ECLAMATION SCORE:
Z/22/16 DATE RELEASED	- IN	My Kevely SPECTOR'S SIGNATURE