



New Location..   
 Drill Deeper.....   
 Abandonment.....

Company Pure Oil Co.  
 Address Newark, Ohio  
 Farm L.R. & P. "A"  
 Tract "A" Acres 1951 Lease No. 227  
 Well (Farm) No. 9 Serial No. 507  
 Elevation (Spirit Level) 1218  
 Quadrangle Paytona  
 County Boone District Sherman  
 Engineer J. B. Hunter  
 Engineer's Registration No. Ohio-2912  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 2/27/57 Scale 1" = 200'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. B00-316-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

1487

712



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Quadrangle Payton  
Permit No. 316A

Oil or Gas Well W. I.  
(KIND)

Company The Pure Oil Company  
Address P. O. Box 551 Newark, Ohio  
Farm LaFollette, Robson & Pritchard Acres 1951  
Location (waters) Joes Creek  
Well No. 9 Elev. 1218'  
District Sherman County Boone  
The surface of tract is owned in fee by LaFollette, Robson and Pritchard Address \_\_\_\_\_  
Mineral rights are owned by Same Address \_\_\_\_\_  
Drilling commenced 8-23-20  
Drilling completed 11-26-20  
Date Shot 11/30/20 From 2902 To 2916  
With 60 qts.  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil 70 bbls., 1st 24 hrs.  
Fresh water 400' feet feet  
Salt water 1425 feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
18			
10"	700'	700'	Size of
<del>8"</del>	1640'	1640'	Depth set
<del>6"</del>	2225'	2225'	
5 3/16" Anchor		35'	Perf. top
3			Perf. bottom
2"		2886'	Perf. top
Liners Used			Perf. bottom

2" tubing cemented w/ 35 sks by Halliburton.  
CASING CEMENTED SIZE No. Ft. Date

COAL WAS ENCOUNTERED AT 190 FEET 60 INCHES  
400 FEET 60 INCHES 485 FEET 60 INCHES  
700 FEET 60 INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil-sandy			0	10			
Sand	gray		10	75			
Slate	black		75	85			
Sand	gray		85	135			
Slate	black		135	150			
Sand	gray		150	190			
Coal	black		190	195			
Sand	gray		195	250			
Slate	black		250	275			
Sand	gray		275	300			
Slate	black		300	360			
Sand	gray		360	400	Water	400'	Hole full
Coal	black		400	405			
Lime	gray		405	485			
Coal	black		485	490			
Slate	black		490	515			
Sand	gray		515	580			
Slate	black		580	610			
Lime	gray		610	630			
Sand	gray		630	700			
Coal	black		700	705			
Slate	black		705	715			
Sand	gray		715	800			
Slate	black		800	815			
Lime	gray		815	835			
Sand	gray		835	875			
Slate	black		875	900			
Sand	gray		900	980			
Lime	gray		980	1000			
Sand	gray		1000	1060			
Slate	black		1060	1070			
Sand	gray		1070	1100			
Slate	black		1100	1135			
Grampus	gray		1135	1260			
Slate, black			1260	1310			
Lime	black		1310	1350			

(Over)

DEC 20 1958

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Salt sand	gray		1350	1635	Water	1425	Hole full
Slate	black		1635	1645			
Lime	black		1645	1665			
Sand	gray		1665	1740			
Slate	black		1740	1810			
Lime	black		1810	1815			
Maxon sand	gray		1815	1940			
Lime	black		1940	1950			
Slate	black		1950	1955			
Red rock	red		1955	1967			
Slate	black		1967	2000			
Red rock			2000	2030			
Slate	black		2030	2125			
Little lime	black		2125	2205			
Pencil cave	black		2205	2215			
Big lime	white		2215	2430			
Big Injun	red		2430	2454			
Slate	black		2454	2628	Gas	2630'	Show
Weir sand	gray		2628	2718			
Lime shells	black		2718	2850			
Slate	black		2850	2876			
Berea sand	gray		2876	2916	Gas	2906	
Slate	black		2916	2921	Oil	2906-16	
TOTAL DEPTH				2921			
After C.O.				2926			

Casinghead has been lowered 5' & all measurements should be made accordingly.

Date March 1, 19 57

APPROVED THE PURE OIL COMPANY, Owner

By Guy J. Andersen  
(Title)

Division Superintendent