WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

FARM NAME: LaFollette RESPONSIBLE PARTY NAME: Gary E. Acord COUNTY: Boone DISTRICT: Sherman QUADRANGLE: Sylvester SURFACE OWNER: LaFollette ROYALTY OWNER: LaFollette UTM GPS NORTHING: 4217346.53 meters (NAD-83 Zone 17N) UTM GPS EASTING: 451766.90 meters (NAD-83 Zone 17N) GPS ELEVATION: 306.6 m. (1006) The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential Real-Time Differential MAR 1 1 2019 MAR 1 1 2019 WV Department of	API: 47-005-30304 WELL NO.: 2	
COUNTY: Boone QUADRANGLE: Sylvester SURFACE OWNER: LaFollette ROYALTY OWNER: LaFollette UTM GPS NORTHING: 4217346.53 meters (NAD-83 Zone 17N) UTM GPS EASTING: 451766.90 meters (NAD-83 Zone 17N) GPS ELEVATION: 306.6 m. (1006') The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential MAR 1 1 2019 Mapping Grade GPSX : Post Processed Differential WV Department of	FARM NAME: LaFollette	
QUADRANGLE: Sylvester SURFACE OWNER: LaFollette ROYALTY OWNER: LaFollette UTM GPS NORTHING: 4217346.53 meters (NAD-83 Zone 17N) UTM GPS EASTING: 451766.90 meters (NAD-83 Zone 17N) GPS ELEVATION: 306.6 m. (1006') The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential MAR 1 1 2019 Real-Time Differential WV Department of	RESPONSIBLE PARTY NAME: Gary E. Acord	
SURFACE OWNER: LaFollette ROYALTY OWNER: LaFollette UTM GPS NORTHING: 4217346.53 meters (NAD-83 Zone 17N) UTM GPS EASTING: 451766.90 meters (NAD-83 Zone 17N) GPS ELEVATION: 306.6 m. (1006°) The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential MAR 1 1 2019 Real-Time Differential MAR 1 1 2019 Mapping Grade GPS _X_: Post Processed Differential WY Department of	COUNTY: Boone DISTRICT: Sherma	an
ROYALTY OWNER: LaFollette UTM GPS NORTHING: 4217346.53 meters (NAD-83 Zone 17N) UTM GPS EASTING: 451766.90 meters (NAD-83 Zone 17N) GPS ELEVATION: 306.6 m. (1006) The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential MAR 1 1 2019 Real-Time Differential WY Department of	QUADRANGLE: Sylvester	
UTM GPS NORTHING: 4217346.53 meters (NAD-83 Zone 17N) UTM GPS EASTING: 451766.90 meters (NAD-83 Zone 17N) GPS ELEVATION: 306.6 m. (1006') The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential MAR 1 1 2019 Mapping Grade GPSx: Post Processed Differential WV Department of	SURFACE OWNER: LaFollette	
UTM GPS EASTING: 451766.90 meters (NAD-83 Zone 17N) GPS ELEVATION: 306.6 m. (1006') The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential MAR 1 1 2019 Mapping Grade GPS: Post Processed Differential WD Department of	ROYALTY OWNER: LaFollette	
UTM GPS EASTING: 451766.90 meters (NAD-83 Zone 17N) GPS ELEVATION: 306.6 m. (1006') The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential MAR 1 1 2019 Mapping Grade GPS: Post Processed Differential WV Department of	UTM GPS NORTHING: 4217346.53 meters (NAD-83 Zone	17N)
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential MAR 1 1 2019 Mapping Grade GPSX : Post Processed Differential Wy Department of		
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential MAR 1 2019 Mapping Grade GPSX : Post Processed Differential WV Department of		
plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) - meters. 2. Accuracy to Datum - 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential MAR 1 1 2019 Mapping Grade GPSX : Post Processed Differential WV Department of		
D 1 TC D'CC 1 1	plat for a plugging permit or assigned API number on the above well. The Offic coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: I meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential Real-Time Differential	e of Oil and Gas will not accept GPS neight above mean sea level (MSL) - RECEIVED Office of Oil and Gas MAR 1 1 2019
	4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowled information required by law and the regulations issued and prescribed by the	edge and belief and shows all the e Office of Oil and Gas.
4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.	Janux (Core) AGENT/ENGINETI	3-11-19
I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.	Signature	
I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the	Signatury	Date

