



New Location   
 Drill Deeper   
 Abandonment

Company The Pure Oil Company  
 Address Newark, Ohio  
 Farm LaFollette, Robson & Prichard  
 Tract "B" Acres 5000 Lease No. 224-226  
 Well (Farm) No. 8 Serial No. 212  
 Elevation (Spirit Level) 762.6  
 Quadrangle Peytona  
 County Boone District Sherman  
 Engineer J. B. Hunter  
 Engineer's Registration No. Ohio-2912  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date May 1, 1946 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. 300-119-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.



506 ✓

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. 119-A Oil or Gas Well Oil  
(KIND)

Company The Pure Oil Company  
Address Box 551 - Newark, Ohio  
Farm L. R. & P. "B" Acres 5,000  
Location (waters) Coal River  
Well No. 8 Elev. 762.6  
District Sherman County Boone  
The surface of tract is owned in fee by L. M. LaFollette, Jr.,  
Box 444 Address Charleston, W. Va.  
Mineral rights are owned by L. M. LaFollette, Jr., et al  
Box 444 Address Charleston, W. Va.  
Drilling commenced April 23, 1923  
Drilling completed June 30, 1923  
Date Shot 7-3-23 From 2430' To 2444'  
With 60 quarts glycerin

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10 1/2 - 21	370'	370'	Size of
8 1/4	1205'	1205'	
6 1/2	1754'	1754'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 175 FEET 60 INCHES  
220 FEET 60 INCHES FEET INCHES  
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	16			
Slate			16	50			
Lime			50	80			
Slate & Lime			80	175			
Coal			175	180			
Sand			180	220			
Coal			220	225			
Slate			225	245			
Lime			245	290			
Slate			290	340			
Lime			340	360			
Slate			360	400			
Lime			400	470			
Slate			470	540			
Sand			540	635			
Crampus			635	750			
Slate & Shells			750	835			
Salt Sand			835	1205			
Slate			1205	1215			
Lime			1215	1295			
Slate & Shells			1295	1350			
Maron Sand			1350	1365			
Red Rock			1365	1385			
Slate & Shells			1385	1405			
Red Rock			1405	1425			
Slate & Shells			1425	1640			
Little Lime			1640	1740			
Big Lime			1740	1960			
Big Injun			1960	1995			
Slate & Shells			1995	2125			
Weir Sand			2125	2175	Gas	2128'	Smell only
Slate & Shells			2175	2225			
Lime Shell			2225	2235	Gas	2235'	Small amount
Slate & Shell			2235	2400			
Brown Shell			2400	2409			
Berea			2409	2446	Oil	2436'	
Lime			2446	2447			
TOTAL DEPTH:			2447'				



