

Company Pure Oil Co.
 Address Newark, Ohio
 Farm L. R. & P.
 Tract "B" Acres 5000 Lease No. 224-226
 Well (Farm) No. 27 Serial No. 514
 Elevation (Spirit Level) 1103.8
 Quadrangle Payton
 County Boone District Sherman
 Engineer J. B. Hunter
 Engineer's Registration No. Ohio - 2912
 File No. _____ Drawing No. _____
 Date 5/20/57 Scale 1" = 200'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. B00-323-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



719

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Baylors

Quadrangle _____

Permit No. 323-A

WELL RECORD

Oil or Gas Well 011
(KIND)

Company The Pure Oil Company
Address P. O. Box 551 Newark, Ohio
Farm LaFollette, Robson & Prichard Acres 5,000
Tract "B"
Location (waters) Joos Creek

Well No. 27 Elev. 1103.8
District Sherman County Boone

The surface of tract is owned in fee by LaFollette, Robson and Prichard
Address _____

Mineral rights are owned by Same
Address _____

Drilling commenced April 7, 1928

Drilling completed June 10, 1928

Date Shot 6-11-28 From 2793' 1/4" To 2814

With 80 qts.

Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch

Volume _____ Cu. Ft.

Rock Pressure _____ lbs. _____ hrs.

Oil 11 bbls., 1st 24 hrs.

WELL ACIDIZED _____

WELL FRACTURED _____

RESULT AFTER TREATMENT _____



ROCK PRESSURE AFTER TREATMENT _____

Fresh Water _____ Feet Salt Water 1255' Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Surface			0	10			
Sand			10	60			
Coal			60	62			
Lime			62	80			
Sand			80	110			
Slate			110	135			
Lime			135	170			
Sand			170	215			
Slate			215	263			
Coal			263	267			
Lime			267	295			
Slate & shells			295	364			
Coal			364	368			
Lime			368	420			
Sand			420	544			
Coal			544	549			
Lime			549	559			
Sand			559	567			
Coal			567	570			
Slate			570	597			
Sand			597	620			
Lime			620	640			
Slate			640	720			
Lime			720	750			
Sand			750	780			
Slate			780	829			
Sand			829	915			
Lime			915	944			
Sand			944	986			

(over)

DEC 20 1958



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Grampus			986	1085			
Lime			1085	1100			
Slate & shells			1100	1160			
Salt sand			1160	1560	Water	1255'	
Lime			1560	1590			
Slate & shells			1590	1675			
Lime			1675	1758			
Maxon sand			1758	1848			
Red rock			1848	1880			
Lime			1880	1888			
Red rock			1888	1898			
Slate & shells			1898	1915			
Red rock			1915	1955			
Slate & shells			1955	2000			
Pencil cave			2000	2009			
Little lime			2009	2105			
Big lime			2105	2320			
Big injun			2320	2360			
Slate & shells			2360	2510			
Weir sand			2510	2623	Gas	2520-25	37 MCF
Slate & shells			2623	2764			
Brown shale			2764	2770	Black oil	2791	
Berea sand			2770	2814	Green oil	2804-14	15.6 MCF
Black lime			2814	2818	Gas		
TOTAL DEPTH				2818			

Date March 11, 19 57

APPROVED THE PURE OIL COMPANY, Owner

By Guy J. Andersen
(Title)
Division Superintendent