



New Location..   
 Drill Deeper.....   
 Abandonment.....

Company Owens, Libbey-Owens Gas Dept.  
 Address Box 4158 Charleston 4 W. Va.  
 Farm Roxie Lineville  
 Tract \_\_\_\_\_ Acres 57 Lease No. 221  
 Well (Farm) No. 2 Serial No. 233  
 Elevation (Spirit Level) 1267.1 Top 6" casing  
 Quadrangle Madison 7 S 2.73" W 2.52"  
 County Boone District Crook  
 Engineer T.S. Flournoy  
 Engineer's Registration No. 269  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date April 28, 1958 Scale 1" = 500 Ft.

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. B00-328-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



72

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Madison

Permit No. 378-A

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Company OWENS, LIBBEY-OWENS GAS DEPARTMENT  
Address P. O. Box 4158, Charleston 4, W. Va.  
Farm Roxie Linville Acres 57  
Location (waters) Pond Fork 1228  
Well No. 2 (Serial No. 233) Elev. 4267-1-90 16.  
District Creek County Boone 6-1-13  
The surface of tract is owned in fee by Silas Linville  
Madison, W. Va. Address  
Mineral rights are owned by Same (owner says no coal)  
Address

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
10"	30	30	Anchor
8 3/4"	799		Size of
6 5/8"	1240	1240	Depth set <u>2193</u>
5 3/16"	1571	1571	Cave catcher <u>2224</u>
3"			Cage Perf. top <u>2271</u>
2"		2299'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Drilling commenced 7-6-26  
Drilling completed 10-4-26  
Date Shot 9-23-26 From 2245 To 2273  
With 80 qts.  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume Berea 256 M Cu. Ft.  
Rock Pressure 310 lbs. 24 hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
WELL ACIDIZED \_\_\_\_\_  
WELL FRACTURED \_\_\_\_\_

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 95 FEET 48 INCHES  
760 FEET 48 INCHES FEET INCHES  
FEET INCHES FEET INCHES

RESULT AFTER TREATMENT \_\_\_\_\_  
ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_  
Fresh Water 100, 775 Feet Salt Water 1240 Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Surface			0	10			
Slate			10	95			
Coal			95	99			
Sand			99	195			
Slate			195	230			
Gritty Lime			230	370			
Slate & Shells			370	450			
Sand			450	600			
Black Lime			600	630			
Sand			630	700			
Slate	Gray		700	710			
Sand			710	725			
Slate			725	730			
Sand			730	760			
Coal			760	764			Hole full water 775 - 825
Grampus Sand			764	864			
Slate			864	866			
Salt Sand			866	1025			Cave at 1200 to 1225
Slate	Black		1025	1028			Hole full water at 1240-1250
Salt Sand			1028	1200			
Slate & Lime			1200	1225			
Sand			1225	1360			
Slate			1360	1365			
Pink Rock			1365	1370			
Slate & Shell			1370	1400			
Lime			1400	1420			
Red Rock			1420	1435			
Slate			1435	1456			
Marston sand			1456	1483			
Slate "			1483	1489			

RECEIVED SEP 1958 WEST VIRGINIA DEPT. OF MINES  
RECEIVED MAY 1958 WEST VIRGINIA DEPT. OF MINES

(over)

DEC 20 1958

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Little Lime			1489	1520			
Slate			1520	1524			
Pencil Cave			1524	1530			
Big Lime			1530	1755			
Injun Sand			1755	1795			
Weir Shells			1795	1850			
Slate			1850	2185			
Lime Shells			2185	2200			
Slate			2200	2230			
Brown Shale			2230	2245			
Berea Sand			2245	2273	Gas at 2250 - 2260		
Slate			2273	2299			
Total Depth				2299			

Date May 6, 19 58

APPROVED OWENS, LIBBEY-OWENS GAS DEPARTMENT Owner

By A. H. Smith (Title) Geologist