

LaFollette, Robson & Prichard, Tract "A"  
195125

New Location..   
 Drill Deeper.....   
 Abandonment.....

Company	Pure Oil Co.
Address	Newark, Ohio
Farm	L. R. & P. "A"
Tract	Acres 1951 Lease No. 227
Well (Farm) No.	11 Serial No. 526
Elevation (Spirit Level)	1301
Quadrangle	Peytons
County	Boone District Sherman
Engineer	J. B. Hunter
Engineer's Registration No.	Ohio-2912
File No.	Drawing No.
Date	9/17/58 Scale 1" = 200'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. B00-335-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.



932

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Keystone  
Permit No. 935-A

WELL RECORD

Water Injection

Oil or Gas Well \_\_\_\_\_  
(KIND)


Company The Pure Oil Company  
 Address P. O. Box 551, Newark, Ohio  
 Farm L. R. & P. "A" Acres 1,951  
 Location (waters) \_\_\_\_\_  
 Well No. 11 Elev. 1,301  
 District Sherman County Boone  
 The surface of tract is owned in fee by LaFollette, Robson & Prichard Tract "A"  
 Address \_\_\_\_\_  
 Mineral rights are owned by Same  
 Address \_\_\_\_\_  
 Drilling commenced December 17, 1920  
 Drilling completed February 26, 1921  
 Date Shot 3/3/21 From 2955 To 2976  
 With 60 Qts.  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil After Shot 200 bbls., 1st 24 hrs.  
 WELL ACIDIZED \_\_\_\_\_  
 WELL FRACTURED \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	770'	770'	Size of
8 1/4	1680'	1680'	
6 5/8	2322'	2322'	Depth set
5 3/16			
3		2939'	Perf. top
* 2			Perf. bottom
Liners Used			Perf. top
*Used 39' - 5 1/2" OD casing as anchor for 2-3/8" OD tubing.			Perf. bottom
<del>TUBING</del> CEMENTED <u>2-3/8"</u> SIZE <u>35sax</u> No. Ft. <u>Sept '51</u> Date			

COAL WAS ENCOUNTERED AT 225 FEET 60 INCHES  
495 FEET 48 INCHES FEET INCHES  
 FEET INCHES FEET INCHES

RESULT AFTER TREATMENT \_\_\_\_\_  
 ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_  
 Fresh Water \_\_\_\_\_ Feet Salt Water 1600, 1960 Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Clay			0	10			
Slate			10	35			
Sand			35	50			
Slate			50	75			
Sand			75	95			
Slate			95	125			
Sand			125	150			
Slate			150	170			
Sand			170	200			
Slate			200	225			
Coal			225	230			
Slate			230	275			
Sand			275	300			
Slate			300	375			
Sand			375	410			
Slate			410	495			
Coal			495	499			
Slate			499	515			
Sand			515	550			
Slate			550	590			
Sand			590	615			
Slate			615	645			
Sand			645	760			
Slate			760	765			
Slate	<u>Black</u>		765	770			
Lime			770	810			
Sandy Lime			810	870			
Sand			870	900			
Slate			900	980			



(over)

JUL 23 1959

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand shells			980	1020			
Slate			1020	1080			
Sand shells			1080	1120			
Slate			1120	1150			
Sandy shells			1150	1280			
Grampus			1208	1310			
Slate			1310	1448			
Salt Sand			1448	1640	Salt Water	1600'	
Slate			1640	1660			
Lime			1660	1675			
Slate			1675	1745			
Sand			1745	1765			
Slate			1765	1950			
Maxon Sand			1950	2040	Salt Water	1960'	Not enough to drill with.
Red Rock			2040	2070			
Slate			2070	2100			
Red Rock			2100	2130			
Slate			2130	2175			
Little Lime			2175	2281			
Pencil Cave			2281	2282			
Big Lime			2282	2498			
Big Injun			2498	2521			
Slate			2521	2716			
Weir Sand			2716	2780	Gas	2724'	Little
Slate			2780	2933			
Berea Sand			2933	2979	Oil & Gas	2950' & 2959'	127 bbls before shot & 200 after.
Slate			2979	2980			
TOTAL DEPTH				2980			
TOTAL DEPTH AFTER CLEAN OUT IN 1951				2982			
Casinghead lowered 3' in 1951 and all measurements should be made from a point 3' above same.							

Date September 16, 1958

APPROVED THE PURE OIL COMPANY, Owner

Original Signed By  
By Guy J. Andersen  
Area Superintendent