

Company PACK & JACKSON
Address HAMLIN, W. VA.
Farm T. W. BEDFORD, ETAL.
Tract _____ Acres 3132 Lease No. _____
Well (Farm) No. 2 Serial No. 671-F5703
Elevation (Spirit Level) 671
Quadrangle MADISON
County BOONE District SCOTT
Engineer PAUL E. JOACHIM
Engineer's Registration No. 669
File No. 52-39 Drawing No. _____
Date SEPT. 16, 1959 Scale 1" = 1000'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

FILE NO. B00-345-A

✚ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.

K&E 156 IMPERIAL 62390

OG-10

752

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Scott Dist

Permit No. 345A

Oil or Gas Well Gas (KIND)

Company Owens, Libbey-Owens Gas Dept. (Scott Dist)
Address P. O. Box 4158, Charleston, W. Va.
Farm C. L. Bedford Corp. Acres 3132
Location (waters) Twigg Mt. Fork
Well No. 2 (Serial #147) Elev. 671
District Scott County Boone
The surface of tract is owned in fee by Est. of James P. Bedford
st. Natl. Bk. & Trust Co Address Scranton, Pa.
506 Spruce St.
Mineral rights are owned by Same
Address
Drilling commenced 7/9/23 Deepened 11/16/24
Drilling completed 8/18/23 12/11/24
Date Shot 12/4/24 From 1622 To 1640
With 60 Qts.
Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume 236 M. Cu. Ft.
Rock Pressure Berea 475; lime 65# 24 hrs.
Oil bbls., 1st 24 hrs.
Fresh water 30-40 feet feet
Salt water feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			Anchor
10	18'	18'	Size of 6 5/8 x 2
8¼	310'	310'	
6⅝	919'	919'	Depth set 1583'
5 3/16	1007'	None	from top.
3	994'	None	Perf. top
2	1700'	1700'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED SIZE No. Ft. Date

COAL WAS ENCOUNTERED AT 245 FEET 60 INCHES
290 FEET 60 INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
ravel			0	18			
and			18	40			
late			40	60			
and			60	80	Fresh water	30-40 ft.	
late			80	110			
and			110	160			
late			160	190			
and			190	245			
oal			245	250			
and			250	290			
oal			290	295			
late	Black		295	310			
late & Shells			310	365			
alt Sand			365	515	Water	370'	Hole full
late			515	525			
alt Sand			525	615			
late			615	632	Cave		
ime	Black		632	740			
late & Shells			740	760			
axton Sand			760	825			
ock	Red		825	832			
ime Shells			832	840			
ittle Lime			840	855			
encil Cave			855	865			
ig Lime			865	994			
otal depth				994	Gas	988-990 & 994'	
		DRILLED DEEPER					
ig Lime			994	1125			
ig Injun			1125	1170			
late & Shells			1170	1573			
ime			1573	1600			
hale	Brown		1600	1619			
erea Grit			1619	1643	Gas	1628	139,000 Cu. Ft.
late & Shells			1643	1670			Test before
otal Depth				1670			shot 139,000 CF.
							Test after
							shot 236,000 Cu. Ft.

OCT 1959 RECEIVED WEST VIRGINIA DEPT. OF MINES

MAR 26 1960

(Over)

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date Sept. 11, 1958

APPROVED Owens, Libbey-Owens Gas Dept., Owner

By A. H. Smith Geologist
(Title)

MATHEWS PRINTING AND LITHOGRAPHING CO
CHARLESTON W VA