DATE: 7/15/2010 API #:047-007-02596

CS

State of West Virginia Department of Environmental Protection Office of Oil and Gas Well Operator's Report of Well Work

Farm name: Blake, George and Pearl		Operator \	Well No.: Blake #1	
LOCATION:		Oundmana	la. Damazilla	
Elevation: 924' District: Salt Lick		County: B	le: Burnsville	
Latitude: 470 Feet South of 38	Deg. 45	the state of the s	00 Sec.	
Longitude 2180 Feet West of 80	Deg. 37		Sec. Sec.	
Company: Ramsey Associated Petroleum, Inc.	Dog. 37	wiii. 5	o Sec.	
Company. Ramsey Associated 1 curoleani, inc.	Casing & Tubing	Used in drilling	Left in well	Cement fill Up. Cu. Ft.
Address: P.O. Box 90	7"	urining	760	SURFACE + 25%
Glenville, WV 26351	4 1/2"		4724	3500'
Agent: Leon Ramsey	172		7127	0000
Inspector: Craig Duckworth				
Date Permit Issued: 11/20/08				
Date Well Work Commenced: 12/09/08				
Date Well Work Completed: 7/30/09				
Verbal Plugging:				
Date Permission granted on:				
Rotary X Cable Rig				
Total Depth (feet): 5010'				
Fresh Water Depth (ft.):				
Salt Water Depth (ft.):				
Is coal being mined in area (N/Y)? N				
Coal Depths (ft.):				
OPENFLOWDATA		1 (0) 1(10)	10.151	
Time of open flow between initial and final tes Static rock Pressure psig (surface	al open flow 0 l open flow 0 sts pressure) after	APDE	CEIVED Oil and Gas	
Second producing formation BALLTOWN-SPEE Gas: Initial open flow No Test MCF/d Oil: Initia Final open flow No Test MCF/d Final Time of open flow between initial and final tes Static rock Pressure psig (surface	ECHLY Pay : al open flow 0 l open flow 0 sts pressure) after	zone depth (ft) Bbl/d Hours Hours	3783'4-3157' Irtment of al Protection	
NOTE: ON BACK OF THIS FORM PUT THE FOR FRACTURING OR STIMULATING, PHYSICAL DETAILED GEOLOGICAL RECORD OF ALL WELLBORE.	L CHANGE, ETC	C. 2). THE WE	ELL LOG WHICH	IS A SYSTEMATIC
Signed:				
By: LEON RAMSEY	Date	:7	7/15/2010	

SUMMARY OF PROCEDURES AND ESTIMATED FORMATION TOPS FOR RAMSEY ASSOCIATED PETROLEUM, INC.

Well# Blake #1
Lease Name: Blake
API# 47-007-2596
Longitude 80'37'30'
Latitude 38'45'00'
Burnsville 7.5' Quadrangle
Elevation 924'
SALT LICK DISTRICT
BRAXTON COUNTY, WEST VIRGINIA

ZONE	DEPTH	GAS CHECK	REMARKS
	1465) 1405)		
LITTLE LIME	1465'-1495'		
BIG LIME	1612'-1667'		
BIG INJUN	1667'-1755'		
5 TH SAND	2387'-2460'		
SPEECHLEY	2916'-3141'		
BALLTOWN	3396'-3814'		
BENSON	4233'-4261'		
ELK	4418'-4877'		

TOTAL DEPTH 5010

 1st Stage- ELK-BENSON (from 4684 'to 4247 ')

 60 QF 400 sks 20/40

 500 gal. 15% HCL with Clay and Iron Stabilizer 16 perforations w/ 6 perforation balls 1, 2, 3 ppg @25-30 BBl per min

 2nd Stage- BALLTOWN-SPEECHLY (from 3783 'to 3157 ')

 60 QF 300 sks 20/40

 500 gal. 15% HCL with Clay and Iron Stabilizer 16 perforations w/ 4 perforation balls 1, 2, 3 ppg @25-30 BBl per min

Perforations & Fracture Treatment

API # 47- 007-02596 T.D. 4724' of 9.50 # 4 ½''

Well Name: BLAKE 1