



New Location...
 Drill Deeper...
 Abandonment...

✓ SEP 16 1942

4.35 W
 5.38 Q

Company UNITED FUEL GAS CO.
 Address CHARLESTON, W.VA.
 Farm L.E. HAMRIC
 Tract Acres 48 Lease No. 27145
 Well (Farm) No. 1 Serial No. 3818
 Elevation (Spirit Level) 1022.46
 Quadrangle GASSAWAY
 County BRAXTON District BIRCH
 Engineer [Signature]
 Engineer's Registration No. 659
 File No. 96-81 Drawing No. _____
 Date AUG. 28 1942 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. BRAX-45-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

"IMPERIAL" TRACING CLOTH
 K & F CO., N.Y.

L.E. HAMRIC 110, 1 (3818) - UNITED FUEL GAS CO. - BRAX-45-A

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

149

WELL RECORD

Permit No. 45-A

Oil or Gas Well GAS
(KIND)

Company UNITED FUEL GAS COMPANY
Address Charleston, W. Va.
Farm L. E. Hamric Acres 48
Location (waters) Left Fork of West Fork
Well No. 3818 Elev. 1022.46
District Birch County Braxton
The surface of tract is owned in fee by L. E. Hamric et al
Address Fairmont, W. Va.
Mineral rights are owned by Same
Address _____
Drilling commenced September 22, 1926
Drilling completed October 21, 1926
Date Shot Not shot From _____ To _____
With _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	185 740	Pulled 740	Size of
8 1/4			Depth set
6 5/8			
5 3/16		1636	Perf. top
3			Perf. bottom
2			Perf. top
Liners Used			Perf. bottom

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume 377,000 Cu. Ft.
Rock Pressure 500 lbs. 24 hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water 480 feet
Salt water _____ feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES
_____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil			6	2			
Red Rock			2	20			
Slate			20	60			
Red Rock			60	90			
Slate			90	115			
Sand			115	125			
Red Rock			125	180			
Slate			180	220			
Red Rock			220	360			
Slate and Shells			360	430			
Sand			430	455			
Slate			455	490	Water	480	One bailer
Sand			490	600			
Slate			600	625			
Sand			625	740			
Slate Shells			740	815			
Sand			815	870			
Slate			870	936			
Sand			936	960			
Slate			960	1000			
Sand			1000	1035			
Slate and Shells			1035	1045			
Sand			1045	1080			
Slate and Shells			1080	1160			
Sand			1160	1175			
Slate			1175	1200			
Gas Sand			1200	1270			
Slate			1270	1295			
Salt Sand			1295	1315			
Slate			1315	1360			
Salt Sand			1360	1525	Gas	1470	Little
Slate			1525	1610			
Lime			1610	1621			
Maxon Sand			1621	1636	Gas Pay	1623-1633	
Total Depth				1636			



