



New Location   
 Drill Deeper   
 Abandonment

Company UNITED FUEL GAS CO.  
 Address CHARLESTON, W.VA.  
 Farm P.W. HALL  
 Tract Acres 50 Lease No. 27146  
 Well (Farm) No. 1 Serial No. 3798  
 Elevation (Spirit Level) 1106.16  
 Quadrangle GASSAWAY  
 County BRAXTON District BIRCH  
 Engineer [Signature]  
 Engineer's Registration No. 659  
 File No. 96-81 Drawing No. \_\_\_\_\_  
 Date AUG. 28 1942 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. BRAX-48-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

P. W. HALL No. 1 (3798) - UNITED FUEL GAS CO. - BRAX-48-A

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

148

WELL RECORD

Permit No. 49-A

Oil or Gas Well GAS  
(KIND)

Company United Fuel Gas Company  
Address Charleston, W. Va.  
Farm P. W. Hall, et al Acres 50  
Location (waters) Left Fork of West Fork  
Well No. 3798 Elev. 1106.16  
District Birch County Braxton  
The surface of tract is owned in fee by B. F. Hall  
Address Elmira, W. Va.  
Mineral rights are owned by P. W. Hall, et al  
Address Cuyahoga Falls, O.  
Drilling commenced March 1, 1926  
Drilling completed April 1, 1926  
Date Shot Not Shot From To  
With

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	240	Pulled	Size of
8 1/4	749	Pulled	
6 5/8	1692	1692	Depth set
5 3/16			
3		1744	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow /10ths Water in Inch  
/10ths Merc. in Inch  
Volume 1,580,000 Cu. Ft.  
Rock Pressure 495 lbs. 24 hrs.  
Oil bbls., 1st 24 hrs.  
Fresh water No Record feet  
Salt water No Record feet

CASING CEMENTED (E) SIZE No. Ft. Date  
COAL WAS ENCOUNTERED AT FEET INCHES  
FEET INCHES FEET INCHES  
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface				15			
Red Rock and Slate			15	70			
Shells			70	215			
Red Rock			215	280			
Lime			280	310			
Red Shells			310	380			
Lime Shells			380	490			
Sand			490	505			
Slate and Shells			505	575			
Sand			575	590			
Slate			590	600			
Sand			600	640			
Slate Shells			640	717			
Sand			717	805			
Lime Shells			805	880			
Sand			880	915			
Slate Shells			915	1015			
Sand			1015	1085			
Slate Shells			1085	1100			
Sand			1100	1150			
Slate Shells			1150	1245			
Gas Sand			1245	1285			
Slate			1285	1290			
1st Salt Sand			1290	1370			
Slate & Shells			1370	1460			
Sand			1460	1490			
Slate Shells			1490	1515			
Sand			1515	1555			
Slate			1555	1570			
Sand			1570	1590			
Slate			1590	1600			
Sand			1600	1640			
Slate Shells			1640	1690			
Maxon Sand			1690	1744			
Total Depth				1744			
					GAS	1706-1715	
					"	1727-1740	



