



New Location
 Drill Deeper
 Abandonment

JAN 26 1952

Company PITTSBURGH & W. VA. GAS CO.
 Address CLARKSBURG, W. VA.
 Farm A. M. DONAHUE
 Tract _____ Acres 160 Lease No. 14388
 Well (Farm) No. 1E4 Serial No. 7032
 Elevation (Spirit Level) AS SHOWN
 Quadrangle BURNSVILLE N.E. 33
 County BRAXTON District SALTICK
 Engineer Kenneth B. Moore
 Engineer's Registration No. _____
 File No. V-157-85 Drawing No. _____
 Date MAY 24, 1948 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. BRAX-71-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

*No. 71-A - Record map (7032) Probably a real number -
 added in 1948 -*

A. M. DONAHUE No. 1 (7032) - P&G 2 W. VA GAS Co. - BRAX-71-A

007-94-A

A. M. Donahue No. 7032 Well Record (No. 10 on Map II).

Salt Lick District, on west hillside of Posey Run, 2.4 miles north-west of Orlando; authority, Pittsburgh & W. Va. Gas Co.; completed, Oct. 14, 1915.

	Top.	Bottom.
	Feet.	Feet.
Big Lime.....	2085	2208
Big Injun Sand.....	2208	2306
Squaw Sand.....	2313	2340
Gordon Stray.....	2708	2717
Gordon Sand.....	2732	2745
Total depth.....		2774

"500,000 cubic feet of gas daily in Gordon Stray and Gordon, mostly Gordon."

A. M. DONAHUE NO. 7032 WELL

Salt Lick District, Braxton County, W. Va.

By Pittsburgh and W. Va. Gas Co., (Equitable Gas Co.), Clarksburg, W. Va.

Abandoned under permit Brax-94-A (Possibly a new number used for this).

On 160 acres; Burnsville N/E 3-3.

Surface and minerals owned by A. C. Donahue, 115 W. Main St., Clarksburg, W. Va.

Drilling commenced Sept. 25/15; completed Oct. 14/15

10" casing 102'; 8 1/4", 820'; 6 5/8", 2106'; all left in.

Gas well. Record to Dept. of Mines, dated June 15, 1949. Stamped Dec. 5/51

Record to RCT from Mrs. Griffith (Lineberg) Jan. 26, 1952. Old File No. 207

	Top	Bottom
Clay, dark, soft	0	5
Sand, light, hard	5	45
Red rock, soft	45	100
Lime, white, hard	100	140
Red rock, soft	140	440
Lime, white, hard	440	510
Red rock, soft	510	670
Sand, white, hard	670	695
Red rock, soft	695	740
Lime, white, hard	740	800
Dunkard Sand, white, hard	800	825
Slate, white, soft	825	875
Gas Sand, white, hard	875	920
Slate and shells	920	1015
Sand, white, hard (water 104', 6 BPH)	1014	1060
Lime, white, hard	1060	1230
Sand, white, hard	1230	1480
Slate and shells	1480	1630
Sand, white, hard	1630	1665
Slate, black, soft	1665	1700
Lime, white, hard	1700	1790
Slate, dark, soft	1790	1800
Lime, white, hard	1800	1830
Slate and shells, dark	1830	1880
Maxton Sand, white, hard (water 1900')	1880	1920
Red rock, soft	1920	1960
Slate and lime shells	1960	2065
Lime, white, hard	2065	2075
Pencil Cave, soft	2075	2085
Big Lime, white, hard (gas 2110')	2085	2208
Big Injun Sand, white, hard (gas 2248')	2208	2306
Slate, white, soft	2306	2313
Sand, white, hard	2313	2330
Slate and shells, dark	2330	2690
Red rock, soft	2690	2708
Gordon Stray Sand, white, hard, (gas 2710-12')	2708	2717
Slate, black, soft	2717	2732
Gordon Sand, white, hard (gas 2741-42')	2732	2746
Slate and shells	2746	2774
TOTAL DEPTH		2774