Longitud

Topo Location

7.5' Loc._____ 15' Loc._____ (calc.)

Company Wheeling Steel Corp

Farm Wheeling Steep Corp#12


15' Quad ______(sec.)

7.5' Quad Steubenullo East?

District Cross Creek

WELL LOCATION PLAT

County <u>009</u> Permit 30022



Cross Creek District, Brooke County, W. Va. Box -22-A
By Wheeling Steel Corp., Wheeling, W. Va.

On 585 acres, along State Highway No. 2 and Ohio River; surface and minerals owned by Wheeling Steel Corp., Wheeling, W. Va. Elevation, 678.26' L.

 $12\frac{1}{3}$ steel pipe, 60'; 10" casing, 200'; $8\frac{1}{4}$ ", 630'; 6-5/8", 930'.: Wall packer, 6-5/8, set at bottom of 6-5/8" pipe.

Casing not perforated. No liner used.

Coal was encountered at 194.73' (42") and 233.6' (60"). Abandonment reported to Dept. of Mines Nov. 21. 1936.

No record of shot. No record of water.

Oil Well.

Record to RCT 2-1-37.

This well was drilled about thirty (30) years ago and no log or drilling record is available. The following information has been secured from sources considered reliable:

Depth of hole is 1275 ft.; casing used as per Data Sheet No. 1; three oil sands penetrated, viz, Salt, Big Injun and Berea. Oil is found inBerea. Salt Sand is about 50 ft. in thickness; Big Injun about 300 ft. and Berea averages 25 ft. Berea Sand light brown, soft, and friable - other sands are darker in color and harder.

Upper and Lower Freeport Coal measures are penetrated at depth points from surface of about 195 ft. and 233 ft., respectively. This coal is not being mined.

Field is pressured with air - 35# to 40# and producing wells are vacuum pumped with gauge registering about 25 in.