

LATITUDE 38 25

52 28 LONGITUDE

75
0613 map
2.105
1.7905

Company _____

Farm _____

Quad Huntington

county Cabell

District Guyandotte

WELL LOCATION MAP

File No. Cab-64

Deep Well

MADISON GAS COMPANY

Cabell 64

PRODUCERS OF NATURAL GAS

HAMLIN, WEST VA.

Klokay Gas Co on Ed. Bull #1

Salt Sand	500' - 615'	
Big Lime	1180' - 1337'	
Dujun Sand	1342' - 1355'	
Berea Sand	1955' - 1975'	
Brown Shale	2335' - 2600'	Gas Pay
" "	2620' - 2700'	" "
" "	2715' - 2810'	" "
" "	2980' - 3054'	- -
Coniferous Lime	3054'	Bottom Hole

Guyandot District, Cabell County, W. Va.

On east side of southeastern branch of Right Fork of Fourpole Creek.

2.3 miles S. of Huntington and 1.95 mi. N. W. of Hodges.

3.67 mi. N. of 38° 20' and 3.0 mi. E. of 82° 30' - WC - Guyandot Quadrangle.

Cisco Drilling Co assigned
 KLOTAY GAS Company

Cabell - 64

COMPLETION DATA SHEET
 No. 2
 FORMATION RECORD

Box 572 Huntington W Va Address
 Well No. # 1

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
inst sand ✓			water	500	615	115	615	
oxtov " ✓			—	985	1054	69	1054	
ny lime ✓			—	1180	1337	157	1337	
ny sand ✓			—	1342	1355	13	1355	1503 - 6 3/4
lava sand ✓			—	1955	1975	20	1975	2012 - 3 1/2
iron shale ✓			gas	2335	2600	265	2600	
" " ✓			"	2630	2700	80	2700	
" " ✓			—	2715	2810	95	2810	
" " ✓			—	2980	3054	74	3054	Bottom of hole
Shondaga ✓			—	3054	??	?		

(Abt)

Well was ~~not~~ shot at 2500' to 3054' ^{glauconite} feet; well was shot at _____ feet.

Fresh water at 460' feet; salt fresh water at 650' feet.

Well was producing hole.

March 8 - 35
 Date

Approved Cisco Drilling Co. assigned to Klotay Gas Co. Owner John Campbell

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

MAR 11 1935

m

CAO-64

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. CAO-64

Well No. #1

Wisco Drilling Co. Company of Huntington W Va
on the E. S. Bull Farm

containing 28.02 acres. Location Guyandotte District, in Cabell County, West Virginia

The surface of the above tract is owned in fee by E. S. Bull
of Ballkhal, Ohio address, and the mineral rights are owned by
E. S. Bull of Ballkhal, Ohio

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit
No. CAO-64 issued by the West Virginia Department of Mines, Oil and Gas Division

Elevation of surface at top of well, approx 650' Spirit Barometric.

The number of feet of the different sized casings used in the well.

<u>20</u>	feet	<u>10"</u>	size.	Wood conductor.
<u>177 1/2</u>	feet	<u>8 1/4"</u>	size, csg.	feet sized csg.
<u>150.3</u>	feet	<u>6 5/8"</u>	size, csg.	feet sized csg.
<u>2012</u>	feet	<u>3" tubing</u>	size, csg.	feet sized csg.
<u>Hook wall</u>	packer of	<u>5 1/4"</u>	size, set at	<u>2016'</u>
	packer of		size, set at	
			feet to	feet.
			feet to	feet.

Coal was encountered at none feet, thickness — inches, and at — feet; thickness — inches; and at — feet; thickness — inches.

Liners were used as follows: (Give details) none

March 11 1935 Date. Wisco Drilling Co assigned
Approved Wisco Drilling Co Owner.
By E. S. Bull, Safety (TITLE)

MAR 11 1935

Deep well