



MINERALS OWNED BY: R.L. BIRD & A.G. WAMOCK HRS.  
 SURFACE OWNED BY: SOUTHEASTERN GAS COMPANY

New Location   
 Drill Deeper   
 Redrill   
 Abandonment

SEP 1 1 1961

*Handwritten signatures and initials*

Company	<b>SOUTHEASTERN GAS Co.</b>	
Address	BOX 2347 CHAS., W.VA.	
Farm	<b>SOUTHEASTERN GAS Co.</b>	
Tract	Acres 44.87	Lease No. LWC-18
Well (Farm) No.	1	Serial No. P-16
Elevation (Spirit Level)	599.00 (BAR.)	
Quadrangle	MILTON NE.	
County	CABELL	District GRANT
Engineer	<i>G. H. Hall</i>	
Engineer's Registration No.	2602	
File No.	Drawing No. 13-61	
Date	8-23-61	Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. CAB-98-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.

SOUTHEASTERN GAS CO. (P-16) - SOUTHEASTERN GAS CO. - CAB-98-A

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

241

Milton Good

WELL RECORD

Permit No. 984 Oil or Gas Well Gas  
(KIND)

Company Southeastern Gas Company  
Address P. O. Box 2347, Charleston 28, W. Va.  
Farm Southeastern Gas Company Acres 45  
Location (waters) Little Two Mile  
Well No. P-16 Elev. 599 1/2  
District Grant County Cabell  
The surface of tract is owned in fee by Southeastern Gas Company Address Charleston, W. Va.  
Mineral rights are owned by R. L. Bird, Box 107, Charleston, W. Va. Address \_\_\_\_\_  
Drilling commenced October 25, 1923  
Drilling completed November 30, 1923  
Date shot 12/1/23 Depth of shot \_\_\_\_\_  
Open Flow 22/10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume 198 MCF \_\_\_\_\_ Cu. Ft.  
Rock Pressure 330# lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
18			
10 3/4"	30'	30'	Size of
8 1/4"			
6 3/8"			Depth set
5 7/16 2 1/2"	1599'	1599'	
3			Perf. top
2 3/8"	2058'	2058'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			75	75			
Shells-slate			75	85			Gas 199 M.
Red rock-slate-sand			85	270			
Hard sand			270	430			
Slate-sand			430	840			
Line			840	858			
Slate			858	880			
Salt sand			880	1025			
Slate-sand-lime			1025	1244			
Little Lime			1244	1259			
Pencil Cave			1259	1264			
Big Line			1264	1427			
Slate-shells			1427	1497			
Injun sand			1497	1574			
Slate-lime			1574	2019			
Brown shale			2019	2026			
BEREA SAND			2026	2048			
Slate				2058			Shot 12/1/23 20 qts.

