

CAL-15-A

Sherman District, Calhoun County, W. Va.
 South Penn Oil Co., P. O. Drawer 1255, Pittsburgh, Pa.
 On 186 acres, surface and mineral rights owned by J. S. Sharps,
 Russett, W. Va.
 Elevation, 869' L.
 11' conductor; 10" casing, 201' 9"; 8 1/4", 933' 8"; 6-5/8", 1898' 3".
 No coal was encountered.
 Abandonment reported to Dept. of Mines March 9, 1931.
 Well was shot in 2nd Salt Sand.
 Fresh water at 110 and 360'.

	Top.	Bottom.
Conductor	0	11
Blue sand	11	100
Red rock (water, 110')	100	115
Slate and shells	115	190
Sand	190	200
Slate and shells (10" casing, 201')	200	345
Sand (water, 360')	345	370
Slate and shells	370	390
Sand	390	410
Red rock	410	430
Slate and shells	430	560
Sand	560	570
Slate and shells	570	660
Red rock	660	690
Slate and shells	690	770
Sand	770	800
Slate and shells	800	905
Big Dunkard Sand (8 1/4" casing, 905')	905	990
Slate and shells	990	1035
Gas Sand	1035	1110
Slate	1110	1125
Sand	1125	1180
Slate and shells	1180	1195
Sand	1195	1220
Slate	1220	1295
Sand	1295	1320
Slate and shells	1320	1585
Salt Sand	1585	1650
Slate	1650	1670
2nd Salt Sand (oil, 1695-1707')	1670	1725
Break	1725	1726
Sand (gas show, 1735-1740')	1726	1740
Break	1740	1745
Maxton Sand	1745	1814
Slate	1814	1835
Little Lime	1835	1850
Slate	1850	1855
Big Lime	1855	1865
Break in Big Lime (605/8" casing, 1885')	1865	1895
Sand and lime	1895	1992
Big Injun Sand	1992	1995
Lime and shells	1995	2027
Slate and shells	2027	2320
Broken shells	2320	2345
Lime	2345	2363
Slate and shells, to bottom	2363	2442

F-7352