


LATITUDE 38°50'00"

03, 20, 18 LONGITUDE



7'5 OGIS topo location

7.5' loc _____ 15' loc _____
 (calc.) _____

Company # 996 _____

Farm _____

Quad Millstone 7 1/2' _____

County Calhoun _____

District Sherman _____

WELL LOCATION MAP

File No. 013-43A _____

CAK-43-A

Lee and Sherman Districts, Calhoun County, W. Va.
 South Penn Oil Co., P. O. Drawer 1255, Pittsburgh, Pa.
 On 97 acres, surface owned by John J. Garrett et al., Millstone,
 W. Va., and mineral rights by C. A. Jarvis et al., Grants-
 ville, W. Va.

well is
 actually in
 sherman dist.,
 but property is
 in both.

Elevation, 972.83' L.

NO LOCATION

16' conductor; 10" casing, 204'; 8 1/4", 825'; 6-5/8", 1716';
 5-3/16", 2031'.

FOUND

Lead packer, 6-5/8 x 8 1/4, set at 1692'.

Abandonment reported to Dept. of Mines August 29, 1933.

Well was shot in Maxton Sand, with 20 qts., Dec. 5, 1925.

Fresh water at 270'; salt water at 1868'.

	Top.	Bottom.	
Water, 270-305'; 1 bbl. per hour.			
Little Dunkard Sand	820	- 845	
Big Dunkard Sand	865	- 950	
Lime	952	- 960	
Gas Sand	1045	- 1232	1325
Slate	1335	- 1400	1217
1st Salt Sand (show oil, 1710-1715')	1680	- 1720	3904
Second Salt Sand	1760	- 1810	
Lime (show oil, 1825-1830')	1810	- 1844	
Maxton Sand (show oil, 1864'; oil, 1868-1871'; water, 1/2 bbl. per hour, 1868-1871')	1844	- 1895	
Little Lime	1900	- 1935	
Pencil Cave	1935	- 1940	
Blue Monday Sand	1950	- 1965	
Big Lime	1965	- 2020	
Big Injun Sand	2020	- 2060	
Squaw Sand (gas, 2100-2111')	2100	- 2111	
Lime and shells, to bottom	2125	- 2563	
Well filled up to		1891	