WW-7 8-30-06


Signature



## West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

### -7-15-1109<sup>f</sup> WELL NO.: 20314

FARM NAME: Reed
RESPONSIBLE PARTY NAME: RECEIVED
OHADDANCIE. APR 2 Louis
SURFACE OWNER: Darrell Haines Wy Department of Environmental Protection
ROYALTY OWNER:
UTM GPS NORTHING: 138.53041 426480.9
UTM GPS EASTING: <u>1/08/, /589/</u> GPS ELEVATION: / <u>0//</u> 486/48.0
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:  1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters.  2. Accuracy to Datum – 3.05 meters  3. Data Collection Method: Survey grade GPS: Post Processed Differential
Real-Time Differential
Mapping Grade GPS X: Post Processed Differential
Real-Time Differential
4. Letter size copy of the topography map showing the well location.  I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.



8-0 Granny Creek-Stockly (200)

SEP 3 0 1975



#### STATE OF WEST VIRGINIA DEPARTMENT OF MINES

## Oil and Gas Division

Quadrangle_Newton  Permit No. CLA-1109  CompanyCOLUMBIA GAS TRANS.		RECORD		Rotary_X Cable Recycling_ Water Floo Disposal	GasComb.
Address Box 1273, Chas., WV	25225	Casina			
Farm James Reed  Location (waters) Rt. Fk. Granny	62	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
District Henry County C	Elev. 1011.67	Size 20-16			
The surface of tract is owned in fee by M	.C. Haines	Cond. 13-10"			
Address Procious, WV 25164		9 5/8		<del> </del>	
		8 5/8		265	
Mineral rights are owned by L.M. & A xecutor Address Box 362, C1	V. Reed	7		203	Cemented to sur
Drilling Commenced 10/24/75	endenin, WV	5 1/2			
Drilling Completed 11/13/75		4 1/2		1979	70
Initial open flowcu. ft		3		17/3	70 sacks
Final production cu. ft	bbls.	2			
Final production cu. ft. per day  Well open hrs. before test	bbls.	Liners Used			
Well treatment details:	RP.				
resh water	Feet		Inches		
roducing Sand	FeetFeet	Salt Wa	iter		Feet
resh waterFormation Color Hard or Soft	Feet Top Feet	Salt Wa	iter		Feet
Formation Color Hard or Soft		Salt Wa	ater		
Formation Color Hard or Soft  Big Lime  Injun  Equaw	Top Feet	Bottom Feet	ater		
Formation Color Hard or Soft  Big Lime Injun  Squaw  Her Silt	Top Feet  1768 1876 1952	Bottom Feet  1876 1928	ater		
Formation Color Hard or Soft  Big Lime Injun  Squaw  Her Silt	Top Feet  1768 1876 1952 1960	Bottom Feet  1876 1928	ater		
Formation Color Hard or Soft  Big Lime Injun  Squaw  Mer Silt	Top Feet  1768 1876 1952 1960	Bottom Feet  1876 1928	ater		
resh waterForducing SandFormation Color Hard or Soft  Big Lime Injun  Squaw  Wiler Silt  COTAL DEPTH	Top Feet  1768 1876 1952 1960	Bottom Feet  1876 1928	ater		
Formation Color Hard or Soft  Big Lime Injun  Squaw  Mer Silt	Top Feet  1768 1876 1952 1960	Bottom Feet  1876 1928	ater		

<sup>\*</sup> Indicates Electric Log tops in the remarks section.

T. 15



# Oil and Gas Division OIL AND GAS WELL PERMIT APPLICATION

	TO THE DEPARTMENT OF MINES,			
	Charleston, W. Va.	D/	September 15,	1975
	Surface Owner M. C. Haines	Co	mpany Columbia Gas	Transmission Corporatio
	Address Procious, West Va.			Charleston, WV 25325
	Mineral Owner L. M. & A. V. Reed,	Executor Far	lamaa Daad	62
	Address Box 362, Clendenin, WV 250		cation (waters) Right Fo	Acres
	Coal Owner_ Vera G. Reed - L.M. 8	A.V. Reed	20314	1011 (71
	Address Clay, W. Va. Box 36	2, Clendenin.	II NO.	2107401011
	Coal Operator Not Operated WV 250	クサフ	adrangle Newton, W. V	CountyClay_
SP	ERMITION BE POSTED AT THE WELL SITE		adiangie	
	THE WELL SITE			
prov	W. Va. Code the location in the Chapter 22,		e de la companya de La companya de la co	
1.	a locuiton is hereby approved			
1/	This permit shall avairage			
ratio	ns have not commenced by			
)eou	ty Director - Oil & Gas Division		· un	•
	a Gds Division		BE NOTIFIED // CO	
	GENTLEMEN:	PH: 548-69	193 ADDRESS Cleve	Levin, W. Va.
	The undersigned well operator is entitled to	drill upon the above	named farm or tract of land	I for all and an inches
	etal made to Columbia Ga	nt or lease dated	March 23	16 by James Reed.
	19 16 in Clay County, Book	8 p	and recorded on the	day of May
	V County, Dook		•	
	DRILL D	EEPER	_REDRILLFRA	CTURE OR STIMULATE
	OIL AND GAS WELL ORIGINALI	LY DRILLED BEFO	RE JUNE 5, 1969.	
	The enclosed plat was prepared by a registere have been notified as of the above date.	ed engineer or licens	sed land surveyor and all co	al owners and/or operators
	The above named coal owners and/or operator to make by Section 3 of the Code, must be received.	are hereby notified ived by, or filed wit	that any objection they wis h the Department of Mines v	h to make, or are required
	Copies of this notice and the enclosed plat we	re mailed by register	ed mail or delivered to the	
	or our owners at their above shown respective	augress	don	` · ·
ът.	same day with the mailing or delivery of this cop	y to the Departmen	t of Mines at Charleston, We	st Virginia.
GE(	EACE SUBMIT COPIES OF ALL	Very tr	uly yours, COLUMBIA GAS	TRANSMISSION CORP.
111	OPHYSICAL LOGS DIRECTLY TO:	(Cinu N		une
Wes D	st Virginia Geological and Economic Sur O. Box 879	rvev	Virector, Explo	Tration & Development
			Post Office Box	1273
	Berry COMIT. W. VO. OCEOR	Address	Street	
Mor	gantown, W. Va., 26505	οf	Otteet	and the second s
Mor	304-296-4461	of Well Operator	Charleston	
Mor	304-296-4461			<del></del>
Mor	304-296-4461		Charleston	25325

\*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting and the well operator authorized to proceed.

Cla-1109 PERMIT NUMBER
41-015

BLANKET BOND

### THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	XDRILL	DEEPEN FI	RACTURE-STIMULATE
DRILLING CONTRACTOR: (If		RESPONSIBLE AGENT:	
NAME		NAME Floyd St	otts
ADDRESS		ADDRESS P.O. Box	1273, Charleston, WV 2533
TELEPHONE		TELEPHONE (304) 34	6-0951
ESTIMATED DEPTH OF COMPL	LETED WELL: 2000'		CABLE TOOLS
PROPOSED GEOLOGICAL FORM	MATION: Injun		10010
		COMB STORAGE	DISPOSAL
-			ODOTHER
TENTATIVE CASING PROGRAM  CASING AND TUBING	1: USED FOR	LOVET IN	
SIZE	DRILLING	LEFT IN WELL	OR SACKS - CUBIC FT.
0 - 16	·		
3 - 10		: 1	
- 5/8			
- 5/8	250'	2501	• • •
1/2	2000'		
<u>V2</u>		20001	
			Perf. Top Perf. Bottom
iners		10.4 0.81	Perf. Top
			Perf. Bottom
OF PLAT:  O DRILL DEEPER OR REDRIL SUBMIT FIVE (5) COPIES ( WELLS DRILLED PRIOR T MUST ALSO BE SUBMITTE  O FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLAT	OF OG - 1, \$100.00 PERM L: DF OG - 1, SHOWING ORIGINALLY DRILLED BEF AND ORIGINAL WELL RI	BY WHOM?  MIT FEE, PERFORMANCE BO  GINAL PERMIT NUMBER AND  COPY OF THE PLAT AND T  ORE JUNE 5, 1929, FIVE (5) O  ECORD.  AND/OR AFTER JUNE 5, 1929	OND AND PERMANENT COPY D PERFORMANCE BOND. ON HE ORIGINAL WELL RECORD COPIES OG - 1, PERFORMANCE P, FIVE COPIES OG - 1, SHOW-
Required forms must be filed four (24) hours in advance.	l within ninety (90) days of	completion for bond release.	Inspector to be notified twenty-
The following waiver must bereof.	pe completed by the coal o	perator if the permit is to be is	ssued within ten days of receipt
AIVER: I the undersigned, Ager this lease have examine		Coal Company, Owner maps this proposed well location	
			ell being drilled at this location, Chapter 22 of the West Virginia
	•	Fo	r Coal Company
$(x_1, \dots, x_n) \in \mathcal{A}_{n+1}$	et et en		Official Title
		* *	CHICART THE

#### STATE OF WEBT VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

### AFFIDAVIT OF PLUGGING AND FILLING WELL

nies 100000	ive Edgresses.	N TRIPLICATE, (copy (and extra co	one copy mailed to pies if required) s	the Dhyslon, one hould be mailed keeps K	TO BUCK ASS	tained by the operator at
ramin name:	Darrell	Haines	Operator Web	20314		
LOCATION:	Elevation: 10	11	Ouadrancia:			
	District: E	enry Fact Shuth	County: CI	ау	-	Į į
	Longhude:	Feet South	ofDeg	Min.	Beglorth	15 -4264680.9
	HLGAS_		· ·	MR1.	STON	9-486148
Company: T	riad Hunter		Oriel Stewart	Ha O.	1	
<u> </u>	669 Walback	Rd.	Coal Operator or Owner	NO Coa		
M	alback WV 2	5285				
Agent: Mi	ke Horan	lans-	Coal Operator or Owner			
Permit Issued	Date: 6/23/2	011				4
STATE OF			AFFIDAVIT		•	!
County of _	<b>WAT YIRGINIA</b>	86:	,,			
Rick	.Ross	and Rick	Ducksayth			•
amployed by t	id say that they a	and Rick ire experienced in well operator, and Oil and	the work of plug	being fire	and gas we	according to and were
edi.	e Gainer	Oli and	iges inspector in	NOTE OF PIUGGING	and illing the	above well.
and filled in th	a tollowing wants	well operator, and Oil and Oil and oil are	y of July	\$8£20 bild to	ret the well v	
TYPE						
ITE	FROM	10	PIPE REMO	Ven		
Cemer					LEFT	1 1
	£ 1925'	18251		265	Left Lof 8 S	8 CTS
Cemer	t 1925'	1825 ' 920 '		265	of 8 5	8 CTS
Cemer Cemer	t 1020'	1825' 920' surface.		265	of 8 S	8 CTS
	t 1020'	920		265	of 8 S	8 CTS
Cemer	t 1020' t 100'	920' surface.		265	of 8 S	8 CTS
Cemer	t 1020'	920' surface.		265	of 8 S	8 CTS
Gell Gescriction of	t 1020' t 100' between al	920 surface. plugs.	DT	265 197	of 8 S	8 CTS
Gell Gescriction of	t 1020' t 100' between al	920 surface. plugs.	API numbers	265 197	of R S 9 of 41"	A CTS
Cemer Gell Description of loging and fill	t 1020' t 100' between al. monument: 7" g said well was o	920' surface. plugs. pipe with a completed on the	API numbers 28 day of Ji	265 197	of 8 5 9'of 41"	A CTS
Cemer Gell Description of loging and fill	t 1020' t 100' between al	920' surface. plugs. pipe with a completed on the	28 day of J	265 197	of R S 9 of 41"	A CTS
Gell Gelding and further de	t 1020' t 100' between al. monument: 7" ng said well was o	920 surface. plugs. pipe with a completed on the	28 day of Ji Rosa Lewar	265 197	of R S 9 of 41"	A CTS
Gell Description of and further de	t 1020' t 100' between al. monument: 7" g said well was o	920 surface.  plugs.  pipe with a completed on the	Rosa Rosa Lunt	265 197	of R S 9 of 41"	A CTS
Gell Description of and further de	t 1020' t 100' between al. monument: 7" g said well was o	920 surface.  plugs.  plugs.  pipe with a completed on the completed on th	Rosa Rosa Lunt	197 197	of R S 9 of 41"	A CTS
Gell Description of and further de	t 1020' t 100' between al. monument: 7" g said well was o	920 surface.  plugs.  pipe with lompleted on the Public day of Notary Public	28 day of J	18 20//	of R S 9 of 41"	A CTS
Gell Description of and further de	t 1020' t 100' between al. monument: 7" g said well was o	920 surface.  plugs.  pipe with lompleted on the Public day of Notary Public	28 day of J	18 20//	of R S 9 of 41"	B. CTS CTS
Gell Description of and further de	t 1020' t 100' between al. monument: 7" g said well was o	920 surface.  plugs.  pipe with lompleted on the Public day of Notary Public	28 day of Jo Rosa Lunt Alapt	18 20//	of R S 9 of 41"	A CTS