FORM IV-2 (Obverse) (08-78)

TELEPHONE: (304) 348-3092



		State	Cou	nty	Permit
API Wel	l No.	47	. 015		1976
Operator Well No.	's	1-S-	192		
Date:	July	y 15.	)	, 19	81

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

		ND GAS WELL	PERMIT	
	Gas X			Deep / Shallow /
				Deep/ Shallow/)
				Little Kanawha
District: 0tt	er			Quadrangle: Chloe
WELL OPERATOR Stonestr	eet Lands Comp	<u>pany</u>		NT 0. V. Stonestreet
Address P.O. Box	350			P.O. Box 350
Spencer,	WV			Spencer, WV
OIL & GAS	mnold.		COAL OPERATOR	None
ROYALTY OWNER W. G. A			-	
Address Nebo,			Address	
	rginia	-		
Acreage 44			COAL OWNER(S) V	VITH DECLARATION ON RECORD:
SURFACE OWNER Earl Sn	odgrass		Name None	
Address Nebo,			Address	
West Vi	rginia			
Acreage 43.3			Name	
FIELD SALE (IF MADE) TO:			Address	
Address Not made				
		<u> </u>	COAL LESSEE WIT	TH DECLARATION ON RECORD:
OIL & GAS INSPECTOR TO BE	NOTIFIED		Name None	
Name Martin Nichols			Address	
Address P.O. Box				
	n, WV			
				v
				on under a deed/ leaseX
other contract/ dated/	anuary 19, , 19	$9_{0}$ , to the	ne undersigned well o	perator from W.G. Arnold
(IF said deed, lease, or other contra	act has been record	ied:)		
Recorded on June 26, 19	81, in the office	e of the Clerk of	the County Commissi	ion of <u>Clay</u> County, Wes
Virginia in Lease Book_	40 at page_	593 . A p	permit is requested as	follows:
PROPOSED WORK: Drill X	/ Drill deeper	/ Redrill	/ Fracture	or stimulate
			ew formation	
Other physic	cal change in well (	(specify)		
—planned a	s shown on the wor	rk order on the	e reverse side hereof.	
				ection they wish to make or are required to ofter the receipt of this Application by the
Department.	with the Departmen	nt of wines with	iiii iiiteeli (15) days a	the receipt of this Application by the
	nd the enclosed plat :	and reclamation	plan have been mailed	d by registered mail or delivered by hand to
				ng or delivery of this Permit Application to
the Department of Mines at Charle			,	
PLEASE SUBMIT COPIES OF ALL	1			10/06/2023
GEOPHYSICAL LOGS DIRECTLY			Chanash	nact Landa Company
TO:			stonest	reet Lands Company Well Operator
WEST VIRGINIA OIL AND GAS CONSERVATION COMMIS-			s h	HHH
SION			By Dross	ident
1615 WASHINGTON STREET EAST CHARLESTON, WV 25311	BLANKE	T BOND	Its Pres	ident

FORM IV-2 (Reverse) (08-78)

### PROPOSED WORK ORDER

# THIS IS AN ESTIMATE ONLY: ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

DRILLING C	ONTRAC	TOR (IF	KNOW	N) _	Not	known at	this time		
				Ad	dress				
GEOLOGICAL	L TARGE	ET FORM	MATION	,	Big	Injun			
Estimate	ed depth	of comp	leted we	11,	2041	fe	et Rotary	// Cab	le tools/
Approxi	mate wat	er strata	depths:	Fres	h,	50feet	; salt,	feet.	
Approxi	mate coal	l seam d	epths:	No	ne	Is coal	being mined	in the area? Yes	/ No <u>χ</u> /
CASING AND	TUBING	G PROG	RAM						
CASING OR TUBING TYPE		CIFICATI Grade	ONS Weight per ft	New	Used	FOOTAGE For drilling	INTERVALS	CEMENT FILL-UP OR SACKS (Cubic feet)	PACKERS
Conductor									Kinds
Fresh Water	8 5/8	T & C	28.55		Х	210	270		
Coal	5 5/6	Ι α υ	20.55		^	210	210	Cement to sur	Face None
Intermediate									
Production	4 1/2	K-55	10.5	Х			2041		Depths set Name
Tubing	11/2	1 33	10.5	٨			2041	As required	None None
Liners								1501	Perforations:
									Top Bottom
THIS PER  All provi of the V operation	lamation lously paid \$22-4-8a eparate Fort of the w	Plan", as on the sale from the	pplicable ame well, e owner shall not by hich a percentage location. This percentage by	to the the fe of any pe requermit is with is her permitting.	e recla e required for sough	mation required by Code § rewell or dwell or fracturing or the and is noted that SITE there 22, pproved expire if	d by Code § 2 22-4-12a, and ( ling within 200 stimulating a	wed by Code § 22-4-2 (2-4-12b and Regulativ) if applicable, the confect of the proposed well where fracturing of Form IV-2 filed in conf	on 23, (iv) unless onsent required by well.
		•• • • • • •	•••••	••••	•••••	••••••	••••••	•••••	•••••
The decla	following varation un	waiver mi	ust be cor	nplete 20, if	d by th	e coal operator	and by any coa ssued within f	l owner or coal lessee lifteen (15) days of re	who has recorded a eccipt thereof.
						WAIV	ER		
The undersign	ed has no	objectio	map exist	s which	ch cove	ers the area of t	he well location	n, the well location has	ell locatibo/19662923d this seen added to the mine map. operator has complied with all
Date:			, 19				Ву		
							Its		

36	1345
	Club.
pag ( Tung	
The same of the sa	
No July	Mol
Access Road	and the second s
send: Tiew :: bnag	
tach or photocopy section of involved Topogra	opographic map. Quadrangle CHL06 1.
and the females and the first and the first	
oculate all legumes such as vetch, trefoil a terium. Inoculate with 3X recommended amoun	oil and clovers wich the proper
radino Clover to the tere	Ladino Clover 10 lbs/ace
W Love Grass 5 lbs/acre	M FOVE GRASS 5 165/acre
ch Hay Tons/Acre Mul	Mulch Hay ZonstActed
Tellizet 500 lbs/acre Fer	(10-20-20 or equivalent)
	Fertilizer 500
	or correct to pH 6.5
	er.A. knol
Trestment Area I	Treatment Area II
Revegetation I seat Area I	Treatment Area II
	Treatment Area II
	Treatment Area II
ge Ref. Manual M/A  All structures should be inspected regularly  Revegetation	Page Ref. Manual Larly and repaired if necessary.  stion Treatment Area II
Manual M/A Pagetation  Revegetation	Material Page Ref. Manual Larly and repaired if necessary.  stion Treatment Area II
ructure Rip Rap  Scing  Man  Se Ref. Manual M/A  All structures should be inspected regularly  Revegetation	Structure Material Page Ref. Manual Larly and repaired if necessary.  Ireatment Area II
ge Ref. Manual 1:6 ructure Rip Rap scing Manual N/A All structures should be inspected regularly Revegetation	Page Ref. Manual Structure Material Page Ref. Manual Larly and repaired if necessary.  Licion  Treatment Area II
Secing         200 ft.         Manual 1:6         Page 1:6           ructure         Rip Rap         (C) Stranging         Akmual N/A         Page Ref. Manual N/A         Page Regularly           All structures should be inspected regularly         Revegetation	Page Ref. Manual Structure Material Page Ref. Manual Larly and repaired if necessary.  Licion  Treatment Area II
ge Ref. Manual     1:8     Page Scing       ructure     Water Bar.       scing     200 ft.       ge Ref. Manual     1:6       ructure     Rip Rap.       scing     Manual       scing     NA.       Mail     Page Ref. Manual       MAIl     atructures should be inspected regularly       Mail     Page Ref. Manual	Page Ref. Manual 1:10  Structure Rip Rap  Material Rock  Structure  Material  Page Ref. Manual  Page Ref. Manual  Larly and repaired if necessary.
### ##################################	Material Earth Page Ref. Manual 1:10 Structure Rip Rap Material Rock Structure Structure Material Page Ref. Manual Page Ref. Manual Material Page Ref. Manual Material Page Ref. Manual Page Ref. Manual
scing (A) St. Manual 1:8  ge Ref. Manual 1:8  scing 200 ft. Manual 1:6  ructure Water Bar Ref. Manual 1:6  ructure Rip Rap (C) Str. Ref. Manual N/A (C) Str. Ref. Ref. Manual N/A (C) Str. Ref. Ref. Manual N/A (C) Str. Ref. Ref. Ref. Ref. Ref. Ref. Ref. Ref	Structure Material Earth Page Ref. Manual 1:10 Material Rock Material Rock Structure Material Structure Material Page Ref. Manual Page Ref. Manual Material Page Ref. Manual Material Page Ref. Manual Material Page Ref. Manual
### ##################################	Material Earth Page Ref. Manual 1:10 Structure Rip Rap Material Rock Structure Structure Material Page Ref. Manual Page Ref. Manual Material Page Ref. Manual Material Page Ref. Manual Page Ref. Manual
ructure Cullvert  ge Ref. Manual 1:8  ructure Water Bar (B)  scing Cooft.  ructure Rip Rap  scing (C)  seing (C)  seing (C)  Manual MAD Rap  Rip Rap  scing (C)  seing (C)  seing (C)  seing (C)  Manual MAD  Rip Rap  Rip Rap  scing (C)  Seing (C)  Seing (C)  Manual MAD  Rip Rap  scing (C)  Seing (C)  Seing (C)  Manual MAD  Rip Rap  seing (C)  Seing (C)  Manual MAD  Rip Rap  Rip Ra	Location  Structure Material Earth  Structure Material Rock Material Manual I:10  Structure Material Material  Structure Material  Structure  Material  Structure  Material  Structure  Material  Structure  Material  Structure  Material  Structure  Material  Structure  Material  Material
Access Road  Access Road  Tructure Culvert  ge Ref. Manual 1:8  scing 200 ft.  ructure Mater Bar Rap  ge Ref. Manual 1:6  ructure Rip Rap  scing (C) 5tr  ructure Rip Rap  scing (C) 5tr  Rap  Rap  Rap  Rap  Rap  Rap  Rap  Ra	Location  Location  Location  Structure  Material  Structure  Material  Material  Material  Structure  Material  Material  Structure  Material  Structure  Material
This plan has been reveiwed by EJK and additions become a part of this plan. It is a seen reveiwed by EJK acing become a part of this plan. It is a seen seen seen seen seen seen seen s	SCD. All corrections  Location  Loca
Revegecation to be carried out by Stone and additions become a part of this plan. In additions become a part of this plan. It is a cing that the same is a cing that is a c	Stonestreet Lands Company  Structure  Structure  Structure  Structure  Structure  Structure  Structure  Structure  Material  Material  Page Ref. Manual  Material  Structure  Structure  Material  Structure  Material  Structure  Material  Structure  Material  Structure  Material  Structure  Material  Material  Material  Structure  Material  Structure  Material  Material  Structure  Material  Material  Structure  Material  Material  Structure  Material  Material  Material  Structure  Material  Material  Material  Material  Material  Material  Material  Material  Material
Revegecration to be carried out by Stone and sadditions been reveiwed by EJK and additions become a part of this plan. Tructure Culvert (A) Strate Ref. Manual 1:8  ge Ref. Manual 1:8  scing 200 ft. Manual 1:6  ge Ref. Manual 1:6  ructure Rip Rap (C) Strateing (A)  scing (A)  scing (A)  scing (B)  scing (C)  scing (B)  scing (C)	Soil Cons. Discrict Elk  Stonestreet Lands Company  Location  Location  Location  Location  Structure  Material Earth  Structure  Material Rock  Material Rock  Material Rock  Structure  Structure  Material  Structure  Material  Structure  Material  Structure  Material  Material  Structure  Material  Material  Structure  Material  Structure  Material  Material  Material  Structure  Material  Material  Material  Material  Material  Structure  Material
Address P.O. Box 350 Telephone 927-2800  Revegetation to be carried out by Stone and additions become a part of this plan.  Tucture Culvert  See Ref. Manual 1:6  See Ref. Manual	Address P.O. Box 350 Telephone Soil Cons. District Elk Soil Cons. District Elk  Structure Diversion Terrace Page Ref. Manual I:10 Structure Rip Rap (2) Structure Rip Rap (2) Structure Rip Rap (2) Structure Rip Rap (3) Structure Rip Rap (4) Structure Rip Rap (5) Structure Rip Rap (6) Structure Rip Rap (7) Structure Rip Rap (8) Structure Rip Rap (9) Structure Rip Rap (1) Structure Rip Rap (2) Structure Rip Rap (3) Structure Rip Rap (4) Structure Rip Rap (5) Structure Rip Rap (6) Structure Rip Rap (7) Structure Rip Rap (8) Structure Rip Rap (9) Structure Rip Ra
Access Roef Company Des Stonestreet Lands Company Des Madress P.O. Box 350  Telephone 927-2800  This plan has been reveiwed by Stone	V Designated Agent Address Address P.O. Box 350 Address P.O. Box 350 Soil Cons. Discrict EJK Soil Cons. Discrict EJK  Schoestreet Lands Company (Agent)  Tolee)  Schoestron  Schoestron  Schoestron  Schoestron  Bage Ref. Manual  Schoestral  Material  Material  Schoestral  Material  Schoestral  Schoestral  Material  Schoestral  Material  Schoestral  Material  Schoestral  Material  Schoestral  Material  Schoestral  Schoestral  Material  Material  Schoestral  Material  Material  Material  Schoestral  Material
Access Road  Sevegetations become a part of this plan.  Tucture Culvert  Sevegetations become a part of this plan.  Tucture Water Bar Second S	Telephone Score Company  Soil Cons. Discrice EJK  Soil Cons. Discrice EJK  Soil Cons. Discrice EJK  Soil Cons. Discrice EJK  Telephone Scorection  Location  Structure Bip Rap  Structure Rip Rap  Structur

Date 21 V2V 1981

Well No. 1-5-192


API No. 47 - 51987

Drain Pipe Building Wet Spot O builds Diversion

Stream\_Open Ditch\_ Planned Fence Existing Fence \_ \_ \_ beog Property Boundry

## 10/06/2023

with first part of this plan. Include all natural drainage. wellsite, drilling pits and necessary structures numbered or lettered to correspond Sketch to include well location, existing access road, roads to be constructed,



# ECHWELL, INC.

P.O. Box 796, Suite 102, 165 Scott Avenue, Morgantown, WV., 26505 (304)-291-3843



OIL & GAS DIVISION
DEPT. OF MINES

July 11, 1984

Department of Mines Office of Oil and Gas Ted Streit 1615 Washington Street E Charleston, WV 25311

RE: Reclamations

Dear Mr. Streit:

I have enclosed the settlement/court ordered settlement between my client, Omega, and Stonestreet.

The reclamation compliance is outlined on pages 3 and 4.

I will contact you to check if each well meets your approval before we accept it.

Thank you for the July 5th field meeting and inspection. I anticipate a smoother and more effective cooperative situation in the field as a result.

Sincerely,

Darus H Zehrbach, Jr.

President

DHZ:las Enclosure



### STATE OF WEST VIRGINIA **DEPARTMENT OF MINES**

# Oil and Gas Division WELL RECORD

Quadrangle Chloe Permit No. 47-015-1976			Recycling_ Water Floo Disposal_	Comb
Company Stonestreet Lands Company P.O. Box 350 Spencer, W.Va. Farm Earl Snodgrass Acres 44	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Well No. 1-S-192 Elev. 994  District Otter County Clay	Size 20-16 Cond.			
The surface of tract is owned in fee by	13-10" 9 5/8			
Address Nebo, W.Va	8 5/8	200	200	60 sks
Mineral rights are owned by W.G. Arnold  Address Nebo, W.Va.	<del>7</del> 5 1/2	7		
Drilling Commenced 8-12-81	4 1/2		2115	70 sks rfc
Drilling Completed 8-17-81 Initial open flow 20,000 cu. ft. Show bbls.	3 2			
Final production 525,000 cu. ft. per day Show bbls.	Liners Used	3		

Well open 6 hrs. before test 580 RP. Well treatment details: Attach copy of cementing record.

20/40 sand 30,000 lbs. J-266 350 lbs. L-53 Clay control agent 20 gals. W-22 anti sludging 36 gals. F-78 Ezeflo surfactant 8 gals. 15% HcL acid 2000 gals., 500 bbls. water

A-200 Inhibitor 4 gals.

Coal was encountered at _	None	_Feet	Inches	The state of the s
Fresh water 50	Feet	Salt Water		Feet
Producing Sand Blue	Monday, Big Injun	Salt Water	1880-2100	1 001

Formation Color	Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
Not recorded Sand & Shale Shale Sand & Shale Shale Salt sand Little Lime Blue Monday Big Lime Big Injun Shale		0 1000 1026 1206 1284 1508 1544 1554 1686 1724 1790 1810 1850 1880 1920 2030 2100	1000 1026 1206 1284 1508 1544 1554 1686 1724 1790 1810 1850 1880 1920 2030 2100 2148	0 to 1000 not recorded is continued on the back  10/06/2023

Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water	* Remarks
Clay Sand & Shale Red Rock Sand & Shale Sand & Shale Sand & Shale Shale Shale Sand & Shale	0 20 80 120 160 205 245 275 315 370 402 450 495 520 560 590 625 680 712 740 780 810 850 890 930	20 80 120 160 205 245 275 315 370 402 450 495 520 560 590 625 680 712 740 780 810 850 890 930 1000		

General Manager

XXXXXX

# DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION
DEPT. OF MINES

## INSPECTOR'S WELL REPORT

Permit No. <u>015-1</u>	276				Oil oi	Gas Well Gas
Company Stonest	real Louds Co	Orapour	CASING AND TUBING	USED IN DRILLING	LE T IN	PACKERS
Address Spa	inCer-	/. /	Size			
Farm Earl 5	nedgrass		16			Kind of Packer
Well No. /- 5	-192		13			Grand Co.
District Offe	) - County Cla	V	81/4 3/	200	200	Size of
Drilling commenced			65%			Depth set
Drilling completed	and the same of the same of	en i o order obsideli esk	5 3/16			
	A STATE OF THE STA		3		7	Perf. top
Date shot			Liners Used			Perf. bottom
Initial open flow	/10ths Water i	nInch	Diners Oseu			Perf. bottom
Open flow after tubing	/10ths Merc. in	Inch		Ca		C . C .
Volume		Cu. Ft.	CASING CEME	NTED 3	SIZE	No. FT 38 Date
Rock pressure	lbs	hrs.	NAME OF SEI	RVICE COMPA	ANY Do	ewell
Oil	bbls.,	1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEETINCHES
Fresh water	feet	feet	FEET.	INC	HES	FEETINCHES
Salt water	feet	feet	FEET.	INCI	HES	FEETINCHES
Drillers' Names_						
Dimers Names						
Remarks:	1110.1	1 cn	Russ			
Cemen	ted With	17	10,93			
Drilling	at 126/1	<b>-</b> /				

8-14-81 DATE Martin B 10/06/2023 508 DISTRICT WELL INSPENDIOR

### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

## INSPECTOR'S PLUGGING REPORT

ermit No.		The Sales of San Land of Control States of Sales		Wei	II No	
OMPANY			ADDRESS			Ed Secol
RM		DISTRICT	r(	COUNTY		
lling Material Used		Sala On Mary House de Maria Companya, Christian de com				
ner Location Amount		Amount	Packer	Location		
PLUGS USED A	NO DEPTH PLACED		BRIDGES	CASIN	G AND TL	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED SIZE		LOST
		Service Control				ya. is
			A3379 30	At .		
				200 1-10-1		Traverse
						seeks. The
				10		2 - 6 P P - 1
						3 4 1
					-	and the second second
			and the same and t			en and a second
llers' Names						
marks:			and the state of t			
	[ homelesis_ ?		ve well on this date.			

10/06/2023

OG-11

Permit No. 015 - 1976



# STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION

OIL & GAS DIVISION
DEPT. OF MINES

### INSPECTOR'S WELL REPORT

The second of th				We care appeared to a Milking Inc.
Company STONESTREET LANDS CO.	CASING AND TURING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address SPENCER, W.VA.	Size			iling Assert Teill
FARE SNODGRASS	16			Kind of Packer
Well No 1- S-192	13			
District DTTER County CLAY	81/4			Size of
Drilling commenced	65%			Depth set
Drilling completedTotal depth	5 3/16			2
Date shotDepth of shot	3			Perf. top
	Liners Used			Perf. top
Initial open flow/10ths Water inInch				Perf hottom

CASING CEMENTED\_\_\_\_

NAME OF SERVICE COMPANY

COAL WAS ENCOUNTERED AT FEET

\_Cu. Ft.

\_bbls., 1st 24 hrs.

Drillers' Names\_

Rock pressure.

Remarks: NO RECLAIMATION DONE

Open flow after tubing /10ths Merc. in Inch

8/3/82

Croig Muchworth

\_SIZE\_\_

Oil or Gas Well.

### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

### INSPECTOR'S PLUGGING REPORT

MPANY			ADDRESS	and was the state of the security of the second of the sec		
RM		DISTRICT		UNTY		lange of the later to the
ing Material Used						TO THE SECOND
er Locs	ation	Amount	Packer	Location		1
	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOST
					921	2. ,
						ST PRES
			Figalisa			~-112 of
And the state of the state of				at to see		
	200		The state of the s			ā aras la
			nori no maW s		90.127	
llers' Names						
RIVIL						
marks:						

I hereby certify I visited the above well on this date.





# State of West Virginia Bepartment of Mines Gil and Gas Bivision Charleston 25305

JAN 1 4 1986

Administrator-Oil & 40/06/202


January 27, 1986

(7-24-81)

FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT January 4, 1984 PERMIT NO 015-1976

COMPANY Stonestreet Lands Company

Spe	ncer, West Virginia 25276	DIST. & COUNT	ry Offer	r/Clay
*** **			IN COMPLI	IANCE
ULE	DESCRIPTION	The second secon	TES	NO
3.06	Notification Prior to Starting Wor			
5.04	Prepared before Drilling to Preven	t Waste		According to the Control of the Cont
5.03	High-Pressure Drilling			
6.01	Required Permits at Wellsite			
5.03	Adequate Fresh Water Casing			
5.02	Adequate Coal Casing			
5.01	Adequate Production Casing			
5.04	Adequate Cement Strenght			
5.05	Cement Type			
3.02 5.01	Maintained Access Roads			
3.04	Necessary Equipment to Prevent Was	te		
3.05	Reclaimed Drilling Pits			
3.05	No Surface or Underground Pollution	n		
5.01	Requirements for Production & Gathe	ering Pipelines		
5.02	Well Records on Site			
7.05	Well Records Filed			4
.05	Identification Markings			34
HAVE	INSPECTED THE ABOVE CAPTIONED WELL AN	יוו פררישיים איי איי איי איי איי איי איי איי איי	דתי מה מה	TEACED
	The state of the s	ND RECOMMEND THAT	II DE RE	LEASED:
		SIGNED Gaia	Ducky	worth
		0	1-0.	
		DATE \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	86	





State of West Virginia

Department of Mines

Oil and Gas Division

Charleston 25305

FINAL INSPECTION REPORT

INSPECTORS COMPLIANCE REPORT

COMPANY		PERMIT NO	
		FARM & WEL	L NO
		DIST. & CO	INTY
		3131. 4 33.	
RULE	DESCRIPTION		IN COMPLIANCE Yes No
23.06 16.01 17.02 18.01 23.02 25.01 23.04 23.05 17.06 7.06 7.05	Notification Prior to Starting Work Required Permits at Wellsite Method of Plugging Materials used in Plugging Maintained Access Roads Necessary Equipment to Prevent Wast Reclaimed Drilling Pits No Surface or Underground Pollution Statutory Affidavit Parties Responsible Identification Markings  CNSPECTED THE ABOVE CAPTIONED WELL AND	e	THAT IT BE RELEASED.
		in the state of th	THAT IT BE RELEASED:
		SIGNED	
		DATE	
our Aff The well	idavit of Plugging was received and designated by the above permit numb	reclamation ber has been	requirements approved. released under your bond.
		Administra	tor-Oil & Gas Division

DATE

10/06/2023

	-			-	00		
1.0 API well number  (If not available, leave blank (14 digits.)		47-0	015-1976.			MAR 1 5 19	
2.0 Type of determination being sought (Use the codes found on the front of this form)		103 Section of N	IGPA	-(	minhally Code	L & GAS DAME	
J.O. Depth of the despest completion. Tocation. (Only needed if sections 103 or 107 in 2.0 above.)			2115		DEF	T. OF M.	
4.0 Name address and code number of applicant. (35 letters per line.)	S	tonestreet	Lands Comp	any			
maxioidin. If code number not available, leave blank.)		P.O. Box 350			*	Seller Code	
		pencer,		WV	25276		
	City			Sille	Zip Code		
or thil	E Finid Nui	lmira			1.164		
(3) For onshore wells (3) fairers maximum for held name)	County	"" Clay			WV /		
(b) For OCs wells	( Landade)						
	Area Nui	nu			BIBER Uniuper		
and the second s		Date of Le	of Lunse		Maria de la compansión de		
		Mo. Day	Yı	ocs L	nest Miller	-	
(c) Name and identification number of this well: (36 letters and digits maximum.)	E.	Snodgrass	#1-S-192				
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)							
b.O. (a) Name and code number of the purchaser. (3b letters and digits maximum. If code number not available leave blank.)	Co	lumbia Gas	Transmissi	an Cor	^p	004030 Buyer Code	
(b) Date of the contract		× ×	0,8,0,4 Mu Day	17 <u>18</u> 1			
(c) Estimated annual production		Appellung von Aven	18		MMc1		
		(a) Hase Price (\$/MMBTU)	thi Tan	Plitte	sil (4thor is (Indicate if (÷)-1	(d) Total of (a), (b) and (c)	
/ O. Contract price (As of filing date. Complete to 3 decimal places.)	122236	2.541	0 2 2 9	0	229	2 998	
B O Maximum lawful rate (As of filmy date. Complete to 3 docimal places)		2.541	0. 2 2 9	0	229	2 998	
9.0 Parson responsible for this application	0	.V. Stonest	reet		Presi	dent	
Outs Hecoroud by Jurn Agency	Native			Title		Mindre Printer age to committee and consumption and consumptin and consumption and consumption and consumption and consumption	
MAR 1.5 1982	Signature	U Se	Ill		4		
Date Hermoul by LEHC	Dec. 10, 1981		927~2800				
	Date Application is Completed		Phone Number				

F 1,7900B06/2 2

### U.S. DEPARTMENT OF ÉNERGY Federal Unergy Regulatory Commission Washington, D.C. 20426

# PRICE UNDER THE NATURAL GAS POLICY ACT (NGPA) (Sections 102, 103, 107 and 108)

#### PLEASE READ BEFORE COMPLETING THIS FORM:

### General Instructions

Complete this form if you are applying for price classification under sections 102, 103,/107 or 108 of the NOPA. A separate application is required for each well. If any reservoir qualifies for a category which differs from the category applicable to the producing well, separate applications must be made for the producing well and the reservoir. Complete each appropriate item on the reverse side of this page. The code numbers used in items 4.0 and 6.0 can be obtained from the Buyer/Seller Code Book. If there is more than one purchaser or contract, identify the additional information in the space below. Enter any additional remarks in the space below.

Submit the completed application to the appropriate Jurisdictional Agency as listed in title 18 of the CFR, part 270.103. If there are any questions, call (202) 275-4639.

Specific Instructions for Item 2.0, Type of Determination.

Section of NCPA	Category Code	Description
102	1	New OCS Lease
102	2	New onshore well (2.5 mile test)
102	3	New onshore well (1,000 test desper test)
102	4	New anshare reservoir
102	b	New reservoir on old OCS Lease
103		New anshare production well
107		High cost natural gas
108	a Table 1	Stripper well
	102 102 102 102 102 103	102 1 102 2 102 3 102 4 102 5

Other	'unchas	815/1	untia	15

Contract Date	Purchaser			Buyer Code
		10 m		
			• 1	
The second secon				-

Hemarks

MAR IS 1982

----

PARTICIPANTS: DATE: JUL 20 1000	BUYER-SELLER COD
WELL OPERATOR: Stonestreet Lands Co.	
FIRST PURCHASER: Columbia Gas Trans. Corp.	004030
OTHER:	
W. Va. Department of Mines, Oil & Gas Division 1000' Radius	
WELL DETERMINATION FILE NUMBER	•
820315 103-015= 1976	3.000
Uso Above File Number on all Communications  Relating to Determination of this Well	UALIFIED
CHECK EACH ITEM AS COMPLETE OR NOTE WHAT IS MISSING	
1. FERC -121 Items not completed - Line No.	
1. FERC -121 Items not completed - Line No.  2. IV-1 Agent / O. V. Stonestreet	
3. IV-2 Well Permit	
4. IV-6 Well Plat	
5. IV-35 Well Record Drilling Deep	
6. IV-36 Gas-Oil Test: Gas Only Was Oil Produced?	
7. IV-39 Annual Production years	Ratio
8. IV-40 90 day Production Days off line:	
9. IV-48 Application for certification. Complete?	
10-17. IV Form 51 - 52 - 53 - 54 - 55 - 56 - 57 - 58 Complete?	Affidavit Signed
18-28. Other: Survey Logs Geological Charts	
Structure Map 1: 4000 Map Well	Tabulations
(5) Date commenced: $8-12-1$ Date completed $9\cdot17-1$ De	epened -
(5) Production Depth:	
(5) Production Formation: Blue Monday, Big Injun	
(5) Final Open Flow: 525 MCF	
(5) After Frac. R. P. 580 6 hrs.	
(7) Avg. Daily Gas from Annual Production:	
(8) Avg. Daily Gas from 90-day ending w/1-120 days	-
(8) Line Pressure:	PSIG from Daily Repor
(5) Oil Production: From Completion Report	
10-17. Does lease inventory indicate enhanced recovery being done	
10-17. Is affidavit signed?	10/06/2023
official well record with the Department confirm the submitted inform	ation? Ves
idditional information Does computer program confirm?	
Vas Determination Objected to By Whom?	78

FORM IV-48WC [12-78]	STATE O	F WEST VIRGINIA	240	December 10	. 10
	DEPARTMENT OF MINI	ES, OIL AND GAS DIVISI		rator's 1 C 102	-, 19
			4.00	* vc	1070
	STATE ABBLICATION	. SON 150	No:	State County	1976
	SIRIE APPLICATION	FOR WELL CLASSIFICAT		vious File No.	Per
				(IF AF	prical
WELL OPERATOR Stonest		DESIGNATED AGE	NT Q.V	, Stonestreet	
ADDRESS P.O. BOX		ADDRESS	P.0	. Вох 350	
Gas Purchase Contract No.	AP22440	. 1		ncer, WV 25276	
Meter Chart Code 20 71	ar ar	Month, day	78		
Name of First Purchaser		ransmission Corpor			
	1700 MacCorkle	The same of the sa	acton		
	Charles toff. th	or P. O. Hox)	25325		
FERC Seller Code	(City)	(State)	(Zip Code)	ř	
TYPE OF DETERMINATION BEIN	G SOUGHT.	FERC Buyer Code	004030		
(1) Initial determina		103			
(2) Determination the recovery technological	It increased amadecard	is the result of enh	anced	Category Code	<del>-</del> .
	a seasonally affected				
		0.V. Stonestr	reet	President	
		Name (Perint)	UU	Title	-
		P.O. Box 350			
		Street or P. O. Bo	×	-	
		• P. C.		276	- 1
			2800	(Ade)	
		Area Phone No		4.0	
(Certificate of Proof of Se	ervice to Purchaser)				
		other forms requi	red for f	iling have	
I hereby certify that been mailed this date	to the above name	purchaser.			
		St		Land	Co
		Stor	estreet	ands Company Well	1 Ope
(All of the above to be con	mpleted by the Operato	r/Applicant)			
(To be completed by Jurisd	********		ned to Opera	ator/Applicant and	
purchaser, if known).				a la landa	ribeu
(NGPA). I or for determi	nt of Mines has receivements of Section nation that increased	production is the res	affected w	ell under Section 10	8 01 (2)
All interested p the office of the Oil and be heard there will be a p	arties are hereby noti	fied that on the	or as soon	thereafter as it may	at
This Application	is assigned File No.				
entitled to certification and any additional evidence	d.	time appointed for a	public hear	ing or as soon there	
Unless objection days, a hearing will not be go to determination.		a request for a hear arte motion of the de	ing is made partment and	within fifteen (15) i the matter will	
Po (0 accommo		WEST VIRGINIA DEPA	RTMENT OF M	INES .	
			M		
			188		
	151982	Ву	1 4,50		
Date received by Jurisdictional Agency		Title _		•	
				10/06/2023	

DEPARTMENT OF MINES, OIL AND GAS DIVISION

	Date Dece	mber 10,	81
•	Operator's Well No.	1-S-192	
	API Well No. 47	015	1976
	State	County	Parmir

## WELL CLASSIFICATION FORM NEW ONSHORE PRODUCTION WELL

NGPA Section 103

	DESIGNATED AGENT	O.V. Stonestreet
Company 6	AUDRESS	P.G. Box 350
Stonostweet Leads Co		Spencer, WV 25276
WELL OPERATOR Stonestreet Lands Co.	LOCATION: Elevation	994
ADDRESS P.O. Box 350	Watershed West Fork	of Little Kanawha
Spencer, WV 25276	Dist. Otter County	
CAS PURCHASER Columbia Gas Trans. Corp.		Quad.
ADDRESS 1700 MacCorkle Ave., SE	Centract No. AP2	22440
Charleston, WV 25325	Heter Chart Code 20 71	
charteston, wv 23323	Date of Contract 8-4-7	8
* * * *	* * * * *	* * * * *
Date surface drilling was begun: 8-12-81		
Indicate the bottom hole pressure of the well	and explain how this was cal	culated:

AFFIDAVIT

0.V. Stonestreet surface drilling of the well for which this determination is sought was begun on or after February 19. 1977, the well satisfies applicable state or federal well spacing requirements and the well is not within a proration unit, in existence at the time surface drilling began, which was applicable to the in commercial quantities or on which surface drilling began on or after February 19, 1977, and which the best of producing gas in commercial quantities. I state, further, that I have concluded, to is a new one-hore production well and that I am not aware of any information not described in the

T = 70G = .7 L = 1990

PW = 580 PSIA BHP = 624.21 PSIA

STATE OF WEST VIRGINIA,

COUNTY OF Roane , TO WIT

BHP = PW = PW( $_{e}$ GL/53.34T<sub>-1</sub>)

I. Julith K. Lewellen. a Notary Public in and for the state and county aforesaid. do certify that O.V. Stonestreet whose name is signed to the writing above, bearing date the 10thmay of December 19 , has acknowledged the same before me, in my county aforesaid. Given under my hand and official seal this 10th day of December

My term of office expires on the 14th day of

[NOTARIAL SEAL]

10/06/2023

