

J. L. MINNER NO. 3 (910) WELL.
(UFG-3406) (V-892).

Union District, Clay County, W. Va.

By The Ohio Fuel Oil Co.

Lease No. 184; 73 acres. Map Sq. 82-65.

Elevation, 1105' B.

Commenced Jan. 5, 1918; completed March 12, 1918.

Contractor: Pratt Drilling Co., Charleston, W. Va.

Drillers: W. W. Wilson and J. W. Way.

Wood conductor, 16"; 8 $\frac{1}{2}$ " casing, 750' (415' left in); 6 $\frac{5}{8}$ " 1810'.

7 bbls. oil., Big Injun Sand.

Record to RCT from Mrs. Griffith June 9, 1944. (Plat not in).

	Top.	Bottom.	Thickness.
Yellow sand	0	60	60
White sand	60	150	90
Coal	150	153	3
Sand	153	400	247
Slate	400	430	30
Coal	430	435	5
Slate and shells	435	480	45
Sand	480	500	20
Slate and shells	500	570	70
Sand	570	585	15
Slate and shells	585	600	15
Coal	600	603	3
Slate and shells	603	630	27
Sand	630	660	30
Slate	660	665	5
Lime	665	680	15
Sand	680	750	70
Slate	750	775	25
Sand	775	800	25
Slate and shells	800	960	160
Sand	960	1060	100
Slate	1060	1063	3
Lime	1063	1090	27
Slate and shells	1090	1120	30
Salt Sand (hole full water, 1370')	1120	1450	330
Slate	1450	1460	10
Lime	1460	1470	10
Slate and shells	1470	1560	90
Lime	1560	1580	20
Red rock	1580	1645	65
Lime	1645	1660	15
Slate and shells	1660	1670	10
Red rock	1670	1680	10
Slate cave	1680	1700	20
Sand	1700	1710	10
Slate and shells	1710	1780	70
Sand	1780	1795	15
Slate	1795	1805	10
Big Lime	1805	1920	115
Slate	1920	1922	2
Keener Sand	1922	1938	16
Slate	1938	1940	2
Big Injun Sand (gas, 1953-1963')	1940	1963	23
Red rock	1963	1991	28
Total depth		1991	

THE OHIO FUEL OIL COMPANY.

U.F.G. 3406

Lease No. 184

Serial Well No. 910

Form T & C 6 6726

RECORD of Well No. 3 on the J. L. Minner

Farm of 73

in Union District Clay County, W. Va. County

Located 19 Rig Commenced 19 and Completed

Drilling Commenced Jan. 5 1910 and Completed March 12 1910 Depth of Hole was 19

Contractor was Pratt Drilling Co. Address Charleston, W. Va.

Drillers names W. W. Wilson & J. W. Way Drilling cost

Drilled deeper to feet and completed 19 Drilling deeper cost

Contractor was Address

CASING

TUBING

PACKER

Size	Used in Drilling	Left in Hole	Date Put in	TUBING			PACKER	
				Size	Feet Used	Date Pulled	Size	Kind
8 1/2"	750	415						
6 3/8"	1810	1810						

Well first produced. in 16 feet of wood conduc

Production changed to in 19 Well shot

Well cleaned out 19 result: Size of torpedo

Well cleaned out 19 result: Started Pumping oil

Well abandoned and plugged 19 By Size of rods

Kind of rods

OIL WELL

GAS WELL

REFERENCE DATA

Production	Rock Press.	Calculated Flow	SUNDRY REPORTS	
			Barrels per day	Noted conditions that might effect calculated production

Elev. 1105 - Road

U.F.G. 3406
O.F.O. 910

DRILLERS RECORD

MAP 595 82-65

Formation	Top	Bottom	Thickness	REMARKS
Yellow Sand		60	60	
White Sand	60	150	90	Hole Full Water 1370
Coal	150	153	3	Gas 1954-1963
Sand	153	400	247	
Slate	400	430	30	
Coal	430	435	5	
Slate & Shells	435	460	25	
Sand	460	500	40	
Slate & Shells	500	570	70	
Sand	570	585	15	
Slate & Shells	585	600	15	
Coal	600	603	3	
Slate & Shells	603	630	27	
Sand	630	660	30	
Slate	660	665	5	
Lime	665	680	15	
Sand	680	750	70	
Slate	750	775	25	
Sand	775	800	25	
Slate & Shells	800	900	100	
Sand	900	1060	160	
Slate	1060	1063	3	
Lime	1063	1090	27	
Slate & Shells	1090	1120	30	
Salt Sand	1120	1450	330	
Slate	1450	1460	10	
Lime	1460	1470	10	
Slate & Shells	1470	1560	90	
Lime	1560	1580	20	
Red Rock	1580	1645	65	
Lime	1645	1660	15	
Slate & Shells	1660	1670	10	
Red Rock	1670	1680	10	
Slate Cave	1680	1700	20	
Sand	1700	1710	10	
Slate & Shells	1710	1760	50	
Sand	1760	1795	35	
Slate	1795	1805	10	
Big Lime	1805	1920	115	
Slate	1920	1922	2	
Greener Sand	1922	1938	16	
Slate	1938	1940	2	
Big Injun Sand	1940	1963	23	
Red Rock	1963			

Handwritten: H.P. 18-A

Handwritten: (Circled mark)

Handwritten: (Large circled mark)