



New Location
 Drill Deeper
 Abandonment

Company S. G. LIMING SPECIAL
 Address CLENDENNY, W.VA.
 Farm R. S. KYLE
 Tract _____ Acres 72 Lease No. _____
 Well (Farm) No. 5 Serial No. 20418
 Elevation (Spirit Level) 1404.00
 Quadrangle OTTER
 County CLAY District HENRY
 Engineer L. F. Dyer
 Engineer's Registration No. 804
 File No. _____ Drawing No. _____
 Date 5-1-48 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. CLAY-42-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing

(200)

ELEV. 1404'

COMPLETION REPORT

NO. 20418

MAP SQ. 88-71

FARM R. S. Kyle #5

WELL OWNERS (South Penn Oil Co.) Col. Gas Trans. Corp.

DISTRICT Henry COUNTY Clay STATE W. Va.

PERMIT NO. _____ TOTAL DEPTH. 2337 COMPLETED. 1926

OPEN FLOW 20 bbls. oil
M. C. F.

Injun

R. P.

----- INJUN 2287-2328

----- SHALE

MAXON

----- BERA

BIG LIME 2186-2287

REMARKS: Oil 2296-2310' estimated 20 bbls. after shot.

Formerly F-7705

(6-6 (200))



304

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. 7-1-A Oil or Gas Well Oil
(KIND)

Company South Penn Natural Gas
Address Parkersburg, W. Va.
Farm R. S. Kyle Acres 110
Location (waters) _____
Well No. 5 Elev. 1407
District Henry County Clay
The surface of tract is owned in fee by R. S. Kyle
Address _____
Mineral rights are owned by R. S. Kyle
Address _____
Drilling commenced March 16, 1926
Drilling completed May 2, 1926
Date Shot 9-3-36 From 2295 To 2310
With 60 quarts of Glycerine
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil 70 _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer <u>None</u>
16			
13			
10			Size of _____
8 3/4	<u>652' 3"</u>		Depth set _____
6 5/8	<u>2214'</u>		
5 3/16			
3			Perf. top _____
2	<u>2359' 6"</u>		Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor				15			
Sand				110			
Red Rock			110	260			
Shells			260	280			
Sand			280	285			
Red Rock			285	475			
Sand			475	500			
Lime			500	525			
Big Dunkard			525	700			
Break			700	775			
Sand			775	920			
Slate & Shells			920	1030			
Sand			1030	1160			
Slate & Shell			1160	1238			
Sand			1238	1258			
Slate & Shell			1258	1540			
Sand			1540	1580			
Slate			1580	1595			
Salt Sand			1595	1870			
Water				1725			
Water				1800	Hole Full		
Break			1870	1875			
Lime			1875	1900			
Sand			1900	1937			
Break			1937	1940			
Sand			1940	2060			
Lime			2060	2072			
Red Rock			2072	2084			
Lime			2084	2098			
Maxon			2098	2123			
Break			2123	2130			
Little			2130	2175	Steel Line		
Sand			2175	2186	Measurements		
Big Lime			2186	2287	2186		
Oil Show				2282	2282		
Big Injun			2287	2328	2287		
Oil			2296	2310	2296		
Slate			2328	2337	2328		
Total Depth				2337	2337		

