



New Location
 Drill Deeper
 Abandonment

Company THREE WAY GAS CO. (Valley Head Products Co. Record)

Address CLENDENIN, W. VA.

Farm LEVI MILLS

Tract Acres 127 Lease No.

Well (Farm) No. ① Serial No. F-7790

Elevation (Spirit Level) 1028.93

Quadrangle CLENDENIN NE

County CLAY District UNION

Engineer PAUL E. JOACHIM

Engineer's Registration No. 669

File No. 80-63 Drawing No.

Date FEB. 25, 1951 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. CLAY-60-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

LEVI MILLS NO 1 - - - THREE WAY GAS CO. (Valley Head Products Co. Record) - - - CLAY-60-A

DEVI MILLS NO. 1 WELL.

Union District, Clay County, W. Va.
 By Valley Steel Products Co., St. Louis, Mo.
 Abandoned under permit Clay-60-a; Clendenin Quadrangle.
 On 127 acres, on Peters Park.
 Elevation, 1022.97' L.
 Drilling commenced May 20, 1926; completed July 10, 1926.
 Volume, 8/10 W. 2", 119,000 cu. ft.
 Fresh water at 170'.
 Salt water, 102'(?), 1100 and 1200'.
 10" casing, 23'; 8", 400'; 6", 1603'; 2" tubing, 1725'; all left in.
 Parker set at 1690'.
 Coal was encountered at 130-135, 225-230, and 350-355'.
 Gas well. Record to Dept. of Mines stamped March 6, 1931.
 Record to RCF from Linseberg Feb. 11, 1952. Old File No. 322.

	Top.	Bottom.
Soil	0 -	5
Sand	5 -	10
Slate	10 -	40
Sand	40 -	50
Slate	50 -	100
Black line	100 -	120
Slate	120 -	130
Sand	130 -	150
Slate	150 -	165
Sand (fresh water, 170', hole full)	165 -	180
Coal	180 -	185
Slate	185 -	190
Black line	190 -	215
Slate	215 -	225
Coal	225 -	230
Slate	230 -	235
Sand	235 -	290
Slate	290 -	300
Black line	300 -	310
Slate	310 -	315
Sand	315 -	350
Coal	350 -	355
Slate	355 -	365
Black line	365 -	385
Slate	385 -	415
Sand	415 -	465
Slate	465 -	480
Sand	480 -	600
Slate and shells	600 -	665
Sand	665 -	705
Slate	705 -	720
White line	720 -	740
Slate	740 -	760
Sand (gas, 785')	760 -	820
Slate	820 -	830
Sand	830 -	868
Slate and shells	868 -	910
Sand	900 -	955
Slate	955 -	970
Salt Sand (water, 1020, 2 bbls.; water, salt water, 1100', 4 bbls.; salt water, 1200', hole full)	970 -	1410

LEVI HILLS NO. 1 WELL (Continued).

	op.	Bottom.
Break in Salt Sand	1270	- 1320
Black line	1420	- 1460
Slats	1460	- 1470
Red rock	1470	- 1490
Marion Sand	1490	- 1545
Slats	1545	- 1555
Little line	1555	- 1588
Slats	1588	- 1595
Sand	1595	- 1625
Concave	1625	- 1628
Big line (gas, 1718')	1628	- 1753
Big Injun Sand (gas, 1758-70')	1753	- 1786
Red rock	1786	- 1817
Total depth		1817