

6-6 Straight Fork-Bluestone Creek

(133)

Plat of WELLNº 201 & LOCATION FOR WELL Nº 3568 HOPE CONSTRUCTION & REFINING CO. Clarksburg, W. Va., on the HARYEY SMITH Farm consisting of 450 Acres WEST UNION District DODDRIDGE County, W. Va. C. L. Fleming J. Ed Smith El. 1094 C. G. Fleming chest stump M. J. Minear Harvey Smith
42159 **LEGEND** Location Lorgen o Oil Wellwo. (gone) Gas Well Dry Hole Field Book No. 569 P. 36-38 1" = 40 Poles J. W. Smith Feb. 9th 1934 **ENGINEERS CERTIFICATE** I, the undersigned, hereby certify that this map is correct and shows all the information to the best of my knowledge and belief, required by the oil and gas section of the mining laws of West Virginia. Acknowledged before me a Notary Public in and for the County of Harrison and State of West Virginia this 14th day of February My Commission expires Feb 18- 1936 Geoffee

4/200124

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. DOG 20			Well	No. 3568
Hope Construction & Refi	ning Compa	ny, of 445 West]	Main St.	•••••
Clarksburg, W. Va.	on the	Harvey Smit	th	Farm
containing		::		
	District, in			
The surface of the above tract is				-
of Clarksburg, W. Va.		address, ar	nd the mineral righ	ts are owned by
Harvey Smith Heirs.				
The oil and gas privileges are l	held under lease by the ab	pove named company, an	nd this well is drill	ed under permit
	issued by the		ent of Mines, Oil a	nd Gas Division
March 2nd, 1934.		198	•	
Elevation of surface at top of w	ell,	1126	•••••	Spirit Burometria
The number of feet of the different s	ized casings used in the we	ell.		
	feet		size. \	Wood conductor.
624 feet	10° csg	1175	feet 84 m	sized csg.
18756eet6	~5/8** size, csg		feet	sized csg.
feet				
•••••				_
•••••	•			
, in ca				
, in c				
Coal was encountered at 410		•		
feet; thicknessin	•		·	
Liners were used as follows: (G	ive details)		•••••••••••	***************************************
10" casing provided with	steel casing shoe	, set in 20 feet	of good mud.	
April 19th, 1934.	Date.			•••••
	Approved	Hope Construction	on & Refining	Co. Owner.
	Ву		(TITU) W611 SU	pervisor

Hope	Construction	1 &	Refining	Company
	kaburg, W. Ve			

Well No..... 3568

April 19th, 1934.

COMPLETION DATA SHEET No. 2 **FORMATION RECORD**

Name	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depth	Remarks
Native Co	1]			410	413	3'		
Sand		Fresh		525	615	901		10" Casg. 62
Little Du	kard Sand-		Mananana	1170	1187	17'		84 " 117
		Show 0il	. -127 0 to 127	1230	1287	57 '		-
				1360	1425	651		,
First Sal	Sand	Show 0il	. 1512	1500	1525	251	14	
Second Sa	t Sand	Salt Water	1515	1690	1720	30 1		
Maxon San	1	Salt Water	1868	1834			·	6-5/8" Casg
								set at 1875
	Run 6-5/8*	casing at 1875	and resumed	drilling.	Tota	l depth	1878	
	·	Preliminary rep	ort as requi	red by Ru	les & Res	alations	by the	e ·
	Department been compl	of Mines. (Rule ted through the	9), as soon	as the d	rilling o	any wel	1 has	
	_							
	•						•	·
							·	
	·							
		•				'		
			·					
	·						i .	
show was not	•		.			71		<u> </u>
ALCIT MED TIOL	auut #f		zeet; '	well was shot	at			fast.

Date NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded in their proper geological names in the district as well as any local names commonly used in the district for such strata.

Approved Hope Construction & Refining Company

Dodd - 50



DEPARTMENT OF MINES

Little Lime

Total Depth

Big Lime

011

N Y/	10/0	070	OIL AND	GAS DIVISION			*2	
Permit No.	A CONTRACTOR OF THE PARTY OF TH	374	WELL	RECOR	D	Oil or	as Well	·
			H. Strauss	L'eging and	Used in Drilling	Left in Well		Packers
		h						×
Location (water Well No. #7	s)		Elev.	Size 16			_ Kind of	Packer No
District We s	st Union	CountyI	oddridge	. 13			-	
The surface of t	ract is owned in	fee by		10	624	624	_ Size of.	
		•		8¼	1183	1183		
			3	6%	1878	1878	Depth s	set
Drilling commen		_Address	1	5 3/16		* *** *** *** *** *** *** *** *** ***	1	
		il 25, 192	54	3 2				p
		•	·o				Perf. to	ottom
								ottom
Open Flow	/10ths Water	in	Inch				1 011. 00	· · · · · · · · · · · · · · · · · · ·
	_/10ths Merc.	in	Inch	CASING CEM	IENTED	SIZE	No. Ft	Dat
Volume			Cu. Ft.				-	. *
			hrs.		ENCOUNTERED	ΑT	काराक्ष	INCHE
			bbls., 1st 24 hrs.		ETINC		FEET	
•					ETINCE			INCHES
Formation		Hard or	1		Oil, Gas	Depth	TEE!	INCHE
	Color	Soft	Тор	Bottom	or Water	Found		Remarks
Native Co	al		410	413				
Sand			525	615				
Water			585					
Pgh Coal			680	686				
Little Du	nkard		1170	1187				
Big Dunka	rđ		1230	1287				
Oil			1270	1274				•
Gas Sand			1360	1425				
lst Salt			1500	1625				
Water			1515	•				
011			1512			·		
2nd Salt			1690	1720				
Maxon		•	1834	1880				•
Water			1865					
Sand			1918	1967				

1980

1986

2002

1967

1980

1982

West Union District, Doddridge County, W. Va.

By Joe Rubin, S. Beren & H. Strauss, 2008 E. 7th St., Parkersburg, W. Va.

Abandoned under permit Dod-7.3..-A? (Drilling Permit No....?)

On 450 acres.

Elevation,' L.

Drilling completed April 25, 1934.

10" caming, 624'; 8½", 1183'; 6½", 1878'; all left in.

No packer.

Oil well. Record to Dept. of Mines not dated or stamped.

Record to RCT from Mrs. Griffith September 14, 1949. Old File No. 639.

Native coal Sand (water, 585') Pittsburgh Coal Little Dunkard Sand Big Dunkard Sand (oil, 1270-1274') Gas Sand 1st Salt Sand (water, 1515'; oil, 1512') 2nd Salt Sand Maxton Sand (water, 1865') Sand Little Lime Big Lime (oil, 1982-1986')	Top. Bottom. 410 - 413 525 - 615 680 - 686 1170 - 1187 1230 - 1287 1360 - 1425 1500 - 1625 1690 - 1720 1834 - 1880 1918 - 1967 1967 - 1980 1980
Big Lime (oil, 1982-1986) Total depth	- •