7'5 OGIS topo location

7.5' loc 0.915 15' loc 0000 2.22w (calc.) 2.22w

Company

~ 15'localer

ause Centerpoint Wa

County ___

District McClollan

WELL LOCATION MAP File No. Dodd, 54

6-6

(096) Centerpoint

Bottom

W.D.Gribble Company

G-11

Character

Color

COMPLETION DATA SHEET

No. 2

WELL NO.__2 Dor - 5, 4/ FARM Martha J. Smith Et al.

Oil, Gas or Water

Top

FORMATION RECORD

Thickness

Total Depth

Remarks

						<u> </u>		
onductor lative Coal and & Water				288 422	289 440	16		2 Bailers
Fard Lime Fitts.Coal Red Rock Fard Lime Fittle Dunka Fandy Shells	rd		·	513 760 997 1180 1205 1250	760 761 1040 1200 1228 1500			in 5 hrs.
st Salt San ird Salt San			Water	1520 15 7 0	1562 1733			4 Bailers per hr.
little Lime 'encil Cave Blue Monday Big Lime Big Injun			Gas Oil,Water	1970 2004 2010 2035 2082	2004 2010 2035 2082 2248			2111 - 2121 2172 - 2192
iquaw Sand lantz lifty Ft.San Chirty Ft.Sa lordon Stary	nd		Gas Gas	2255 2350 2610 2715 2810	2260 2550 2640 2725 2844			Show at 252 ⁰ 28 2 9 to
lordon	·			. 2851	2860		2860	2844
		,						
		·						

well was Sockhot at 2171 to 2191	feet; well was shot at 2812 to 2842	feet.
SERVING	salt feet;#76th water at 1570 to 1733	feet.
well was hole.		
July 31,1935	Approved IM Subag	····

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

AUG1935 WEST MAGRIA

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. Dod = 54		W	ell No. 2
W.D.Gribble	Company of West Un	ion,₩.Va.	
	on the Martha J.		
containing 124 acres. Location C	n waters of Elk	Lick	
McClellan Dis	trict, in Doddridge	Count	y, West Vi rg inia
The surface of the above tract is owned in fee by-	Arlie Dots	on	
ofClarksburg, W. Va.	address,	and the mineral rig	hts are owned by
Mærtha J.Smith			
The oil and gas privileges are held under lease b	y the above named company	, and this well is dr	illed under permit
No. Dod = 54 issued by	the West Virginia Departr	nent of Mines, Oil	and Gas Division
August 14,			
Elevation of surface at top of well. 103	5 ft ,		Spirit Barometric.
The number of feet of the different sized casings used i			
16	_feet	size.	Wood conductor.
1262feet 81"size			
	, csg		
packer of			
packer of		_size, set at	
, in casing perforated at	•	•	
, in casing perforated at			
Coal was encountered at 288 feet,	÷		
feet; thickness 12 inches; and at	feet; thic	ekness	inches.
Liners were used as follows: (Give details)	-	•	
	-	•	
July 31,1935			
1031-12	ate.	Shi Riki	
AUG1935 WEST UPPOPUL	By	y	Owner.
WEST VICINA 80	▼	(TITLE)	