



Company The Henderson Oil Co.
 Address 509 Peoples Bank Bldg.
 Farm Marietta, Ohio Alex Leggett
 Tract Acres 195 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 934
 Quadrangle West Union Holbrook N.C.
 County Doddridge District Central
 Engineer J.V. Dunbar
 Engineer's Registration No. 65
 File No. C-23-L Drawing No. _____
 Date Oct. 27, 1937 Scale 1"-40 P.

STATE OF WEST VIRGINIA
 Department of Mines
 OIL AND GAS DIVISION
 CHARLESTON
 WELL LOCATION MAP
 File No. DOD-82
 + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

R-issued 1938

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

Dod-82

WELL RECORD

Permit No. Dod-82

Oil or Gas Well Dry hole
(Kind)

Company The Henderson Oil Company
 Address Marietta, Ohio
 Farm Alex Leggett Acres 195
 Location (waters) Cabin Run
 Well No. 1 Elev. 934
 District Central County Doddridge
 The surface of tract is owned in fee by Alex Leggett
 Address West Union W. Va
 Mineral rights are owned by Same
 Address _____
 Drilling commenced January 6th 1938
 Drilling completed March 25th 1938
 Date shot none Depth of shot _____
 Open Flow /10ths Water in Inch
/10ths Merc. in Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs _____ hrs.
 Oil Dry bbls, 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water 1420 feet 1485 feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
18			Size of
10 231'			
8 1/4 904'			Depth set
6 5/8 1523'			
5 3/16 1725'			Perf. top
3			Perf. bottom
2			Perf. top
Liners Used			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. FT. _____
 COAL WAS ENCOUNTERED AT _____ FEET _____ INC
 _____ FEET _____ INCHES _____ FEET _____ INC
 _____ FEET _____ INCHES _____ FEET _____ INC

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Unrecorded			0	725	231'-10"		
Red Rock			725	733			
Black Slate			733	738			
Red & White Slate			738	760			
Lime			760	765			
White Slate			765	770			
Lime			770	775			
Red Rock			775	830			
Lime			830	835			
White Slate			835	845			
Red & White Slate			845	880			
Blue Slate			880	895			
Red Rock			895	900	904'-8 1/4"		
Little Dunkard			900	918			
White Slate			918	930			
Red Rock			930	940			
Slate			940	950			
Sand			950	960			
Slate			960	1005			
Red Rock			1005	1022			
Slate			1022	1035			
Sand			1035	1060			
Slate			1060	1130			
Sand			1130	1165			
Slate			1165	1195			
Red Rock			1195	1200			
Lime			1200	1205			
Slate			1205	1275			
Lime			1275	1305			
Sand			1305	1315			
Slate			1315	1335			
Lime			1335	1350			
Sand			1350	1395			
Slate			1395	1420			
Lime			1420	1435			
Black Slate			1435	1450			
Lime			1450	1475	1523'. 6 5/8"		
Salt Sand			1475	1575			
Slate			1575	1640			
Sand			1640	1660			
Slate			1660	1665			
Lime			1665	1710			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate			1710	1725	1725		
Lime			1725	1740			
Slate			1740	1833			
Sand			1833	1859			
Slate			1859	1880			
Lime			1880	1897			
Black Slate			1897	1940			
Lime			1940	2042			
Injun Sand			2042	2070			
Slate			2070	2080			
Sand			2080	2092			
Slate			2092	2096			
		Total Depth		2096			