Melntire

- 1

2

. 3

250

3.00 M 65 E 25

Elev. 985

Letcher Mekiney, Est. 33 Acrs.

552 M 285 C 552 M 593 37 1 5 st.

New Location

Drift Deeper X

Abandonment

Company IV. D. Grible

Address West Union W. Va

Farm Letcher McKinney Est.

Tract One Acres 33 Lease No.

Well (Farm) No. | Serial No.

Elevation (Spirit Level) 985

Quadrangle Centerpoint

County Daddridge District West Union

Engineer Registration No. 84

File No. Drawing No.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

FILE NO. DOD - 125

- + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES OIL & GAS DIVISION WELL RECORD

Permit No. Dod 125 Centerpoint Quad.

Company W.D. Gribble West Union, W.Va. Address

Letcher McKinney Heirs Farm Acres 33

Location Jockey Camp

Elev. 985 Well No

West Union Doddridge County
L. McKinney Heirs, West Union, W.Va. District Surface

Mineral

Commenced April 1942 Completed

Feb. 1943 Feb. 25,1943 Depth 2810 to 2841 Date shot

with 28 qts. glycerine & 50# dynamite

Show of oil

Oil Show

DRILLED DEEPER

Drilling began at 2622 Bayard Sand 2767 2780 Gray Rock V.H. 2791 2810 Sand 2810 2823 Slate 2823 2832 Slate 2832 2841 TOTAL DEFTH 2841

West Union District, Doddridge County, W. Va.

By Hope Natural Gas Co., 445 W. Main St., Clarksburg, W. Va.

On 33 acres, surface and mineral rights owned by Noah L. McKinney, 4 126

Route 2, West Union, W. Va.

Elevation, 982' B.
6-5/8" casing, 1722'; 5-3/16", 2478'.

Coal was encountered at 115-117 and 360-362'.

Abandonment reported to Dept. of Mines May 31, 1935.

Well was not shot.

No water recorded.

Gas well; exhausted to extent that no longer commercially productive.

The Control of the Co	THE RESERVE OF THE PERSON OF T		
	Top. Bottom.	Thickness.	**************************************
Native coal	115 - 117	2	
Pittsburgh Coal	360 - 362	2 "	
Little Dunkard Sand	690 - 715	25	
Big Dunkard Sand	960 - 1025	65	
Gas Sand	1040 - 1170	130	
Salt Sand	1195 - 1370	175	······································
Maxton Sand	1425 - 1510	85	
Little Lime	1670 - 1685	15	
Pencil Cave	1685 - 1705	20	
Blue Monday Sand	1705 - 1723	8	
Big Lime	1723 - 1783	60	
Big Injun Sand (gas, 1791, 1878, and 1899!)	1783 - 1918	135	
50-Ft. Sand	2287 - 2302	15	
Gordon Stray Sand (gas, 2495-2491)	2479 - 2498	19	
Total depth	2628	S. Martin, Manager and Company of the State	OFFICIAL COMMENTS OF THE STATE

May Si.	President RA	Well was not about at			Oordon Strey Send-		First Joot Sapa-	Sig James			_						-	\vdash				
1	Home recorded				8			ę														0
Exhausted to extent that no longer comparefally productives 1935. Approved Hope Matural Gas Company Owner By	dest; french wade	feet; well was			25 -2491	N.	iz	1991-1878-1899	1785	1783	1705	1085		148	1196	1040	960	•	3	us	- · ·	er Soler Lep
t that no longer commarcially productive. Lippe latural Gas Company Lippe latural Gas Company	et Nome recorded	t .				2479	:367 2302		97.6T	1783	1725	1708			סופו	223	1086	25	3	Ę,		Red - Thi
Company	rded	Not shot.			2088		Ę,		135'	8	•	ğ	5	\$	729.	78.	3	3	•	-		į
March .	•	ŧ				200					1000	and the designation of the second										Romertu
	V 1		\$1000 Appendix	To the street of	eri.	······································				720			*			CONTRACTOR CONTRACTOR	Now to be					

Śródoceprzeciannia programa programa programa programa.

WEST VIRGINIA DEPARTMENT OF MINES

COLL A CIT CLAR BUILDING

TARLINIZARY
DATA SHEET
0

May 51, 1955.	feet; thickness and _inches; and Liners were used as follows: (Give details)	Coal was encountered at 115			The number of feet of the different stard cu	Elevation of surface at top of well	The series of the class brack to second in facility. Both in the Market State of the Country of the class of	seri Union	Clarkeburg, W. War,	またれ おしと ご・さ
	inches; and atfoet; thickness	in casing perforated at	packer of	size, cre.	casing word in the well.	based by the West Verginia Department of Mines, Oil and One Dies. 193. ————————————————————————————————————	1	Parent in Boderidge	The section of the se	
		360			5-3/16"	2 1	7. To., 1/2.			4-H N. 108

Approved Hope Metural Cas Grapmay)

PROPOSED MANNER OF FLUGGING AND FILLING WELL

WEST VIRGINIA DEPARTMENT OF MINES SCHOOLAND OVER CINY THE

WORK ORDER

Pill of the slay and to being place orithele place and remove the first is only to some.

and the train with the errors to 1967 or her this the fact of the contract of

Level bridge and place a place at 1650' and 2111 hale at the and also are carriage to 1600' and place outtable place.

to der-are value and place a plan at the count from 30 to 300. Alog of test tamends desired "to 65". Fill at the end or clay from 95" I with rad or eleg from 340' to 167'. Fill with or -

To the Department of Minn, Coal Owner or Operator, Lease or Property Owner.

This "work order" is admitted for your approval and concurrence and unless notified of your dispressed or non-concurrence, the underwiced will proved with the playering and filing of and well in the above described memory on the date mated in the notice of instruction to play and observe the nois well on approxite nide of this short.

Very traily years, Hope supported the Comment

property owners or interposed by the Departm Fing and filling of the well above mentioned. No objections have been filed by the coal owner or coal operator, or any available adjacent lease or sporty owners or interposed by the Department of Mines to the manner herein described for the ping and filling of the well above nontouned. Therefore, the same is hereby approved that here had any was distributed by .

DEPARTMENT OF MINES

NOTICE OF SKIT KTICK TO PLUG AND ABANDON WELL

WEST VINCHNIA DEPARTMENT OF MINES Beguingt er Berich & Berie. & Contide SE er int Con-

COLL VICTOR CONTROL

To THE DEPARTMENT OF MINE.

In eval operations in this everyone Well No. Cherkeburg 3, Va. Lope He tural One Caupary Loddr: de My 11, 1998. 445 West Male Ot. met Jalon MELT 40 ME VENTOCHER District County 7

The undersigned well operator is about to abandon the above described well and will commence the

(which date shall not be less than fee days after the day on which this notice so smalled is received, or in work of plugging and shendoning said well on the 10th day of ... due course should be received by the Department of Mines).

and filling of said well. You are further notified that whether you are represented or not represented the notice, in "Work Order." required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this indersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner This notice is given you in order that your respective representatives may be present at the plugging

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Le Disert. Compress Buy 8. Well Openior

NOTE: Upon the abandonment of all wells desired gener to four 1, 1929, a play presented by a competent engineer, abouting the desired and county in which the tract of land is formed the name and accompt of same, the