



New Location..  10203  
 Drill Deeper.....   
 Abandonment.....

Map Sheet 67° 68 5-17 W-12; F.B. 1198, P. 28 & 29

Company	HOPE NATURAL GAS CO.
Address	CLARKSBURG, W.VA.
Farm	W. BRENT MAXWELL
Tract	Acres 2400 Lease No. 41998
Well (Farm) No.	Serial No. 10203
Elevation (Spirit Level)	1089'
Quadrangle	HOLBROOK NE
County	DODDRIDGE District SOUTHWEST
Engineer	Guy H. Bradley
Engineer's Registration No.	2425
File No.	Drawing No.
Date	11-19-58 Scale 1" = 40 Poles

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP

FILE NO. DOD-270

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION 4

Quadrangle HOLBROOK

Permit No. DOD-270

**WELL RECORD**

Oil or Gas Well Dry

(KIND)

Company Hope Natural Gas Company  
Address Clarksburg, W. Va.  
Farm W. B. Maxwell Acres 2400  
Location (waters) \_\_\_\_\_  
Well No. 10203 Elev. 1089  
District Southwest, County Doddridge  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced 7-16-59  
Drilling completed 8-15-59  
Date Shot Not shot From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume 101 M Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil None bbls., 1st 24 hrs.  
WELL ACIDIZED No  
WELL FRACTURED 8-25-59

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer _____
16			
13	20	20	Size of _____
10	267	267	Depth set _____
8 1/4			
6 3/4			
5 3/16			
<del>4 1/2</del> 4 1/2	1912	1912	Perf. top _____
2			Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
4 1/2" casing cemented with 80 cement & 11 aquagel  
COAL WAS ENCOUNTERED AT 715 FEET 48 INCHES  
81 1/4 FEET 36 INCHES FEET INCHES  
FEET INCHES FEET INCHES

RESULT AFTER TREATMENT Gas exhausted

ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_

Fresh Water None Feet \_\_\_\_\_ Salt Water \_\_\_\_\_ Feet \_\_\_\_\_

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Clay		0	10				
Slate		10	30				
Sand		30	62				
Blue Lime		62	77				
Red Rock		77	115				
Slate		115	120				
Lime		120	164				
Red Rock		164	225				
Sand		225	235				
Red Rock		235	240				
Lime		240	267				
Sand		267	292				
Slate		292	315				
Red Rock		315	350				
Slate & Shells		350	370				
Blue Lime		370	420				
Slate & Shells		420	460				
Sand		460	490				
Broken Lime		490	520				
Slate & Shells		520	541				
Red Rock		541	548				
Blue Lime		548	606				
Red Rock		606	640				
Blue Lime		640	662				
Red Rock		662	682				
Slate & Shell		682	<del>710</del> 715				
Coal		715	719				
Slate & Shell		719	740				

(over)

F59

Formation	Color	Hard or Soft	Top <i>ft</i>	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			640	781			
Lime			781	796			
Red Rock			796	802			
Slate			802	814			
Coal			814	817			
Slate & Shells			817	820			
Lime & Slate			820	860			
Sand			860	900			
Slate & Shell			900	924			
Sand			924	985			
Blue Lime			985	1039			
Slate & Shell			1039	1077			
Sand			1077	1122			
Slate			1122	1125			
Lime			1125	1175			
Sand			1175	1204			
Slate			1204	1205			
Lime			1205	1225			
Slate			1225	1235			
Sand			1235	1267			
Slate			1267	1330			
Sand			1330	1456			
Slate & Shells			1456	1520			
Sand			1520	1545			
Slate & Shells			1545	1614	Gas	1614'	
Sand			1614	1654			
Slate & Shells			1654	1699			
Lime			1699	1714			
Slate			1714	1718			
Lime			1718	1724			
Sand			1724	1743			
Slate			1743	1752			
Lime			1752	1821			
Sand			1821	1863	Gas	1830	
Lime			1863	1875			
Sand			1875	1890			
Slate			1890	1920			
Total Depth				1920'			

Date September 14, 1959, 19

APPROVED Hope Natural Gas Company, Owner

By \_\_\_\_\_ (Title)