



New Location   
 Drill Deeper   
 Abandonment

No coal  
 Surface: - Richard Roy Blake,  
 Box 82  
 West Union, W. Va.

Company McCUTCHEON & PERKINS  
 Address % Paul McCutcheon, West Union, W. Va.  
 Farm Richard Roy Blake  
 Tract \_\_\_\_\_ Acres 51 Lease No. \_\_\_\_\_  
 Well (Farm) No. Three Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 968  
 Quadrangle West Union SE  
 County Putnam District West Union  
 Engineer W. H. [Signature]  
 Engineer's Registration No. 227  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date August 1960 Scale 1" = 20,000 ft.

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. DDO 458

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

*Too Crowded To Plot*



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION 3

Quadrangle West Union  
Permit No. DOD-458

WELL RECORD

Oil or Gas Well Oil  
(KIND)

Company Perkins & McCutchan  
Address West Union, W. Va.  
Farm Richard Roy Blake Acres 51  
Location (waters) Middle Island Creek  
Well No. # 3 Elev. 968  
District West Union County Doddridge  
The surface of tract is owned in fee by Richard Roy Blake  
West Union Address W. Va.  
Mineral rights are owned by Richard Roy Blake and  
Nancy Scott Heirs Address West Union, W. Va.  
Drilling commenced Sept 1960  
Drilling completed Sept 23, 1960  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume No Gas Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil 25 bbl. bbls., 1st 24 hrs.  
WELL ACIDIZED \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer _____
16			
13			
10	20'	conductor	Size of _____
8 1/4	375'	pulled	
6 3/8	981'	981	Depth set _____
5 3/16			
3			Perf. top _____
2	2" tubing	980'	Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

WELL FRACTURED

No treatment of any kind

RESULT AFTER TREATMENT Cow Run Oil

ROCK PRESSURE AFTER TREATMENT

Fresh Water \_\_\_\_\_ Feet Salt Water \_\_\_\_\_ Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Red Rock			0	145			
Slate			145	155			
Red Rock			155	210			
Lime			210	230			
Slate			230	245			
Red Rock			245	295			
Slate			295	300			
Lime			300	305			
Slate			305	310			
Red Rock			310	345			
Slate			345	405			
Lime			405	425			
Slate			425	440			
Sand			440	460			
Lime			460	472			
Slate & Red Rock			472	487			
Red Rock			487	510			
Slate			510	560			
Sand			560	575			
Slate			575	580			
Sand			580	600			
Red Rock			600	610			



Formation	Color	Hard or Soft	Top <sup>3</sup>	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate			610	650			
Hard Lime			650	675			
Slate & Shells			675	685			
Lime Hard			685	695			
Red Rock			695	745			
Slate			745	765			
Red Rock			765	820			
Lime			820	840			
Broken Sand			840	900			
Slate & Lime			900	920			
Black Slate			920	930			
Pink Rock			930	942			
Sand			942	945			
Blue Slate			945	950			
Slate & Shell			950	955			
Black Slate			955	960			
Sand			960	985			
	COW RUN SAND						

Date \_\_\_\_\_, 19\_\_\_\_

APPROVED \_\_\_\_\_, Owner

By \_\_\_\_\_  
(Title)