



New Location
 Drill Deeper
 Abandonment

Company C.A. Stricklin, C.O. Wise - Agt.
 Address Pullman, W. Va.
 Farm Nathan H. Prim
 Tract 1 Acres 37 3/10 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 917'
 Quadrangle Holbrook NC
 County Doddridge District Central
 Engineer Parker E. Peters
 Field - W. P. Ireland
 Engineer's Registration No. 485
 File No. _____ Drawing No. _____
 Date January 12, 1961 Scale 1" = 20P

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. DOD-517

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 4

Quadrangle HOLEROOK

WELL RECORD

Permit No. DOD-517

Oil or Gas Well Oil & Gas
(KIND)

Company C. A. Stricklin
Address 5341 West Broward Blvd. Ft. Laud. Fla
Farm Nathan Primm Acres 37
Location (waters) Cabin Run
Well No. 1 Elev. 917
District Central County Doddridge
The surface of tract is owned in fee by Nathan Primm
Address Ellenboro, W. Va.
Mineral rights are owned by Nathan Primm & Thelma Primm, his wife
Address Ellenboro, W. Va.
Drilling commenced May 16, 1961
Drilling completed July 7, 1961
Date Shot June 16 From 2088' To 2097'
With 30 qts. Glycerine
Open Flow 4 /10ths Water in 1" Inch
/10ths Merc. in _____ Inch
Volume 30,000 Cu. Ft.
Rock Pressure 225# lbs. 48 hrs.
Oil 5 bbl. bbls., 1st 24 hrs.
WELL ACIDIZED June 27 with 4000 gals.

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	298'	None	Size of
8 1/2	1134'	None	
6 3/4			Depth set
5 3/16	1965'	1965'	
3			Perf. top
2	to pump oil	2100'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED Yes SIZE 5 1/2 No. Ft. 150' Date June 5, 1961
- 15 sks Cement - 3 sks. Aquage 1
Lawson Cementing Co.
COAL WAS ENCOUNTERED AT None FEET _____ INCHES
FEET _____ INCHES FEET _____ INCHES
FEET _____ INCHES FEET _____ INCHES

WELL FRACTURED _____

RESULT AFTER TREATMENT Fair increase of gas & oil

ROCK PRESSURE AFTER TREATMENT 225# 48 Hours

Fresh Water None Feet _____ Salt Water Yes Feet 1520'

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Clay			0	16			
Sand			16	25			
Red Rock			25	30			
Slate			30	40			
Red Rock			40	75			
Slate			75	100			
Red Rock			100	115			
Sand			115	160			
Red Rock			175	190			
Red Rock			160	175			
Slate & Shells			175	190			
Red Rock			190	200			
Slate			200	210			
Sand			210	225			
Slate			225	250			
Red Rock			250	315			
Slate & Shells			315	330			
Red Rock			330	350			
Slate			350	360			
Sand			360	400			
Red Rock			400	425			
Slate & Shells			425	470			
Sand			470	510			
Red Rock			510	520			
Lime			520	545			
Red Rock			545	605			
Slate & Shells			605	625			
Red Rock			625	655			
Slate & Shells			655	670			

Formation	Color	Hard or Soft	Top <i>4</i>	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			670	690			
Slate & Shells			690	715			
Lime			715	740			
Red Rock			740	760			
Slate & Shells			760	850			
Red Rock			850	890			
Slate			890	905			
Red Rock			905	930			
Slate			930	945			
Sand			945	965			
Slate & Shells			965	990			
Red Rock			990	1000			
Slate			1000	1030			
Slate, Black			1030	1048			
Red Rock			1048	1115			
Slate & Shells			1115	1200			
Sand			1200	1270			
Slate & Shells			1270	1380			
Sand			1380	1420			
Slate & Shells			1420	1495			
Sand			1495	1580	Water	1520	Considerable
Slate & Shells			1580	1658			
Broken Sand			1658	1720			
Sand			1720	1778			
Black slate			1778	1798			
Sand			1798	1875			
Slate			1875	1885			
Lime			1885	1904			
B. Slate			1904	1923			
Big Lime			1923	2066			
Sand			2066	2104	Gas & Oil	2088-2095	Gas 4/10-1" Oil 5 bbl.
Slate			2104	2106			

Date July 25, 1951

APPROVED C. B. Thibault, Owner

By C. B. Thibault
(Title)