



Latitude 39° 20'

Longitude 80° 35'

- New Location
- Drill Deeper
- Abandonment

90 J. W. SCOTT
 Company DOCO FIVE OIL & GAS CO.
 Address 144 VALLEY ST. SALEM, W. VA.
 Farm EARLY L. & DELLA CAIN
 Tract _____ Acres 37 1/2 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 877'
 Quadrangle CENTERPOINT SC
 County DODDRIDGE District GRANT
 Engineer JACKSON M. JAMES
 Engineer's Registration No. 2397
 File No. _____ Drawing No. _____
 Date NOV. 4, 1961 Scale 1" = 20 POLES

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. DOD-672

+ Denotes location of well on United States Topographic Maps, scale 1 to _____ latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 5

Quadrangle Centerpoint

Permit No. DOD-672

WELL RECORD

Oil or Gas Well Gas
(KIND)

Company Doco Five Oil & Gas Co., c/o J. W. Scott
Address 144 Valley Street, Salem, W. Va.
Farm Early L. & Della Cain Acres 37 1/2
Location (waters) Buckeye Run
Well No. 1 Elev. 877'
District Grant County Doddridge
The surface of tract is owned in fee by Early L. & Della Cain, Salem, West Virginia
Mineral rights are owned by Bert and Marvia Davis, Route 50, West Salem, West Virginia
Drilling commenced 2/20/62
Drilling completed 4-16-62
Date Shot From To
With
Open Flow /10ths Water in Incht
30/10ths Merc. in 2 Incht
Volume 852,000 Cu. Ft.
Rock Pressure 150 lbs. 52 hrs.
Oil none bbls., 1st 24 hrs.
WELL ACIDIZED No
WELL FRACTURED NO

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16	30	30	Kind of Packer <u>Baker</u>
13			Size of <u>6-5/8"</u>
10	272		Depth set <u>1392</u>
8 1/4	1035		
6 5/8	1392	1392	
5 3/16		1807'	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED 5 3/16 SIZE 1807 No. Ft. 11-28-62 Date
25 sks. cement-4 sks. aquagel-Garaton
COAL WAS ENCOUNTERED AT FEET INCHES
FEET INCHES FEET INCHES
FEET INCHES FEET INCHES

RESULT AFTER TREATMENT

ROCK PRESSURE AFTER TREATMENT

Fresh Water Feet 16' Salt Water Feet 1323'

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Sand Soil			0	12			
Sand			12	26			
Slate			26	35			
Sand			35	70			
Lime			70	100			
Red Rock			100	102			
Lime			102	119			
W. Slate			119	125			
Lime			125	140			
Slate			140	151			
Lime			151	170			
Slate			170	183			
Red Rock			183	186			
Slate			186	190			
Lime			190	210			
Slate			210	229			
Sand			229	238			
Slate			238	252			
Lime			252	269			
Slate(soft)			269	307			
Sand (light)			307	328			
Slate (soft)			328	330			
Lime (Grey)			330	437			
Coal			437	438			
Slate (soft)			438	451			
Lime (Grey)			451	469			
Sand (Grey)			469	495			
Slate			495	505			
Lime			505	521			

Formation	Color	Hard or Soft	Top ⁵	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			521	590			
Lime			590	600			
Red Rock(Soft)			600	605			
Lime (Gritty)			605	648			
Red R. (Med. H.)			648	657			
Grey Lime			657	700			
Slate (Shells)			700	734			
Slate (Dark)			734	737			
Lime			737	745			
Slate			745	753			
Lime (grey)			753	776			
Sand			776	800			
Red Rock			800	803			
Lime (grey)			803	823			
Slate (black)			823	837			
Pink rock			837	849			
Dark Slate			849	855			
Red R. (Shells)			855-	865			
Sand			865	886			
Slate			886	888			
Lime (Gritty)			888	899			
Slate(Black)			899	939			
Lime(Grey)			939	960			
Sand			960	1023			
Slate(Shells)			1023	1090			
Sand			1090	1141			
Slate (Shells)			1141	1225			
Sand			1225	1240			
Slate & Shells			1240	1275			
Lime(Gritty)			1275	1299			
Sand			1299	1323			
Water & Sand			1323	1327			
Sand			1327	1367			
Slate			1367	1370			
Lime (Dark)			1370	1425			
Sand			1425	1430			
Lime			1430	1445			
Sand			1445	1540			
Lime (Gritty)			1540	1570			
Slate			1570	1610			
Slate (Shells)			1610	1632			
Lime (Dark)			1623	1661			
Sand			1661	1671			
Lime (Broken)			1671	1690			
Lime (Gritty)			1690	1732			
Lime			1732	1756			
Pencil			1756	1757			
Lime			1757	1788			
Lime (Gritty)			1788	1806			
Sand			1806	1838			
			Total Depth	1838			
			New Total Depth	1881			
Injun sand				1856			
Grey slate		Hard	1856	1881			

Date _____, 19____

APPROVED _____, Owner

By _____
(Title)