

P

K-E 156 IMPERIAL TRACING CLOTH T.M.



DEPARTMENT OF MINES OIL AND GAS DIVISION

RECEIVED
West Virginia
Dept. of Mines

OBLIGHT

Quadrangle	8018						·
Permit No. De	od888		WELL	RECOR	ס	Oil or	Gas Well 01146
Company Sou	thern Tr	langle 011	Co.				(KIND)
			W.Va.	Casing and Tubing	Used in Drilling	Left in Well	Packers
Farm H. Gu		/	Acres 100		21111ing	W 611	
Location (water	s) Rober	t's Fork	1250 K	o Psize			
				16			77 1 470 1
	Milton	County_Dode	iridge	13			Kind of Packer
		in fee barl		103/4	44	44	Size of
		Address New 1	Milton, W. Va				Size oi
lineral rights a	are owned by_	Earl Gum,	et al	65% 7 •	2760	2760	Depth set
			llton, W. Va.	5 3/16	;		Depth set
Orilling commen	nced 11-	25-62		3			Perf. top 2406
rilling complet	ted 12-	1-62	<u> </u>	2			Perf. bottom 2410
ate Shot	Fr	om	Го	Liners Used_			Perf. top 2370
Vith		•					
pen Flow	/10ths Water	· in	Inch				Perf. bottom 237
			Inch				
olume	1	50M	Cu Ft				No. Ft. 11-29-67
Rock Pressure_	600	lbs. 14	hrs.		ell with 10		
Dil	40		bbls., 1st 24 hrs.	COAL WAS	ENCOUNTERED	AT 832	FEET 10" INCH
WELL ACIDIZ	ED_No_			FE	ETINC	HES	FEETINCH
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		FE			FELTINCH
VELL FRACT	UREDN	0					
RESULT AFTE	R TREATME	NT					-
ROCK PRESSU		REATMENT					
Fresh Water	None	Feet		Salt Water_	None	Fee	et
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas	Depth	Remarks
il	Yellow	Soft	0	10	or Water	Depth	Nemarks
ale	Grey	Soft	10	30		1	
l y sa nd 📱	Grey	Soft	30	171			
ale	Grey	Soft	171	251		1	
y.Shale	Grey	Soft	251	404			
nd No	Grey	Soft	404	511			
le y sand	Grey Grey	Soft Soft	511 609	609 714	!		
ale	Grey,	Soft	714	905;			
Ly sand	Grey	Soft	905	1106	1.		
ale	Grey	Soft	1106	1275			, ' · · · · · · · · · · · · · · · · · ·
ale, sdy.	Grey	Soft	1275	1410	*		ŀ
ly sand	Grey	Soft	1410	1608			
ale nd	Grey	Soft	1608	1686		3-4	
ale	White Grey	Hard Soft	1686 17 95	174 <i>5</i> 1 83 3	,	lst sa	lt sand
nd ",	White	Hard	1837	1940			-
ale,sdy.	Grey	Soft	1940	2234			
ttle Lime	1 - :	Hard	- 2234	2247			
ale	Green	Soft	2247	2280	G)		
g Lime ener	Brown	Hard	-2280	2330	Show oil	2311-1	3
z Injun	Grey Grey	Hard Hard	2330	2350 243 4	Gas, oil &	water 2	360-80
ale, sdy.	Green	Soft	2434	2534	Gas, oil &		
ly sand	Grey	Soft	2534	2620	,		
ale	Brown	Soft	2620	2 605			
ly sand	Grey	Hard	- 2695	2712	1.20		030311723
ale	Grey	Soft	2712	2760	1.00	1	A CAN

2760

TOTAL DEPTH