


6-6 133



LEWIS MAXWELL DO. 30A (GW87)_ COLUMBIAN CARBOACO - DOD_90L-R



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS DIVISION , REDRILLING

Quadrangle Holbrook 1 SW

[']RECORD Permit No. DOD-901 Gas Oil or Gas Well_ Columbian Carbon Company Company_ Casing and Tubing Used in Drilling Left in Well P. O. Box 873, Chas. 23, W. Va. Packers Lewis Maxwell Location (waters) Arnold's Creek Size Well No. 30-A, GW-87 __Elev.__1102! 16... Kind of Packer_ District West Union County Doddridge The surface of tract is owned in fee by Lewis Maxwell Hrs. 10 11 6581 8 jts. pulled jize of_ 81/4_!! ___Address_ 12531 pulled 65/8_____ Mineral rights are owned by same 17191 17191 Depth set 5 3/16 10-8-62 ReBrilling commenced____ Perf. top. 2.11 2464'6" pulled 10-26-62 Re-Drilling completed____ Perf. bottom. Date Shot_ From To. Liners Used. Perf. top... With_ Perf. bottom. /10ths Water in_ _Inch _/10ths Merc. in___ _Inch CASING CEMENTED_ SIZE_ _Cu. Ft. Rock Pressure_ ___hrs. COAL WAS ENCOUNTERED AT_____FEET__ _INCHES Oil __bbls.. 1st 24 hrs. __INCHES___ __FEET__ WELL ACIDIZED __INCHES____ __FEET__ FEET___ WELL FRACTURED See below 4/10 W.2" 84Mcf Big Injun and Gordon RESULT AFTER TREATMENT_ 12 hours 110#. ROCK PRESSURE AFTER TREATMENT_ Fresh Water. Salt Water Feet. Formation Color Top Bottom Depth Remarks Set bridge at 2000' - filled to 1950' - dumped 1 sack ceme nt - filled to 1900' -2 sacks. Filled to 1865 Dlm-1868 Slm. Dumped 3 sacks cement. Ran Survey showed bottom pipe 1714' - Big Injun 1773-1852' - gas 1787' Fraced Big Injun 10-12-62 Before fracing gas tested 11 Mdf. Pumped in 2,000 gallons acid - displaced with 840 gallons water. Pumped in 21,000 gallons water mixed with 110 gallons Tergitol and 26,000# sand at 1700#. Broke down at 2400# maximum. 1900# final. Flushed with 1260 gallons. Average injection rate 20.8 bbls/minute. Opened well. Drilled out tototal depth of 2452' 60 minute pickup 36#. 12 hours 110# - turned into line.

(over)