



New Location ..    
 Drill Deeper .....    
 Abandonment .....

Company PETROLEUM PROMOTIONS  
 Address Box 105, Weston, West Va.  
 Farm Eldridge Spurgeon  
 Tract \_\_\_\_\_ Acres 100 Lease No. \_\_\_\_\_  
 Well (Farm) No. One Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 1076  
 Quadrangle West Union 5C  
 County Doddridge District Central  
 Engineer W. Steel  
 Engineer's Registration No. 1227  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date Dec 17, 1962 Scale 1" = 400' = 660'

**STATE OF WEST VIRGINIA**  
 DEPARTMENT OF MINES  
**OIL AND GAS DIVISION**  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. Ded - 919

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

66 84



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION 7

Quadrangle West Union

Permit No. DOD-919

**WELL RECORD**

Oil or Gas Well Oil - Gas  
(NWS)

Company Petroleum Promotions, Inc.  
Address Box 105 Weston, West Virginia  
Farm Eldridge Spurgeon Acres 100  
Location (waters) Wilhelm Run  
Well No. 1 Elev. 1076'  
District Central County Doddridge  
The surface of tract is owned in fee by Eldridge Spurgeon  
Address West Union, W. Va.  
Mineral rights are owned by Samd as above  
Address \_\_\_\_\_

Drilling commenced May 13, 1963  
Drilling completed June 7, 1963

Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch

Volume No Test \_\_\_\_\_ Cu. Ft.

Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
On No Test \_\_\_\_\_ bbls., 1st 24 hrs.

WELL ACIDIZED \_\_\_\_\_

WELL FRACTURED 600 Bbls Treated Water 25,000# Sand Dowell

RESULT AFTER TREATMENT 20 Bbls. 300 MOF

ROCK PRESSURE AFTER TREATMENT 650#

Fresh Water 78' Feet Salt Water 1685' Feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
12	20 1/2'	20 1/2'	
10	595'	Pulled	Size of
8"	1173'	Pulled	Depth set
4 1/2"	2290	Cemented	
3 1/16			Perf. top 2184
3			Perf. bottom 2194
2			Perf. top 2206
Liners Used			Perf. bottom 2224
			2234

CASING CEMENTED 4 1/2" SIZE 2290 No. Ft 6/7/63 Date  
LAWSON cemented with 50 sacks cement

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Sand			0	8			
Red Rock & Shale			8	160	Water	78'	
Sand			160	197			
Red Rock & Slate			197	235			
Sand			235	290			
Lime			290	315			
Slate & Shells			315	362			
Lime			362	372			
Slate & Lime			372	395			
Red Rock			395	398			
Sand			398	402			
Slate & Shells			402	420			
Red Rock			420	442			
Sand			442	460			
Shale & Shells			460	472			
Red Rock			472	480			
Shale & Red Rock			480	495			
Lime			495	508			
Red Rock & Shells			508	546			
Lime, Sandy			546	600			
Sand			600	625			
Slate & Shells			625	702			
Red Rock & Shells			702	708			
Shale			708	715			
Sand			708	715			
Sand			715	767			
Slate			767	838			
Shale & Shells			838	878			
Lime			878	883			
Slate & Shells			883	913			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Lime, Sandy			913	936			
Shale & Shells			936	975			
Red Rock & Shells			975	1020			
Shale & Shells			1020	1058			
Lime			1058	1068			
Red Rock & Shells			1068	1117			
Lime, Sandy			1117	1133			
Shale & Shells			1133	1167			
Red Rock & Lime			1167	1189			
Lime			1189	1219			
Lime			1219	1232			
Shale			1232	1245			
Red Rock			1245	1250			
Shale & Shells			1250	1272			
Lime			1272	1283			
Shale & Shells			1283	1376			
Lime			1376	1450			
Shale & Shells			1450	1486			
Sand			1486	1516			
Lime			1516	1544			
Slate & Shells			1544	1575			
Sand			1575	1580			
Slate & Shells			1580	1628			
Sand			1628	1745	2 barrels water @ 1685'		
Slate & Shells			1745	1787			
Sand			1787	1858			
Slate			1858	1883			
Slate & Sand			1883	1962			
Slate & Shells			1962	1998			
Sand			1998	2025			
Limy Slate			2025	2045			
Red Rock			2045	2050			
Slate & Shells			2050	2075			
Lime			2075	2095			
Sand & Shale			2095	2102			
Lime, Broken			2102	2110			
Lime			2110	2187			
Lime, Sandy			2187	2202			
Lime & Sand			2202	2224			
Lime			2224	2227			
Lime, Sandy			2227	2232			
Sand			2232	2250			
Slate & Sand			2250	2260			
Slate & Shells			2260	2290			
Total Depth				2290			

Date \_\_\_\_\_, 19\_\_

APPROVED \_\_\_\_\_, Owner

By \_\_\_\_\_ (Title)