



ELEV. FROM WELL 4811 - ELEV. 1131'

- Redrill.....
- New Location.
- Drill Deeper.....
- Abandonment.....

I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of West Virginia.

Minimum accuracy, one part in 200

Company	EQUITABLE GAS COMPANY PHILADELPHIA OIL CO.	
Address	PITTSBURGH 19, PA.	
Farm	B.F. GREATHOUSE	
Tract	Acres 60	Lease No. 13159
Well (Farm) No.	8	Serial No. 6205
Elevation (Spirit Level)	1122'	
Quadrangle	VADIS NW 2	
County	DODDRIDGE	District NEW MILTON
Engineer	<i>Samuel J. Puffer</i>	
Engineer's Registration No.	1084	
File No.	208/76	Drawing No.
Date	6-24-64	Scale 1" = 500'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. DOD-1151

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.

R.D.M.S.

66 144



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION /

Rotary
Spudder
Cable Tools
Storage

Quadrangle Vadis N.W. 2.1

Permit No. DOD-1151

WELL RECORD

Oil or Gas Well Oil
(KIND)

Company Equitable Gas Company
Address 420 Blvd. of the Allies, Pgh., Pa. 15219
Farm B. F. Greathouse Acres 60
Location (waters) Vadis N.W. 2.1
Well No. P.O. 6205 Elev. 1122
District New Milton County Doddridge

The surface of tract is owned in fee by Hayward Boyce
Address New Milton, W. Va.

Mineral rights are owned by Lyda Chapel Methodist Church et al, E. Rich-ards, Trustee
Address Rt. #1, Salem, W.Va.

Drilling commenced July 14, 1964
Drilling completed March 18, 1965

Date Shot _____ From _____ To _____
With _____

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch

Volume _____ Cu. Ft.

Rock Pressure _____ lbs. _____ hrs.

Oil _____ bbls., 1st 24 hrs.

WELL ACIDIZED _____

WELL FRACTURED 1st Frac. 11-18-64 from 2242-50, 1 bbl. per day.

2nd Frac. 2-25-65 from 2205-08, 5 bbls. per day.

RESULT AFTER TREATMENT 5 bbls. per day

ROCK PRESSURE AFTER TREATMENT _____

Fresh Water _____ Feet _____ Salt Water _____ Feet _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	<u>450</u>	<u>Pulled</u>	Size of
8 1/4 *	<u>1292</u>	<u>1292</u>	
6 3/4	<u>2135</u>	<u>Pulled</u>	Depth set
5 3/16			
<u>4</u>	<u>2293</u>	<u>2293</u>	<u>4" Perf. top 2205</u>
			<u>4" Perf. bottom 2208</u>
Liners Used			<u>4" Perf. top 2242</u>
			<u>4" Perf. bottom 2250</u>

* Aquagel to surface

CASING CEMENTED 4" SIZE No. Ft. _____ Date _____

Outside 2293'-2000', Inside 2293'-2270'

COAL WAS ENCOUNTERED AT 78 1/2 FEET INCHES

_____ FEET _____ INCHES _____ FEET _____ INCHES

_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Sand			<u>443</u>	<u>452</u>			Drillers Log
Sand			<u>530</u>	<u>539</u>			"
Sand			<u>544</u>	<u>554</u>			"
Sand			<u>648</u>	<u>653</u>			"
Sand			<u>769</u>	<u>784</u>			"
Pgh. Coal			<u>784</u>	<u>793</u>			"
Murphy Sand			<u>825</u>	<u>872</u>			"
Sand			<u>1010</u>	<u>1014</u>			"
L. Dunkard Sand			<u>1140</u>	<u>1150</u>			"
Sand			<u>1234</u>	<u>1242</u>			"
Sand			<u>1250</u>	<u>1261</u>			"
Big Dunkard Sand			<u>1280</u>	<u>1365</u>		<u>Break 1295-1300</u>	"
Sand			<u>1497</u>	<u>1502</u>			"
Sand			<u>1531</u>	<u>1565</u>			"
1st Salt Sand			<u>1598</u>	<u>1672</u>			"
2nd Salt Sand			<u>1694</u>	<u>1726</u>			"
Sand			<u>1755</u>	<u>1762</u>			"
Sand			<u>1824</u>	<u>1836</u>			"
3rd Salt Sand			<u>1848</u>	<u>1970</u>		<u>Break 1921-1944</u>	Gamma Ray
Maxton Sand			<u>2069</u>	<u>2078</u>			"
Little Lime			<u>2083</u>	<u>2096</u>			"
Big Lime			<u>2108</u>	<u>2194</u>		<u>Break 2128-2148</u>	"
Big Injun Sand			<u>2198</u>	<u>2273</u>			"
					<u>Show Gas</u>	<u>2202-06</u>	
						<u>2224-32</u>	
						<u>2237-57</u>	
					<u>Oil</u>	<u>2202-06</u>	
						<u>2224-32</u>	
						<u>2237-57</u>	
Drilled to				<u>2293</u>			



