



Company Prior Oil Company
 Address 224 Washington Bud., Bel. pr., O.
 Farm H. L. Hammond
 Tract _____ Acres 50 Lease No. _____
 Well (Farm) No. One Serial No. _____
 Elevation (Spirit Level) 1178'
 Quadrangle Centerpoint - WC
 County Doddridge District West Union
 Engineer W. S. Kinney
 Engineer's Registration No. 1227
 File No. _____ Drawing No. _____
 Date Sept. 16, 1964 Scale 1" = 495'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. Dod-1185

† Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 — Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION / 0

Rotary
Spudder
Cable Tools
Storage

Quadrangle CENTERPOINT

WELL RECORD

Oil or Gas Well OIL
(KIND)

Permit No. DOD-1185

Company PRIOR OIL COMPANY
Address 224 WASHINGTON BLVD., BELPRE, OHIO
Farm H. L. HAMMOND Acres 50
Location (waters) BIG RUN
Well No. ONE Elev. _____
District WEST UNION County DODDRIDGE
The surface of tract is owned in fee by LESLIE C. MCKINNEY
Address WEST UNION, W. VA.
Mineral rights are owned by ANNA BARKER, ET AL
Address WEST UNION, W. VA.
Drilling commenced 10/16/64
Drilling completed 12/4/64
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
WELL ACIDIZED 250 GAL.
WELL FRACTURED 20,000 # 20/40

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
14 14"	16'	16'	
10			Size of
8 1/2"	1226'		
6 5/8"			Depth set
5 3/16"			
4 1/2 4 1/2"	2324'	2324'	Perf. top 2230'
2			Perf. bottom 2232'
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED 4 1/2" SIZE 2324' No. Ft. 11/22/64 Date
75 lbs. cement Drnell
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
NO COAL
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

RESULT AFTER TREATMENT 30 BOPD
ROCK PRESSURE AFTER TREATMENT 460# - 24 lbs.
Fresh Water NONE RECORDED Feet _____ Salt Water NONE RECORDED Feet _____

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Surface			0	18			
Sand			18	23			
Shale			23	35			
Red rock			35	49			
Sand			49	63			
Red rock			63	74			
Sand			74	107			
Red rock			107	146			
Sandy lime			146	169			
Sand			169	200			
Gray lime			200	212			
Red rock			212	229			
Lime			229	255			
Red rock			255	281			
Sand			281	297			
Red rock			297	395			
Gray shale			395	411			
Lime shells			411	456			
Sandy lime			456	502			
Sand			502	523			
Red rock			523	562			
Sandy lime			562	570			
Dark shale			570	608			
Lime			608	630			
Red rock			630	650			
Lime			650	700			
Red rock			700	720			
Gray shale			720	743			
Sand			743	774			
Gray shale			774	838			



Formation	Color	Hard or Soft	Top 10	Bottom	Oil, Gas or Water	Depth Found	Remarks
Lime			838	860			
Gray shale			860	955			
Red rock			955	996			
Gray shale			996	1012			
Red rock			1012	1026			
Sand			1026	1053			
Gray shale			1053	1060			
Lime			1060	1078			
Gray shale			1078	1098			
Red rock			1098	1110			
Gray shale			1110	1138			
Sand			1138	1168			
Gray shale			1168	1174			
Red rock			1174	1220			
Lime			1220	1236			
Gray shale			1236	1282			
Sand			1282	1300			
Gray shale			1300	1315			
Lime			1315	1332			
Gray shale			1332	1550			
Lime			1550	1575			
Dark shale			1575	1660			
Sand			1660	1724			
Shale			1724	1742			
Sand			1742	1785			
Shale			1785	1876			
Sand			1876	1958			
Slate & shells			1958	2018			
Sand			2018	2028			
Slate & shells			2028	2065			
Lime			2065	2176			
Sand			2176	2322			
Slate & shells			2322	2355			

Date December 16, 19 64

APPROVED PRIOR OIL COMPANY, Owner

By Edward R. Hussey
(Title)