



Source of Elevation ROAD FORKS ELV. 880' USGS

I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of West Virginia.

Minimum accuracy, one part in 200

- Redrill.....
- New Location.
- Drill Deeper.....
- Abandonment.....

Company J. E. WEBBER
 Address CLARKSBURG, W.VA.
 Farm W. A. RIDGEWAY HRS.
 Tract _____ Acres 54 Lease No. _____
 Well (Farm) No. 1 Serial No. 1086
 Elevation (Spirit Level) 1086' V.A.
 Quadrangle CENTERPOINT SE 3² SC
 County DODDRIDGE District GREENBRIER
 Engineer Jamieson Jeffers
 Engineer's Registration No. 1084
 File No. 205/138 Drawing No. _____
 Date 10-18-62 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. DOD-1265

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.

R.D.M.E.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

*Miss Shillip
for acct
6-23-66
at*

- Rotary
- Spudder
- Cable Tools
- Storage

Oil or Gas Well Coal
(KIND)

Quadrangle Center Point

Permit No. DOD-1265

WELL RECORD

7

Company Wehber Associates
Address Morgansville, W. Va.
Farm C. E. Planger ^ Acres 54
Location (waters) Buffalo Calf
Well No. One (1) Elev. 1086
District Greenbrier County Doddridge
The surface of tract is owned in fee by C. E. Planger,
Salem, W. Va. Address
Mineral rights are owned by Lena Rogers, et al
Address

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16	21	21	
13			
10	440		Size of
8 1/4	1360	1360	
6 3/4	2270		Depth set
5 3/16			
4 1/2	2439	2439	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Drilling commenced Nov., 1965
Drilling completed April, 1966
Date Shot From To

With
Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure lbs. hrs.
Oil bbls., 1st 24 hrs.

Attach copy of cementing record.
CASING CEMENTED SIZE No. Ft. Date
Amount of cement used (bags)
Name of Service Co.
COAL WAS ENCOUNTERED AT 932 FEET INCHES
938 FEET INCHES FEET INCHES
FEET INCHES FEET INCHES

WELL ACIDIZED (DETAILS)

WELL FRACTURED (DETAILS) 1,000 BBL. Water 31,000 Lb. Sand

RESULT AFTER TREATMENT (Initial open Flow or bbls.) 12 BBL. Oil; 50,000 cu. ft. Gas

ROCK PRESSURE AFTER TREATMENT HOURS

Fresh Water Feet Salt Water Feet

Producing Sand Rig Injun Depth 2325-2405

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Red Rock			0	15			
Sand			15	25			
Slate			25	55			
Red Rock			55	75			
Slate			75	105			
Red Rock			105	120			
Line			120	132			
Slate			132	140			
Red Rock			140	148			
Slate			148	160			
Red Rock			160	185			
Line			185	195			
Red Rock			195	200			
Slate			200	220			
Sand			220	240			
Slate			240	255			
Red Rock			255	280			
Slate			280	285			
Red Rock			285	335			
Gray Shale			335	348			
Line			348	360			
Shale			360	370			
Line			370	380			
Gray Shale			380	395			
Line			395	425			
Red Rock			425	440			
Slate			440	460			
Line			460	477			
Red Rock			477	530			

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Green Shale			530	535			
Sand			535	570			
Shale			570	580			
Red Rock			580	600			
Sand			600	630			
Slate			630	675			
Red Rock			675	685			
Gray Shale			685	705			
Sandy Lime			705	735			
Slate & Shells			735	750			
Lime & Sand			750	810			
Slate & Shells			810	835			
Lime			835	855			
Gray Shale			855	865			
Lime			865	875			
Gray Shale			875	932			
Coal			932	938			
Slate			938	965			
Sand			965	1000			
Gray Shale			1000	1035			
Red Rock			1035	1100			
Shale			1100	1125			
Red Rock			1125	1140			
Slate			1140	1152			
Red Rock			1152	1175			
Slate			1175	1270			
Red Rock			1270	1295			
Slate			1295	1314			
Sand			1314	1345			
Dark Shale			1345	1364			
Red Rock			1364	1370			
Slate			1370	1424			
Lime			1424	1438			
Slate			1438	1455			
Lime			1455	1470			
Sand			1470	1488			
Slate & Shells			1488	1620			
Sand			1620	1670			
Slate			1670	1712			
Sand			1712	1756	Water	1740-45	
Slate			1756	1840			
Sand			1840	1870			
Slate			1870	1900			
Lime			1900	1930			
Sand			1930	1992			
Slate			1992	1998			
Sand			1998	2062			
Slate			2062	2125			
Red Rock			2125	2185			
Sand			2185	2210	Water	2195-2210	
Slate			2210	2222			
Lime			2222	2255			
Slate			2255	2260			
Big Lime			2260	2325			
Sand & Lime (Big Injun)			2325	2405			
Slate			2405	2406			
Sand			2406	2415			
Slate			2415	2445			
							Total Depth

Date....., 19.....

APPROVED....., Owner

By..... (Title)