



Source of Elevation ROAD FORKS ELEV. 880' USGS

I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of West Virginia.

Minimum accuracy, one part in 200

- Redrill.....
- New Location.
- Drill Deeper.....
- Abandonment.....

Company	J. E. WEBBER
Address	CLARKSBURG, W. VA.
Farm	LAWRENCE MONROE et al.
Tract	60 <sup>±</sup> Acres 90 <sup>±</sup> Lease No.
Well (Farm) No.	#3 Serial No.
Elevation (Spirit Level)	1175' VA.
Quadrangle	CENTERPOINT SE 3 <sup>3</sup> SE
County	DODDRIDGE District GREENBRIER
Engineer	James Jeffers
Engineer's Registration No.	1084
File No.	205/136 Drawing No.
Date	10-18-62 Scale 1" = 500'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

**WELL LOCATION MAP**  
FILE NO. DOD-1266

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.

RDM

66-102



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Rotary   
Spudder   
Cable Tools   
Storage

Oil or Gas Well  & Oil  
(KIND)

*Miss Platt  
for DOD  
6-23-65*

Quadrangle Center Point

Permit No. DOD-1266

**WELL RECORD**

3

Company J. E. Webber  
Address Morgansville, W. Va. 26406  
Farm Lawrence Monroe et Acks 60  
Location (waters) Buffalo Calf  
Well No. 3 Elev. 1175  
District Greenbrier County Doddridge  
The surface of tract is owned in fee by J. E. Webber  
Address Morgansville,  
Mineral rights are owned by C. J. Pitts  
New Milton, W. Va. W. Va.  
Jack E. Webber Address Morgansville, W. Va.  
Drilling commenced 9-10-65  
Drilling completed 11-12-65  
Date Shot From To  
With

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16	20	20	
13			Size of
10	342	0	
8 1/4	1440	1440	Depth set
6 1/4			
5 3/16			Perf. top
4 1/2	2460	2460	Perf. bottom
3			Perf. top
2			Perf. bottom
Liners Used			

Open Flow /10ths Water in Inch  
/10ths Merc. in Inch  
Volume Cu. Ft.  
Rock Pressure lbs. hrs.  
Oil bbls., 1st 24 hrs.

Attach copy of cementing record.  
CASING CEMENTED SIZE No. Ft. Date  
Amount of cement used (bags)  
Name of Service Co. Dowell  
COAL WAS ENCOUNTERED AT 40 FEET INCHES  
FEET INCHES FEET INCHES  
FEET INCHES FEET INCHES

WELL ACIDIZED (DETAILS)  
WELL FRACTURED (DETAILS) 1,000 bbl. 34,000 lbs. sand

RESULT AFTER TREATMENT (Initial open Flow or bbls.) 10 bbl.  
ROCK PRESSURE AFTER TREATMENT 610 lbs. HOURS 24 hrs.  
Fresh Water 95 ft. Feet Salt Water Feet  
Producing Sand Big Injun Depth 2390-2410

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Red Rock	Yellow		0	12	Water 95 ft.		
Sand			12	23			
Red Rock			23	95			
Sand			95	125			
Red Rock			125	220			
Slate			220	240			
Red Rock			240	315			
Slate			315	430			
Red Rock			430	440			
Line			440	450			
Red Rock	Pink		450	535			
Slate			535	545			
Sand			545	590			
Line			590	600			
Sand			600	660			
Line			660	685			
Red Rock			685	705			
Slate			705	715			
Red Rock			715	732			
Line			732	780			
Slate		780	790				
Sand		790	835				
Slate		835	910				
Line		910	920				
Sand		920	939				
Slate		939	980				
Sand		980	1010				
Slate		1010	1020				
Line		1020	1035				

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			1095	1120			
Lime			1120	1140			
Red Rock			1140	1160			
Slate			1160	1195			
Lime			1195	1235			
Slate			1235	1339			
Lime			1339	1355			
Slate			1355	1410			
Pink Rock			1410	1425			
Slate			1425	1434			
Lime			1434	1450			
Slate & Shells			1450	1475			
Sand			1475	1485			
Lime			1485	1535			
Slate			1535	1600			
Lime	Black		1600	1617			
Slate			1617	1635			
Sand			1635	1690			First Salt
Slate			1690	1730			
Sand			1730	1780			
Slate & Shell			1780	1810			
Sand			1810	1820			
Lime			1820	1837			
Slate			1837	1935			
Sand			1935	2095			
Broken Lime			2095	2135			
Sand			2135	2160			
Red Rock			2160	2180			
Slate			2180	2190			
Red Rock			2190	2220			
Slate			2220	2230			
Broken Lime			2230	2277			
Pencil Cave			2277	2280			
Big Lime			2280	2330			
Big Injun Sand			2330	2410			
Slate			2410	2460			
Total Depth			2460	2460			

Date June 16, 1966  
 APPROVED Webber Assoc, Owner  
 By Jack E. Webber  
 (Title)