



- Fracture.....
- Redrill.....
- New Location.
- Drill Deeper.....
- Abandonment.....

Source of Elevation WELL N01 ; ELV. 1020'

I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of West Virginia.

Minimum accuracy, one part in 200

Company J. E. WEBBER

Address MORGANSVILLE, W.VA.

Farm E. S. GIBSON

Tract \_\_\_\_\_ Acres 100 Lease No. \_\_\_\_\_

Well (Farm) No. 5 Serial No. \_\_\_\_\_

Elevation (Spirit Level) 1071'

Quadrangle CENTERPOINT SC

County DOODRIDGE District GREENBRIER

Engineer Jamond Jaffrin

Engineer's Registration No. 1084

File No. 211/152 Drawing No. \_\_\_\_\_

Date 7-9-66 Scale 1" = 500'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. D00-1395

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.

6-0 99



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Rotary   
Spudder   
Cable Tools   
Storage   
Oil or Gas Well Combination (KIND) DRY oil & gas show

Quadrangle Centerpoint  
Permit No. Dod - 1395

WELL RECORD

Company Webber Associates  
Address Morgansville, W. Va. 26406  
Farm E. S. Gibson Acres 100  
Location (waters) Buffalo Claf Run  
Well No. 5 Elev. 1071  
District Greenbrier County Doddridge  
The surface of tract is owned in fee by N. M. Welch  
Address Parkersburg, W. Va.  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced July 16, 1966  
Drilling completed December 30, 1966  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume 20,000 MCF DRY Cu. Ft.  
Rock Pressure 210 lbs. 24 Hr.S. hrs.  
Oil Show bbls., 1st 24 hrs.  
WELL ACIDIZED (DETAILS) No  
WELL FRACTURED (DETAILS) No

| Casing and Tubing | Used in Drilling | Left in Well | Packers        |
|-------------------|------------------|--------------|----------------|
| Size              |                  |              | Kind of Packer |
| 16                |                  |              |                |
| 13                |                  |              | Size of        |
| 10                |                  |              | Depth set      |
| 8 1/4             |                  |              | Perf. top      |
| 6 3/4             | 2105             |              | Perf. bottom   |
| 5 3/16            | 2124             |              | Perf. top      |
| 4 1/2             |                  |              | Perf. bottom   |
| 3                 |                  |              |                |
| 2                 |                  |              |                |
| Liners Used       |                  |              |                |

Attach copy of cementing record.  
CASING CEMENTED 6-5/8 SIZE No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
Amount of cement used (bags) \_\_\_\_\_  
Name of Service Co. Dowell  
COAL WAS ENCOUNTERED AT 672 FEET INCHES  
FEET INCHES FEET INCHES  
FEET INCHES FEET INCHES

RESULT AFTER TREATMENT (Initial open Flow or bbls.) NATURAL  
ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_ HOURS  
Fresh Water \_\_\_\_\_ Feet Salt Water \_\_\_\_\_ Feet  
Producing Sand Big Injun Depth 2187 to 2275

| Formation         | Color | Hard or Soft | Top  | Bottom | Oil, Gas or Water | Depth | Remarks |
|-------------------|-------|--------------|------|--------|-------------------|-------|---------|
| Sand              |       |              | 0    | 30     |                   |       |         |
| Shale             | Gray  |              | 30   | 60     |                   |       |         |
| Shale             |       |              | 60   | 190    |                   |       |         |
| Shale             |       |              | 190  | 260    |                   |       |         |
| Shale             |       |              | 260  | 375    |                   |       |         |
| Shale & Red Rock  |       |              | 375  | 545    |                   |       |         |
| Sand & Shells     |       |              | 545  | 610    |                   |       |         |
| Sand & Shells     |       |              | 610  | 672    |                   |       |         |
| Coal- Pittsburgh  |       |              | 672  | 679    |                   |       |         |
| Shale- & Red Rock |       |              | 679  | 745    |                   |       |         |
| Shale             | Gray  |              | 745  | 810    |                   |       |         |
| Sand & Shells     |       |              | 810  | 910    |                   |       |         |
| Shale & Red Rock  |       |              | 910  | 970    |                   |       |         |
| Shale             |       | Sandy        | 970  | 1015   |                   |       |         |
| Shale             | Gray  |              | 1015 | 1045   |                   |       |         |
| Shale             | Gray  |              | 1045 | 1145   |                   |       |         |
| Shale & Red Rock  |       |              | 1145 | 1205   |                   |       |         |
| Shale             | Gray  |              | 1205 | 1260   |                   |       |         |
| Shale             |       | Sandy        | 1260 | 1270   |                   |       |         |
| Shale             |       |              | 1270 | 1330   |                   |       |         |
| Shale & Sand      |       |              | 1330 | 1435   |                   |       |         |
| Shale & Sand      |       |              | 1435 | 1535   |                   |       |         |
| Shale             |       |              | 1535 | 1545   |                   |       |         |
| Sand              |       |              | 1545 | 1575   |                   |       |         |
| Shale             | Sandy |              | 1575 | 1600   |                   |       |         |
| Shale             | Sandy |              | 1600 | 1634   |                   |       |         |
| Shale             |       |              | 1634 | 1755   |                   |       |         |
| Sand & Shale      |       |              | 1755 | 1825   |                   |       |         |



| Formation   | Color | Hard or Soft | Top /z | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|---|-------|--------------|--------|--------|-------------------|-------------|---------|
| Sand  |       |              | 1825   | 1865   |                   |             |         |
| Sand  |       |              | 1865   | 1895   |                   |             |         |
| Shale   | Sandy |              | 1895   | 1915   |                   |             |         |
| Sand  |       |              | 1915   | 1930   |                   |             |         |
| Shale   | Sandy |              | 1930   | 1960   |                   |             |         |
| Sand  |       |              | 1960   | 2012   |                   |             |         |
| Lime & Shale  |       |              | 2012   | 2088   |                   |             |         |
| Little Lime   |       |              | 2088   | 2122   |                   |             |         |
| Pencil Cave   |       |              | 2122   | 2128   |                   |             |         |
| Big Lime  |       |              | 2128   | 2187   |                   |             |         |
| Big Injun   |       |              | 2187   | 2275   | Gas               | 2200        |         |
| Slate   |       |              | 2275   | 2304   |                   |             |         |
| Total Depth   |       |              |        | 2304   |                   |             |         |
| <p>This well was drilled by Rotary to a depth of 2105 Feet<br/> This well was drilled by Spudder from 2105 to 2304 Feet</p> |       |              |        |        |                   |             |         |

Date Jan 20 1967  
APPROVED Webber Associates Owner  
By Jack C. Webber  
(Title)