

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Tuesday, February 28, 2023 WELL WORK PLUGGING PERMIT Vertical Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re:

Permit approval for 1 47-017-01676-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

> James A Chief

Operator's Well Number:

Farm Name: VINCENT LEASI

U.S. WELL NUMBER: 47-017-01676-00-00

Vertical Plugging

Date Issued: 2/28/2023

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

4) Well Type: Oil/ Gas X/ Liqui: (If "Gas, Production or Un:	d injection/ Waste disposal/ derground storage/ Deep/ Shallow X
5) Location: Elevation 1055' District McClellan	Watershed Tributary of Talkington Fork County Doddridge Quadrangle Folsom 7.5'
Mell Operator Unknown-WV DEP Paid Plugging Contract Address 601 57th Street, SE Charleston, WV 25304	7 Designated Agent Jason Harmon Address 601 57th Street, SE Charleston, WV 25304
8) Oil and Gas Inspector to be notified Name Isaiah Richards Address 114 Turkey Lick Road West Union, WV 26456	9:Flugging Contractor Name Next LVL Energy Address 104 Heliport Loop Bridgeport, WV 26330
10) Work Order: The work order for the mann See attached Work Procedure	RECEIVED Office of Oil and Gas
	VVV Department of Environmental Protection
Mortification must be given to the district of work can commense. Work order approved by inspector	l and gas inspector 24 hours before permitted [Sate01/31/2023

PLUGGING PROGNOSIS

West Virginia, Doddridge County API # 47-017-01676

Casing Schedule

8-5/8" csg @ 200' (Cemented to surface according to estimate in file w/ 30 sks) 4-1/2" csg @ 2093' (Cemented to 1259 w/ 60 sks) TD @ 2093'

Completion: Producing Zone listed as Big Injun 2007'-2062'

Fresh Water: 150' Saltwater: None Reported

Coal: 140'-145'

Oil Show: None Reported Gas Show: None Reported

Elevation: 1122'

- 1. Notify inspector, Isaiah Richardson @ (304) 205-3032, 48 hrs. prior to commencing operations.
- 2. Check wellhead pressure and tag TD w/ wireline. Run CBL to check for TOC behind 4-1/2" csg.
- 4. TOOH w/ tbg to 1907'. Pump 6% bentonite gel from 1907' to 1172'
- Free point 4-1/2" csg. Cut and TOOH. Set 100' Class A/Class L cement plug across csg cut. 50' in/out of cut.
 TOOH w/ tbg to top of plug. Do not omit any plugs listed below. Perforate as needed
- 6. TOOH w/ tbg to 1172'. Pump 100' Class A/Class L Cement plug from 1172' to 1072' (Elevation plug)
- 7. TOOH w/ tbg to 1072'. Pump 6% bentonite gel from 1072' to 250'
- 8. If cement not visible at surface behind 8-5/8", run CBL to check for TOC behind 8-1/4" csg.
- If needed, Free point 8-5/8" csg. Cut and TOOH. Set 100' Class A/Class L cement plug across csg cut. 50' in/out of cut. TOOH w/ tbg to top of plug. Do not omit any plugs listed pelow. Perforate as needed.
- TOOH w/ tbg to 250'. Pump 250' Class A/Class L Expandable Cement plug from 250' to Surface (Freshwater, coal, 8-5/8" shoe and surface plug)
- 11. Erect monument with API#, date plugged, & company name.
- 12. Reclaim location and road to WV-DEP specifications.

RECEIVED
Office of Oil and Gas

FEB 03 2023

Wy Depart. 2013 Environmental Protection



01/31/2023



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Division

OCT: 1 1 1972


OIL & GAS DIVISION DEPT. OF MINES

Quadrangle Center Point Permit No. // Dodd-1676	WELL R	ECORD /		Cable_X_ Recycling_	Oil Gas X e mòu Comb. d. Storage
Company McRain Petroleum Co. I	nc.	O Carina and	Used in	Left	Cement fill up
Address Drawer 690 Buckhannon,	W. Va.	Casing and Tubing	Drilling	in Well	Cu. ft. (Sks.)
Farm Vincent Ac		- ruomg	Crading		Cu. 11. (SM.)
Location (waters) Talkington Fork	<u> </u>	Size	1		
	v <u>1122 </u>	20-16		1	
District McClellan County Do	ddrige	Cond		·	
The surface of tract is owned in fee by		13-10"	ļ		
Ray Startey		9 5/8		<u> </u>	
Address Folsem, West Virginia		8 5/8	200	200	- 30 sacks
Mineral rights are owned by Shirley & Ha	<u>rold Vin</u> cen	<u>g </u>	1530	none '	1
Address Roltimore, Maryl	and .	5 1/2.	<u> </u>	 	∔ :
Drilling Commenced 6-13-72	<u>/ , </u>	4 1/2	2093	2093	60 aucka
Drilling Completed 7-24-72		3		<u> </u>	4
Initial open flow not taken cu. ft	bbis.	2	<u> </u>	1	4
Final production 1.052 cu. ft. per day	bbls.	Liners Used		 	.
Well open 8 hrs. before test_	600 RP.				
Well treatment details:		Attach copy of	cementing rec	ord.	
Well treated with 250 gal ac	a. 25.000 d	29-40 sand.	10,000# 10	0-20 sand	i, <u> </u>
702 bbl. water. Average tree	ting pressu	re 2350 P.S.	ī.		
					•
•					
			,		•
• / •					
Coal was encountered at . 140	Feet	60	loch	ies *-	
	el	Salt 1	Water		Feet
Producing Sand Rig Injun		Dept	h 2007-	2062	
			•	- (***	
Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas c	or Water	• Remarks
4		Į.			
Top soil	0	15	1		•
· Red Rock	15	70		•	and the second
Slate	70 140	140 145			·
Coal	145	230		• 1	
Slate	230	340 .	1		•
.Lime Santi	340	365	1	1	
Lime	. 365	.515			
Slate	[*] 515	560		- · · •	. /
Line	560 :	610	1 .	/	RECEIVED
Slate	610	630			Office of All and Gas
sel.ime	630	645	1		Office of Oil and Gas
Reu Rock	645	6500		(Office PEB 0 3 2023
Line	650 680	680 720			
Sand Slate	720	760			FEB. 0
Sand	760	785		:	. WVV D608Liman &
Slate	785	805		•	Environmental Protes
Red Rock	805	834	'."	•	
Sand	834	• 855] -		
Lime	85Š	865	†		e de la companya della companya della companya de la companya della companya dell
Red Rock	865	. '900		•	
Lime	900	1100			

Formation Color Ihard or Soft Top Feet Dottom Feet Oil, Cas or Water Remarks		•		173		
Slatin Sand Sind Sind Sind Sind Sind Sind Sind Si		olor Hard or Cafe	Ton Feet !	Rottern Face	Oil Car or Water Personale	•
Slate Sand 1160 1190 1190 1390 1390 1390 1390 1319 1319	rormation C	reior trad of 9011	10p reet	<u> </u>	On, Gas or water Remarks	
Sand	•	1				•
Sand	4 10 1	$I : I \subseteq I$				
1190	Slate	()		1160		
Sand Slate 1345 1347 1347 1348 1370 1348 1370 1349 1370 1349 1370 1349 1370 1349 1370 1349 1370 1349 1370 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 1380 138	Sand"			1190.	,	
State 1345				1306		•
State 1420 1496 1496 1496 1496 1496 1496 1506 1518 1518 1530 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545				1303		
State Line 1420 1496 1506 1518 1518 1518 1530 1545 1518 1530 1545 1545 1545 1545 1545 1540 1705 1730 1760 1780 1780 1780 1780 1780 1780 1780 178		-A	1370		•	•
Lime 2nd Salt Sand Line 1506 1518 1518 1530 1545 Line 1530 1545 1545 1545 1545 1545 1545 1545 154		ind.	1420			٠.
2 Sait Sand 1506 1518 1530 1545 1530 1545 1530 1545 1530 1545 1530 1545 1530 1705 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1750 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 18		•	1496		S.MAC Endino	
State 1518 1530 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1545 1705 1730 1705 1730 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746 1746		and ', '		1518	3785=35m3	
State 1545 1630 1705 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730 1730		· • • • • • • • • • • • • • • • • • • •	1518	1530		
Slate 1630 1705 1730 1730 1730 1730 1730 1730 1760 1780 1780 1780 1780 1780 1780 1780 1780 1780 1780 1780 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820 1820				.1545		. ,
Sand Slate 1730 1730 1730 facent 1740 1750 1750 1750 1750 1750 1750 1750 175			1545	1630	Sign that are in the second of the second	
State 1730 1760 1780 1780 1780 1780 1780 1780 1780 178				1705	armin from 1990 persons	,
Next 1760 1780 1795 1795 1795 1795 1795 1820 1795 1820 1795 1820 1795 1820 1893 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993 1993			1730			
State	Mar Cond		1760	1780	of and for strong the control of	
Little Lime	Slate	1	1780	1795		
Red Rock 1893 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990 1990	Lttle Lime	•	1795	1820 -	with the	
Pencil Sinfo	Red Rock		1820	1893	•	•
1920 2007 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 2062 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207 207	Pencil Sin	Ec .	1893	1920		
Squay Sand TD 2062 2107 RECEIVER Office of Oiran FEB @ 3	Big Lime				A Section 100 Anna 1 Comments	
TO 2107 PRECEIVET Office of Oil are FEB @ 3 and 2 to 2 t	∵Injun Sand	\mathcal{L}	2007	20625	l ''	
RECEIVER Office of Other FEB & 3		Sarg Clin		- === 2107::::		
RECEIVER Office of Citian FEB # 3			2107	::		
RECEIVER Office of Out and FEB # 3	rinas C&	_ 2000 _ 10 D ·				•
RECEIVER Office of Oil and FEB & 3				16	l ' '	
RECEIVER Office of Oil are FEB 10.3			.		.	
RECEIVER Office of Old are FEB (6.3)]		Dēn, I	-
RECEIVER Office of Old are FEB (6.3)			1			
RECEIVER Office of Old are FEB (6.3)	1			"		
RECEIVER Office of Old are FEB (6.3)		Arran (Part)	·(Q:	1	en der 1975 delte biggeber et.	
RECEIVER Office of Old are FEB (6.3)			🧬 😘 🛴],/_//////////////////////////////	and the same of th	
RECEIVER Office of Old are FEB (6.3)				i' ini'		-
RECEIVER Office of Old are FEB (6.3)	•			I 二二(君)		
RECEIVER Office of Old are FEB (6.3)	· · · · · · · · · · · · · · · · · · ·	in the second second	1	: : : : : : : : : : : : : : : : : : :		
RECEIVER Office of Old are FEB (6.3)	• • • • • • • • • • • • • • • • • • • •		** ·	l 丿	F .	
RECEIVER Office of Oil and FEB : 0 3 mags			·			
RECEIVER Office of Oil and FEB : 0 3 mags				9.5	•	
RECEIVER Office of Oil and FEB : 0 3 mags		A STATE OF THE STA	•		Carrier A.	
FEB : 0:3 noos		*			[-
FEB : 0:3 noos				, 3	· · · · · ·	
FEB : 0:3 noos				: '		
FEB : 0:3 noos			. s	• ; • • •		
FEB : 0:3 noos					•	
FEB : 0:3 noos	4	••	' '		and the second second	
FEB : 0:3 noos				/	Fee	
FEB : 0:3 noos	•)		
FEB : 0:3 noos					DECEME	
FEB 03 30000			P - E 🌯		Office of O'	٠
Environ Lice View	•				Autos of Off and	3
Environ Lice View	•		3.1		FED	
Eco 1: South	• •	•			LED THE	•
Eco 1: South						
Eco 1: South		/			Weight	
Date October 10, 19.72	・ノ			::	Empres 4, de 1	•
Date October 10, 19.72		\mathcal{F}	"		Heo (: 1	HOTE.
Date October 10, 19.72	•				N	•
Date October 10, 19.72		• •	7		Lig	
Date October 10, 19.72	45		V	** *		
		·	: : :	'Date_	October 10, 19 <i>7</i> 2	•

APPROVED McRain Petroleum Co., Inc.) Owner

By State City Vice-Président





WW-4A Revised 6-07

1) Date: January 20, 2023 2) Operator's Well Number Vincent No. 1

3) API Well No.: 47 -

01676

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

 Surface O (a) Name 	wner(s) to be served: Darrell W. Starkey	5) (a) Coal Operator Name	N/A
Address	1887 Talkington Fork Rd.	Address	
	Center Point, WV 26339		
(b) Name		(b) Coal Own	ner(s) with Declaration
Address		Name	No Declarations found
		Address	
(c) Name		Name	
Address		Address	
6) Inspector	Isaiah Richards	(c) Coal Less	see with Declaration
Address	114 Turkey Lick Road	Name	No Declarations found
	West Union, WV 26456	Address	
Telephone	304-205-3032		

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- The plat (surveyor's map) showing the well location on Form WW-6.


The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

	Well Operator	Unknown - WVDEP Paid Plugging Contract	
	By:	Jason Harmon	RECEIVE
OFFICIAL SEAL NOTARY PUBLIC	Its:	WV Office of Oil & Gas Deputy Chief	Office of Oil an
STATE OF WEST VIRGINIA	Address	601 57th Street, SE	
RENAE DAWN WHITLOCK 601 57th Street, SE, Charleston, WV 25304		Charleston, WV 25304	FEB 03 2000
	Гelephone	304-926-0452	
Subscribed and sworn before me this My Commission Expires	tock da	y of terriary 23 (Notary Public	WV Departmental Promote

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.





info@slswv.com www.slswv.com

January 9, 2023

Darrell W. Starkey 1887 Talkington Fork Rd. Center Point, WV 26339

Mr. Starkey,

Please find enclosed a Notice of Intent to Plug / Replug Abandoned Wells Form for API #47-017-01676 in Doddridge County, WV, Map 8 Parcel 16, which records from the Courthouse indicate that you are the surface owner.

The well listed above is proposed to be plugged through the West Virginia DEP Paid Plugging Contract, orphaned and abandoned wells program. SLS Land & Energy Development has been contracted to obtain a plugging permit for this well.

If you have any questions please do not hesitate to contact me.

Jim Mencer SLS Land & Development Permitting Tech. 304-462-5634

RECEIVED
Office of Oil and Gar

FEB **03** 2023

WA DSCSIMIL - CONTROL CONTROL



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street Charleston, WV 25304 (304) 926-0450 Fax: (304 926-0452 Harold D. Ward, Cabinet Secretary dep.wv.gov

NOTICE OF INTENT TO PLUG / REPLUG ABANDONED WELL(S)

RECEIVED
Office of Oil and Gas

FEB 03 2023

Darrell W. Starkey
1887 Talkington Fork Rd.
Center Point, WV 26339

WV Department of Environmental Protection

You are hereby given a twenty-day notice, as required by West Virginia Code, Chapter 22, Article 10, Section 7, that the West Virginia Department of Environmental Protection, Office of Oil and Gas (OOG), intends to enter upon the following described premises where an abandoned well(s) is situated and plug or re-plug such well(s) and reclaim any area disturbed by the plugging or re-plugging. This notice should be construed only as a declared intent to plug such well(s); site-specific considerations or other factors may ultimately prevent the plugging or re-plugging at this time.

Description of premises: McClellan District, Doddridge County, WV Tax Map 8 Parcel 16
65 Acres, API #47-017-01676

The well(s) is considered "abandoned" within the meaning of W. Va. Code § 22-6-19 because it is a dry hole or because it has not been in use for a period of 12 consecutive months and no satisfactory proof of a "bona fide" future use for the well has been demonstrated to the OOG.

If you are a surface owner of the above described premises, be advised that surface owners have the right to repair of any damage or disturbance resulting from the well plugging or to compensation for (1) the reasonable cost of repairing or replacing any water well, (2) the reasonable value of any crops destroyed, damaged or prevented from reaching market, (3) the reasonable cost of repair to personal property up to the value of the replacement value of personal property of like age, wear and quality, (4) lost income or expenses incurred, and (5) reasonable costs to reclaim or repair real property, including roads. Additionally, the surface owners have the potential right to take any casing, equipment or other salvage not claimed in this notice. Please be advised that it is the intent of the OOG to take all casing, equipment, and other salvage from the subject well(s).

Collect on Delivery Restricted Delivery Restricted Delivery Restricted Delivery Restricted Delivery Cover \$500]	
3. Service Type C Adult Sureture D Sureture	9590 9402 7774 2152 3638 47 2. Article Number (Transfer from service label) 7022 2410 0003 5359 3011
D. is delivery address different from item 1? \(\subseteq \text{Yes} \) enter delivery address below: \(\subseteq \text{No} \)	DARRELL W. STARKEY 1887 TALKINGTON FORK RD. CENTER POINT, WV 26339
C. Date of Delivery	or on the front if space permits.
X	Print your name and address on the reverse so that we can return the card to you.
A. Signature	Complete items 1, 2, and 3
COMPLETE THIS SECTION ON DELINERY	SENDER: COMPLETE THIS SECTION

Ce	rtif	ied	Mail	•

- A receipt (this portion of
 A unique identifier for ye
- Electronic verification of delivery.
- A record of delivery (incl signature) that is retaine for a specified period.

Important Reminders:

- You may purchase Certil First-Class Mail®, First-I or Priority Mail® service
- Certified Mail service is international mail.
- Insurance coverage is n with Certified Mail servi of Certified Mail service insurance coverage aut certain Priority Mail iten
- For an additional fee, ar
- endorsement on the ma the following services: Return receipt service of delivery (including You can request a ha electronic version. Fo complete PS Form 36 Receipt; attach PS Fo

PS Form **3800**, April 201

,	E)v.
Office of	Oil and Van
EED	A dOffice of all

Enviro.

Wv Environmental Protection: US POSTAGEIMPITNEY BOWES

FIRST-CLASS

	239	
3011	For delivery information, visit our website at w	
5359	Certified Mall Fee \$ 4.00	USE
E000	Return Receipt (electronic) \$	Postmark Here
	Actuit Signature Restricted Delivery \$ Postage \$ Total Postage and Fees \$	
7022 7022	Sent To Jarrell W. Starkly Street and Apt. No. or FO Box No. [887 /a/Kryton Fork	Rd.
.1	City State, 21P49 (4) WV 26739 PS Form 3800, April 2015 PSN 7530-02-200-2047 See	Reverse for Instructions

PO Box 150 GLENVILLE, WV 2635

RECEIVED
Office of Oil and Gas

Environmental Protectio,





47 0 1 7 0 1 6 7 6

January 23, 2023

Darrell W. Starkey 1887 Talkington Fork Rd. Center Point, WV 26339

Mr. Starkey,


Please find enclosed a Permit Application to plug and abandon a Well for API# 47-017-01676, in Doddridge County, WV which records from the County Courthouse indicate that you are the surface owner. Through the West Virginia DEP Paid Plugging Contract, orphaned and abandoned wells have been proposed to be plugged. I have included an extra Surface owner signature form for you to sign if you approve of the proposed work, please sign and send it back to SLS Land & Energy Development in the self addressed envelope provided for you. The Permit Application is yours to keep for your records. If you have any questions please do not hesitate to contact me.

Jim Mencer SLS Land & Development Permitting Tech. 304-462-5634

RECEIVED
Office of Oil and 1

FEB 03 2000

WV Dapendore
Environmendadore



RECEIVE Office of Oil

FEB 03

WV Departri Environmental F



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM LEGISLATIVE RULE 35CSR4 SECTION 14.1. AND LEGISLATIVE RULE 35CSR8 SECTION 20.1,)))	ORDER NO.	2022-13
RELATING TO THE CEMENTING OF OIL AND GAS WELLS)		RECEIVED Office of Oil and Gas
			FEB 03 2023
			WV Department of

REPORT OF THE OFFICE

Reviews the Environmental Protection

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- 1. On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

 On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of public comments on the variance consideration. During the 20-day public comment period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas

RECEIVED
Office of Oil and Gas

FEB 0 3 2023

WV Department of Environmental Protection

API Number 47 - 017 - 01676 Operator's Well No. Vincent No. 1

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS CUTTINGS DISPOSAL & RECLAMATION PLAN

Operato	Name Unknown - WV DEP Paid Plugging Contract OP Code
Watersh	ed (HUC 10) Tributary of Talkington Fork Quadrangle Folsom 7.5"
	t be used. Yes No V
	If so, please describe anticipated pit waste:
	Will a synthetic liner be used in the pit? Yes No If so, what ml.?
	Proposed Disposal Method For Treated Pit Wastes:
	Land Application (if selected provide a completed form W.W9-GPP) Underground Injection (UIC Permit Number #25-774 Reuse (at API Number Off Site Disposal (Supply form W.W9 for disposal location) Other (Explain
Will also	ed loop systembe used? If so, describe: N/A
	nedium anticipated for this weil (vertical and horizontal)? Air, freshwater, oil based, etc.
	If oil based, what type? Synthetic, petroleum, etc. N/A
	to be used in drilling medium?N/A
Drill cutt	ings disposal method? Leave in pit, landfill, removed offsite, etcOffsite
	If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
	Landfill or offsite name/permit number? N/A
on April provision or regulat I applicatio the infom submittin Company	inia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also discloses properly disposed. certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT. 2016, by the Office of Oil and Cas of the West Virginia Department of Environmental Protection. I understand the softhe permit are enforceable by law. Violations of any term or condition of the general permit and or other application can lead to enforcement action. Certify under penalty of law that I have personally examined and am familiar with the information submitted on form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining. I believe that the information is true, accurate, and complete. I am aware that there are significant penalty false information, including the possibility of line or imprisonment. Official Signature Official Title Deputy Chief
1-4	d'and swom before me this the day of the brundles . 20 73 Notary Public ssion expires Capal le 2007
R	

OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
RENAE DAWN WHITLOCK
601 57th Birrott, SE, Charlesten, W 25904
My Commission Expires Asril 06, 2027

RECEIVED
Office of Oil and Gail

FEB 0 3 2023


WV Departments

Operator's Well No. Vincent No. 1

Fertilizer type 20-20-20	Tons acre or to correct	to pH 6.0	
Fertilizer amount 500		Ibs acre	
50.0	h		
_		Seed Mixtures	
Tempora		Perman	nent
Seed Type	lbs acre	Seed Type Fescue	lhs acre 30
		Clover	
		Contractor Mix	3
		CONTRACTOR IVIX	10
Approved by: No pit will be u	used		
			:
::OOG Inspector		Date: 01/31/2023	
Section of the sectio			
and the country of the state of			
			RECEIV Office of Oil

03/03/2023

WV Department





4701701676

API No.	47-017-01676
Farm Name	
Well No.	Vincent No. 1

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

WAIVER					
The undersigned coal operatorhas examined this proposed plugging work of done at this location, provided, the well op Virginia Code and the governing regulations.	order. The undersigned has complied with				
Date:					
	By:				
	Its				

RECEIVED
Office of Oil and Game
FEB 0 3 2000

Microson Company

4701701676

SURFACE OWNER WAIVER

Operator's Well Number

Vincent No.	1
-------------	---

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

RECEIVED
Office of Oil and Gr

FEB 03 2023

WV Department c

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no		planned wor	k described in these	materials, and I have no
objection to a permit being issued on the	ose materials.			
FOR EXECUTION BY A NATURAL PI	FOR EXECUTION BY A CORPORATION,			
ETC.				
	Date	Name		
Signature		By		
		Its		Date



4701701676

info@slswv.com www.slswv.com

February 1, 2023

Jason Harmon, Deputy Director WV Department of Environmental Protection Office of Oil & Gas 601 57th Street, SE Charleston, WV 25304-2345

RECEIVED
Office of Oil and Gas

FEB 03 2023

WV Department of Environmental Protection

Mr. Harmon,

Please find enclosed a permit application to plug API# 47-017-01676 in McClellan District, Doddridge County. It is a part of the multi-well plugging contract for the Orphan and Abandoned Well Program for Region 1. The plugging contractor is Next Level Energy, operating under the Region 1 contract. The Oil & Gas Inspector has signed off on the work to be performed and Surface Owner has been mailed a copy of the application with the mail receipts enclosed along with the Letter of Intent to Plug Form and mail receipts.

If you have any questions or comments please do not hesitate to contact me.

Thank You,

Jim Mencer Permitting Technician SLS Land & Energy Development 304-462-5634



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permit issued 4701701676

1 message

Kennedy, James P < james.p.kennedy@wv.gov> Tue, Feb 28, 2023 at 12:53 PM To: Henry J Harmon henry.j.harmon@wv.gov, Isaiah M Richards <i saiah.m.richards@wv.gov, Austin Sutler <asutler@dgoc.com>, dsponaug@assessor.com

To whom it may concern, a plugging permit has been issued for 4701701676.

James Kennedy

WVDEP OOG

2 attachments



ir-8 4701701676.pdf 120K



4701701676.pdf 4052K