



DATE: 3/20/2003 API#: 47 017 01804F

### State of West Virginia Department of Environmental Protection Office of Oil and Gas

Well Operator's Report of Well Work

Farm name: Pollace, Arthur R.	Ope	erator Well No.:	12074	
		drangle: <u>Arthu</u>	r r. Pollace	
LOCATION: Elevation: 1175'	<u>Q</u> ua	mangic. <u>Titula</u>	11.1 01100	
District: Greenbrier		inty: <u>Doddridg</u>	<u>e</u>	
Latitude: 8,000 Feet South of 39 De	g. <u>12</u> Min.	30 Sec.		
Longitude 3,000 Feet West of 80 Deg. 3	5 Min. 00	Sec.		
Company: Dominion Transmission, Inc				1 0 0 000
Company.	Casing & Tubing	Used in drilling	Left in well	Cement fill up Cu. Ft.
	1 uping	- Grinnig		
Address: 445 W Main Street				
Clarksburg, WV 26301				
Agent: Brian Sheppard				
Inspector: Mike Underwood		Please see	Original	
Date Permit Issued: '10/29/2002		WR-35 for	Existing	
Date Well Work Commenced:		Casing	Program	
Date Well Work Completed: 02/19/2002		Casing	Tiogiani	
Verbal Plugging: N/A				
Date Permission granted on: N/A				1
Rotary Cable X Rig				10.00
Total Depth (feet):				A Contraction
Fresh Water Depth (ft.): N/A			+/	1. 200
			<del>/-</del>	+400 - 100 T
Salt Water Depth (ft.): N/A			+ - ls 1	200
			Envio	<del></del>
Is coal being mined in area (N/Y)? N				
Coal Depths (ft.): N/A				
OPEN FLOW DATA	•			
Gordon			2797-283	
Producing formation_Berea	Pay	zone depth (f	t) <u>2506-</u> 251	12'
Gas Initial open flow - MCF/d O	il: Initial oper	ı flow0	_Bbl/d	
Final open flow 84 MCF/d	Final open fi	.ow <u> </u>	_D01/d	
Time of onen flow between initial an	nd final tests	12 H	ours	
Static rock Pressure 100 psig (sur	face pressure)	after 12 I	Hours	
ingled with previous formation	ıs	<del></del>	•	
Second producing formation	Pav	zone depth (ft)	)	
Gas: Initial open flowMCF/d C	il: Initial one	n flow	Bbl/d	
Final open flowMCF/d	Final open f	low	Bbl/d	
Final open nowwich	nd final tests	H.	ours	
Time of open flow between initial ar	-foco pressure		Hours	
Static rock Pressurepsig (sur	race pressure	) alter	iours	
NOTE: ON BACK OF THIS FORM PUT TH INTERVALS, FRACTURING OR STIMULA LOG WHICH IS A SYSTEMATIC DETAIL INCLUDING COAL ENCOUNTERED BY T	ATING, PHYSI ED GEOLOGI	CAL CHANGE CAL RECORD	, EIC. 2). Inc	WELL
Signed:  By: Brian Sheppa:  Date: 03-25-02			0	
Dy. Dian Sileppa.	•		x <b>V</b> /	
Date. 0302002			MH *	

COMPANY/WELL NO.: DTI 12074

02/19/02 KEY PERFED AND BJ FRACED AS FOLLOWS:

03/20/2002

GORDON, 2797 - 2838', 20 HOLES, BD 1820#, AVG RATE 17 BPM, AVG PRESS 2095#, 323 BBLS, TOT

SAND 15,000#, ISIP 1900#

BEREA, 2506 - 2512', 18 HOLES, BD 2300#, AVG RATE 23 BPM, AVG PRESS 2493#, 381 BBLS, TOT SAND

27,000#, ISIP 1480#



### STATE OF WEST VIRGINIA

### DEPARTMENT OF MINES

# Oil and Gas Division

	WELL	RECORD		Rotary XX	Oil
Quadrangle_VADIS	Transfer fire all	A STATE OF THE STA		Cable	Gas xx
				Recycling_	Comb.
Permit No. DOD-180h				Water Floor	d Storage
				Disposai	(Kind)
Company Consolidated Gas Suppl	v Cornorati	00			(Kind)
Address Clarksburg, W. Va.	y corporati	Casing and	Used in	Left	Cement fill up
Farm C. L. Pearcy	200	Tubing	Drilling	in Well	Cu. ft. (Sks.)
Location (waters) <u>Meathouse Fork</u>	AcresZUZ	control or may realist an engaging or the street of production or security			(DR3.)
Well No. 12071	7772	Size			
District Greenbrier County Do	ddridge	x30x16 n	501	201	To surface
The surface of tract is owned in fee by	au rase	Cond.  KXXXXX 11"	0.000		
R. S. Glotfelty	end-forfallshipping day majority problem can retine apparent approprie	9 5/8	5501	2201	To surface
Address Clarksburg, W. Va.	* Company of the Comp	8 5/8	7,000	70-0-	
Mineral rights are owned by Alvin Ni	cholson	7	18981	1898"	75 bags
Address Charleston,	J Va	5 1/2			
Drilling Commenced 3-22-76	Va Va	4 1/2	<u> </u>	Z3300	
Drilling Completed 11-1-76		3	51191	51191	100 bags
nitial open flow 179 M cu. ft.	hhla	2	1	-	
Final production 133 Mcu. ft per day	bel	Liners Used	+		
Well open 11 days hrs. before test	17001 pp			-	
Vell treatment details:	THU RP.	Attach copy of		<del>                                     </del>	
oal was encountered at150 * resh waterNoneF roducing SandBenson	eet	C-14	Water155	501	Feet
	T	Dept	h501	.7-5023 ·	
Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or	Water *	Remarks
nd & Shale		150			
al	150	155			
nd & Shale al	155	1602	Water	1550	Sal
nd & Shale	1602	1605	PRODUCTION OF THE PROPERTY OF		
ttle Lime	1605 2080	2080 2130	Similar Control of the Control of th		
g Lime	-2130	2190	Action (Included Included Incl		
gInjun	2190	2270			
nd & Shale			Gas	2510	
rard	2270	1 3000			0
nd & Shale	2270 3080	3080 3100			ŧ
lltown 1d & Shale	3080 3100	3100 3960			P
ic ix illiate	3080 3100 3960	3100 3960 4020		,	P
nson	3080 3100 3960 4020	3100 3960 4020 5016		·	
ison	3080 3100 3960	3100 3960 4020	Gas	·	-50231
	3080 3100 3960 4020	3100 3960 4020 5016		·	
	3080 3100 3960 4020	3100 3960 4020 5016 5026		·	
al Depth	3080 3100 3960 4020	3100 3960 4020 5016 5026		·	
al Depth	3080 3100 3960 4020	3100 3960 4020 5016 5026		·	
cal Depth	3080 3100 3960 4020	3100 3960 4020 5016 5026 5145	Gas	5017.	<b>-5</b> 023 <b>*</b>
nson tal Depth  KBM 11 above G. L.	3080 3100 3960 4020	3100 3960 4020 5016 5026 51451	Gas	5017.	-5023;

(over)

<sup>\*</sup> Indicates Electric Log tops in the remarks section.

All O.F lor



**DEPARTMENT OF MINES** 





### Oil and Gas Division

## OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES,			
Charleston, W. Va.	D	ATE March 1, 1976	
Surface Owner Robert S Glotfelty	С	ompany Consolidated Ga	a Survey Comments
Address 212 Fairvion Ave., Clarksbur		ddress Clarksburg, W.	
Mineral Owner Alvin L. Nicholson		arm C. L. Pearcy	
Address 337 Reaumont Ave., Charlest	· · · · · · · · · · · · · · · · · · ·	ocation (waters) Meathous	,
Coal OwnerNone		ell No. 12071	
Address		istrict_Greenbrier	
Coal Operator None		uadrangle <u>VADIS</u>	
Address	·	audian 610	
HIS PERMIT MUST BE POSTED AT THE WELL S.T.	•		
dl provisions being in accordance with Chapter 22 of the W. Va. Code, the location is hereby approved	d.		
drilling . This permit shall expire	if		
perations have not commenced by 7-12-76	• •		
Deputy Director - Oil & Gas Division		Pa	ul Garrett
Deputy Director - Oil & Ous Division		OR TO BOND FIFE C	larksburg, W.Va.
GENTLEMEN:	PH:	22-3871 ADDRESS	
made to <u>Hope Natura</u> 19 12, in <u>Doddridge</u> County, Book	l Gas Co. 24	and recorded on the 26th	th day of <u>December</u>
NEW WELLDRILL DE	EEPER	REDRILLFRAC	TURE OR STIMULATE
OIL AND GAS WELL ORIGINALL	Y DRILLED BEF	ORE JUNE 5, 1969.	
The enclosed plat was prepared by a registered have been notified as of the above date.	d engineer or lice	nsed land surveyor and all coa	owners and/or operators
The above named coal owners and/or operator to make by Section 3 of the Code, must be received.	are hereby notified wed by, or filed w	d that any objection they wish ith the Department of Mines w	to make, or are required thin ten (10) days. *
Copies of this notice and the enclosed plat were or coal owners at their above shown respective a same day with the mailing or delivery of this copy	ddress	· ••• /	
	Very	truly yours.	
PLANTING S. (S. (S. (S. (S. (S. (S. (S. (S. (S.	1.Sian	Name XO. Dawn I	None and a second
MAMBASE SUBMIT COPIES OF ALL NEOPHYSICAL LOSS DIRECTIM TO:	(Digit )	Well perator	anager of Tro
Fest Virginia Geological and Economic Sur	TON Address	<u> Consolidated Gas</u>	Supply Corporation
7. O. Bott 579	of	Street	
Monganthavo, W. Va. 26505	Well Operator	145. West Main Str	UU 6
MC 1304-296-4463		Charleburg, W. V	S
	•		1.4
		State	

\*SECTION 3..... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit teering the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed,

BLARKET BORD

DOD-1804

47-017

PERMIT NUMBER

# THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	DRILL	DEEPEN	ACTURE-STIMULATE	
DRILLING CONTRACTOR: (If	ACTOR: (If Known) RESPONSIBLE AGENT:			
NAME S. W. Jack Drilli	ng Co.	NAME R. E. Bayne		
ADDRESS Indiana, Pa.				
TELEPHONE				
ESTIMATED DEPTH OF COMPL	ETED WELL: 5160*	ROTARY XXX (	CABLE TOOLS	
PROPOSED GEOLOGICAL FORM	MATION: <u>Eenson</u>			
TYPE OF WELL: OIL_	GAS XXX CO	MBSTORAGE _	DISPOSAL	
	RECYCLING	G WATER FLOO	DOTHER	
CASING AND TUBING SIZE  20×16  33×36×11"  9-5/8	USED FOR DRILLING	LEFT IN WELL 201 - 2001	CEMENT FILL UP OR SACKS - CUBIC FT To surface To surface	
8 - 5/8	2150'	21501	85 Bags	
7	<u> </u>	2 h) () .	0) başu	
5 1/2				
4 1/2	5160'	5160'	125 bags	
3			Perf. Top	
2			Perf. Bottom	
Liners			Perf. Top Perf. Bottom	
			ren: Bottom	
OF PLAT.  TO DRILL DEEPER OR REDRIE SUBMIT FIVE (5) COPIES WELLS DRILLED PRIOR OF MUST ALSO BE SUBMITTE  TO FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLATE OIL AND/OR GAS WELL OF ING ORIGINAL PERMIT NU	OF OG - 1, \$100.00 PERMIT L: OF OG - 1, SHOWING ORIGIN TO 1929, A PERMANENT COI	FEE, PERFORMANCE BO  TAL PERMIT NUMBER AND PY OF THE PLAT AND THE E JUNE 5, 1929, FIVE (5) CORD.  D/OR AFTER JUNE 5, 1929 BOND.	ND AND PERMANENT COPY  PERFORMANCE BOND. ON HE ORIGINAL WELL RECORD  OPIES OG - 1, PERFORMANCE  , FIVE COPIES OG - 1, SHOW-	
thereof.  WAIVER: I the undersigned, Age this lease have examin We the		Coal Company, Owner os this proposed well location ave no objections to said we	on.	
		$f_{i,0}$	r Coal Company	
		de plant delimente mente delimente di estamantes, such a destinazioni di militare delimente deli	Official Title	