

-6 SMITHTON FLINT- SEDAZIA 99 MAY 13 1977

Permit No. DODD-1852

Producing Sand\_



#### STATE OF WEST VIRGINIA DEPARTMENT OF MINES

## JUL - 8 1977

### Oil and Gas Division

#### WELL RECORD

Quadrangle CENTERPOINT

OIL & GAS DIVISION DEFT, OF MINES

Rotary\_X\_ Cable\_ Gas Recycling\_ Comb. Water Flood\_\_\_ Storage\_ Disposal\_\_\_

•				(Kind)
Company Scott Enterprises, Inc.  Address P.O. Box 112, Salem, WV 26426  Farm S.B. McMillan Acres 907	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Location (waters) Big Flint Well No. B-818 (S-202) A-4 Elev. 718° District Grant County Doddridge	Size 20-16 Cond.			
The surface of tract is owned in fee by	13-10" 9 5/8			
Address Shirley, WV	8 5/8	1119	1119	250
Mineral rights are owned by <u>O. C. Haught</u> Address Rt. 1. Salem, WV	<del>7</del> 5 1/2			
Drilling Commenced 4-6-77  Drilling Completed 4-13-77	4 1/2	4852	4852	750
Initial open flow 41 M cu. ft. bbls.  Final production 103 Mcu. ft. per day bbls.  Well open 16 hrs. before test 310 RP.	2 Liners Used			
Well treatment details:	Attach copy of			
Benson Frac - Perforation				
30,000# 20-40 sand, 50	00 gal. 15%	acid, 76	O bbls.	water.
Rig Injun Frac- Perforati	one 1702-18	27 15 h	0100	

Big Injun Frac- Perforations 1792-1827 15 holes 45,000# 20-40 sand, 500 gal. 15% acid, 730 bbls. water. 315-20 Coal was encountered at \_ \_Feet\_\_ Fresh water 23, 190, 265 1290 \_Feet . \_Salt Water. Feet . Benson, Big Injun Depth 4795-99.

Sand & shale       2780       4330       Check gas at 3810-33 Mcf         Shale       4330       4620         Sandy shale       4620       4810         Benson sand       -4810       4820         Silty shale       4820       4957         T D       Check gas at TD - 41 Mcf				
Sand     20     75       Shale     75     315       Coal     315     320       Limey shale     320     940       Sand     940     1125       Sandy shale     1125     1400       Shale     1765     1800       Sandy shale     1800     2290       Shale     2290     2450       Sand     2450     2480       Sand & shale     2780     2480       Shale     2780     4330     Check for gas at 2750- show Check gas at 3810- 33 Mcf       Shale     4330     4620       Sandy shale     4620     4810       Benson sand     -4810     4820       Silty shale     4820     4957       T D     Check gas at TD - 41 Mcf	Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
	Sand Shale Coal Limey shale Sand Sandy shale Shale Lime Sandy shale Shale Sand Shale Sandy shale Benson sand Śilty shale	20 75 315 320 940 1125 1400 1765 1800 2290 2450 2480 2780 4330 4620 -4810	75 315 320 940 1125 1400 1765 1800 2290 2450 2480 2780 4620 4810 4820 4957	No Check for gas at 2750- show Check gas at 3810- 33 Mcf

(over)

<sup>\*</sup> Indicates Electric Log tops in the remarks section.







# Oil and Gas Division OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES,			- 0.00
Charleston, W. Va.	DAT	reMarch 2,	1977
Surface Owner Burgess Robinson	Corr	pany Scott Enter	rprise Inc.
			2, Salem, W.V.
0 0 77 3 1	Farm	S.B. McMillan	Acres907
Address Rt. 1, Salem, W.V.	Loca	ation (waters) Big F	Lint
Coal Owner Burgess Robinson	Well	No. A-4	Elevation 718
Address Shirley, W.V.	Dist	<sub>rict</sub> Grant	County_Doddridg
Coal Operator None	Qua	<sub>drangle</sub> Centerpoir	nt
Address	WERENING TO THE TOTAL THE TOTAL TOTA		
THIS PERMIT MUST BE POSTED AT THE W	TELL SITE		
All provisions being in accordance with Cha of the W. Va. Code, the location is hereby a	pter 22, approved		
for <u>drilling</u> . This permit shall			
operations have hat commenced by 8-5-			
Deputy Director - Oil & Gas Division	INSPECTOR TO BE	NOTIFIED Paul	Garrett
*		ADDRESSClar	
GENTLEMEN:  The undersigned well operator is entitled t			
McMillan made to Carter (  19in _Doddridge County, Bo  X	ok <u>25</u> Pa		
The enclosed plat was prepared by a regist have been notified as of the above date.	tered engineer or licen	sed land surveyor and all	
The above named coal owners and/or operato make by Section 3 of the Code, must be re-	ator are hereby notified eceived by, or filed wit	d that any objection they th the Department of Min	wish to make, or are required es within ten (10) days. *
Copies of this notice and the enclosed plat or coal owners at their above shown respecti same day with the mailing or delivery of this	ve_address	day	before, or on the
PHEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO:	Very t	ruly yours Scott Er	ntenprise Inc.
West Virginia Geological and Econom P. O. Box 879	ic Survey	P. O. Box	erator 112
Morgantown, W. Va. 26505	Address of	Stree	et 
	Well Operator	Salem	
		City or To	own
		W. V.	
		Stat	e

\*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

### THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	DRILL	DEEPEN FRACTURE-STIMULATE			
DRILLING CONTRACTOR: (If	Known)	RESPONSIBLE AGENT	Γ:		
AME S. W. Jack Drilling Co.			NAME Scott Enterprise Inc.		
ADDRESS P.O. Box 48,	Buckhannon	ADDRESS P.O. Box 112, Salem W.V. TELEPHONE 782-2523			
TELEPHONE 472-2161	1,000		_ CABLE TOOLS		
ESTIMATED DEPTH OF COMP	LETED WELL: 4900	_ ROTARYA	_ CABLE 100L3		
PROPOSED GEOLOGICAL FOR	MATION: Deligon	- CONTRACTOR ACC	DISPOSAL		
TYPE OF WELL: OIL	GAS A	COMB. WATER EL	DISPOSAL LOODOTHER		
TENTATIVE CASING PROGRA  CASING AND TUBING SIZE		LEFT IN WELL	CEMENT FILL UP OR SACKS - CUBIC FT.		
20 - 16 13 - 10					
9 - 5/8					
8 - 5/8	1065	1065	240		
7					
5 1/2	4900	4900	125		
÷ ½	4900	4700	Perf. Top		
2			Perf. Bottom		
Liners			Perf. Top		
Andrew Drogogod and A	-25 Page Co		Perf. Bottom		
OF PLAT.  TO DRILL DEEPER OR REDR	till:		AND PERFORMANCE BOND. ON		
SUBMIT FIVE (5) COPIE WELLS DRILLED PRIOF MUST ALSO BE SUBMIT	R TO 1929, A PERMANEN'	T COPY OF THE PLAT AN	D THE ORIGINAL WELL RECORD		
TO FRACTURE - STIMULATE OIL AND/OR GAS WELL		EFORE JUNE 5, 1929, FIVE	(5) COPIES OG - 1, PERFORMANCE		
OIL AND/OR GAS WELL		N AND/OR AFTER JUNE 5,	1929, FIVE COPIES OG - 1, SHOW-		
Required forms must be four (24) hours in advance		of completion for bond relea	ase. Inspector to be notified twenty-		
		e e e e e e e e e e e e e e e e e e e			
	st be completed by the coa	al operator if the permit is to	be issued within ten days of receipt		
thereof.	Agent for	Coal Company O	wner or Operator of the coal under		
WAIVER: I the undersigned, this lass have eval	mined and place on our mi	ne maps this proposed well l	location.		
			id well being drilled at this location,		
providing operator b	nas complied with all rules an	d regulations in Articles 4, 5,	and 7, Chapter 22 of the West Virginia		
			For Coal Company		
No.			• •		

Official Title