

22061 J G G

6-4 STRAIGHT FORK- BLUESTONE CREEK

/33

Date



# West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 47-017-1868 WELL NO.: WV 150801 (A-679) FARM NAME: Maxwell RESPONSIBLE PARTY NAME: Equitable Production Company COUNTY: Doddridge **DISTRICT:** Southwest QUADRANGLE: Oxford 7.5' SURFACE OWNER: I. L. Morris ROYALTY OWNER: W.B. Maxwell Heirs UTM GPS NORTHING: 4339146 GPS ELEVATION: 348 UTM GPS EASTING: 518047 The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) - meters. Accuracy to Datum - 3.05 meters Data Collection Method: Survey grade GPS : Post Processed Differential Real-Time Differential Mapping Grade GPS  $\underline{X}$ : Post Processed Differential  $\underline{X}$ Real-Time Differential I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office CORY A.S of Oil and Gas. Gregory A. Smith, P.S. 677/- President, Smith Land Surveying, Inc

D000 1868

DATE: 18-April-2006

NOTARY PUBLIC

STATE OF WEST VIRGINIA Zelma M. Meadows

My Commission Expires December 24, 2007

ROUTE 2, BOX and Gas Inspector

#### STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective

addresses.						
Farm name:	Ike Morris				Maxwell A-676	
LOCATION:	Elevation: 106		Quadrangle:_		7.5 Dodddridge	<del></del>
	District: Latitude:			. <b>y</b> Min. 00		·········
	Longitude:		~	Min. 00		
Well Type:	OIL			****		
			0 8 (	<b></b>	MD Maranall	11-:
Company <u>:</u>		ction Company nia Avenue		-	W.B. Maxwell Bank of Texas	
own.	Charleston, WV		Ot Oan	1101	Agent Drawer	
	Ondirection, vvv	2002	••		Fort Worth TX	
Agent:	Steve G. Perdu	Э	_ Coal C	-	N/A	
Permit Issued Date:	8/29/05					
	OINIIA	AFFIDAVIT				
STATE OF WEST VIR			SS:			
County of <u>Doddr</u>	uye		55.			
Jacob	<u>Snider</u> and _	Jackie Carpente	r Faluacian and	being	first duly swor	n according to law
depose and say that the by the above named w	ney are experience	ed in the work o	r plugging and	TIIIITG OII	and gas wells	and were employed
Underwood Oil a	eli operator, and p nd Gae Inenecto	r representing th	e Director se	nny and n	aid work was o	commenced on the
1 <sup>st</sup> day o	f May ,2006	and that the we	ll was plugged	and filled	I in the following	manner:
TYPE	FROM	ТО		PIPE	REMOVED	LEFT
Cement	2000'		1900'	4 1/" Co	oing 904'	1457'
Cement	1700'		1500' 850'	4 /2 Ud	sing 804'	1457
Cement	1000' 854'		754'			
Cement Cement	370'		surface			\$
Cement	370		Surface			
			00414			
Shot 4 ½ " casing @ 1	579' twice, 1562' i	twice, 939' twice,	804' twice, Fre	ee 		
Gel Between each plug	1		-	<u> </u>		
	,	<b>-</b>	S & t	4 DL #	-1-11 :4	and that the
Description of work of plugging and fi	monument:	/ Inch casing - 3 completed on the	ie 12 <sup>th</sup>	API# WE	_day of _May, 2	and that the
work or plugging and in	iiiig sala weli was		700 l	»	_day 0. <u>.w.a,, 2</u>	**
And further deponents	saith not.	11/1	Under	<i></i>		<u>JUN 1 6 20</u> 06
						P209999
Sworn and subscribe before me thislb+hday oft\alpha y				Office of Oil & Gas , 2006 of Chief		
My commission expires			7007			
WEST: OFFICIAL	AAAAAAAA		olma	5	mond	111 2 2005

Notary Public

WV Department of

Environmental Protection



# STATE OF WEST VIRGINIA DEPARTMENT OF MINES



#### OIL & GAS E-IVISION CHEFT. OF MINES

## Oil and Gas Division

WELL RECORD


Qu	adra	ıngl	eHQL	BR	00	K
_			2002	**1	0.4	0

Rotary_X_	Oil
Cable	Gas
Recycling	Comb
Water Flood	Storage
Disposal	(Kind)

remmt No. 202 2000				j	Disposal	(Kir	nd)
CompanyAllegheny AddressBox 1740. C	larksburg, V	<u>W 263</u> 01	Casing and Tubing	Used in Drilling	Left in Well	Cement fill Cu. ft. (Sk	^
Location (waters) S. Fork of Hughes River Well No. A-679  Elev 1138!			Size 20-16				
District Southwest	County_Dod		Cond.				
The surface of tract is ow	ned in fee by Aa:	con	13-10"	<u></u>			
Schwartzman, M. I	).: 2007 Nic		9 5/8				
Address Washingto			8 5/8	3201	3201	Cement	to surf.
Mineral rights are owned atty. In Fact	wUnion Nati W. Brent Ma: arksburg. W	onal Bank Xwell Hrs. V 26301	7 5 1/2				
Drilling CommencedSe	ptember 22,	1977	4 1/2	22611		11	671
Drilling Completed Se	ptember 30,	1977	3				
Initial open flow	cu. ft	UU15.	2			no traphyd (ta	
Final production	cu. ft. per day	bbls.	Liners Used			100	
Well open	_hrs. before test_	RP.		<u> </u>		<u> </u>	
Well treatment details:			Attach copy of o	cementing reco	rd.		
F	ractured by	Halliburto	n October	22, 1977			recorded and a state of the sta
T <sup>2</sup> 3	nal test: 3	36 MCH - 0	pen flow				
	A STATE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS		re - 300#	- 12 hrs	CO-MI	ngled We	h jun
			······································				
					······································		TALLACTE STATE OF THE STATE OF
Coal was encountered at_							
Fresh water		et	Salt \	Water	27.01 0.	Feet	L 8
Producing Sand In It	m & Weir		Deptl	<u> ۱۰۵۷-۱ ۲</u>	<u>1⊤0, ∞</u>	<u> </u>	0.
Formation Color	Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or	Water	* Remarks	en de la constitución de la cons
Clay Sand & Shale	nec en millen vinnedig mild pro-prime schenouer Gos von ur Pro-regularinen independent and annoche schenoche s	0 25	25 620		PERFORA	m T ANG .	Schwesselvink (Inches) and an analysis and a
Sand & Share		620	650		C DILL OILE	LLUND	
Sand & Shale		650	882		1842;	- 4 sho	ts
Sand		882	910	1866 -	1878 '	- 12 "	
Sand & Shale		910		2056 -			
Sand		1244	1262	2079 -	20821	- 3 "	
Sand & Shale		1262	1768	21313-	2133意。	- 6 "	
Big Lime		-1768 1830	1910	2135克	マエイン章 。	- 9 "	
Injun Sand Shale		1910	2062				
Weir Sand		2062	2176				
Shale		2176	2264				
Berea Sand		-2264	2272				
Shale		2272	2323				
	total			Driller)			
	·						
			Eddi vini vene				
	:			and the second			Service and the service of the servi
			*	and the second s			No. of the second
			* (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	polyments (com-			%igis
			Edit Park	reference and an artist and a second			



STATE OF WEST VIRGINIA





oil a gas division

### Oil and Gas Division

## OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MENES.	
Charleston, W. Va.	M D DATE July 13th, 1977
Aaron Schwartzman, 2007 Nichols Avenu	
Washington, DC 20	
Address The Union National	Bank W Brent Maxwell 2400
Mineral Owner Atty. in Fact, W.	\$1.20 T + 30
Addres Maxwell Heirs	Location (waters)
Coal Owner Clarksburg, WVA 2	
Address Same	District Southwest County Doddridge
None Coal Operator	HOLBROOK Quadrangle
Address	
	n and a substantial facilities (1998)
THIS PERMIT MUST BE POSTED AT THE WEI	L SITE
I' provisions being in accordance with Chapt	
of the W. Va. Code, the location is hereby ap	
The second secon	mo pr MORITETED Paul Garrett
operations have not commenced by 11-18-7	77 ADDRESS Clarksburg, W. Va.
Thet hope de	DUONE 622 2073
Deputy Director - Oil & Gas Division	PHONE 622-3871
GENTLEMEN:	
•	brill upon the above named farm or tract of land for oil and gas, having fee
	nt or lease dated See Attached 19 by
	and recorded on the day of
19 in County, Book	Page
XXNEW WELLDRILL D	EEPERREDRILLFRACTURE OR STIMULATE
OIL AND GAS WELL ORIGINALI	LY DRILLED BEFORE JUNE 5, 1969.
	ed engineer or licensed land surveyor and all coal owners and/or operators
have been notified as of the above date.	
The above named coal owners and/or operator	r are hereby notified that any objection they wish to make, or are required
	ived by, or filed with the Department of Mines within ten (10) days. *
Copies of this notice and the enclosed plat we	address before, or on the
same day with the mailing or delivery of this cop	by to the Department of Mines at Charleston, West Virginia.
PLEASE SUBMIT COPIES OF ALL	Very truly yours, ALLECHENY LAND AND MINERAL CO
GEOPHYSICAL LOGS DIRECTLY TO:	(Sign Name) By: Manager
· ·	Land, Lease and Right of Way
WEST VIRGINIA GEOLOGICAL AND	P. O. Box 1740
ECONOMIC SURVEY	Address Street
P. O. BOX 879	of Clarksburg,
MORGANTOWN, WEST VIRGINIA 26505	Well Operator  City or Town
AC-304 - 292-6331	
	West Virginia 26301
	State

\*SECTION 3 . . . . If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

# THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	XX DRILL	DEEPEN	FRACTURE STIMULATE
DRILLING CONTRACTOR: (If I	Inc.	NAME Alleghen	r. y Land & Mineral Co.
ADDRESS Drawer 40, Bu 472-4610	ckhannon, WV 2620	1 ADDRESS P. O B TELEPHONE 62	ox 1740, Clarksburg, W 3-6671
TELEPHONEESTIMATED DEPTH OF COMPL	Berea	TELEPHONE XX	CABLE TOOLS
		RUTAR 1	CABLE TOOLS
PROPOSED GEOLOGICAL FORM	IZZZZOWY.		
TYPE OF WELL: OIL_			EDISPOSAL
	RECYCLIN	GWATER FI	LOOD OTHER
TENTATIVE CASING PROGRAM	:		
CASING AND TUBING SIZE	USED FOR DRILLING	LUFT IN WELL:	CEMENT FILL UP OR SACKS - CUBIC FT.
20 - 16	207	20 '	Cement to surface
13 - 10			
9 - 5/8			
8 - 5/8	300 %	300 %	Cement to surface
7			
5 14			Cement to 300' above
4 1/2	2600'	2600'	any producing horizo
3			Peri, Top
2			Perf. Bottom
Liners			Perf. Top Perf. Bottom
			ren. Bottom
APPROXIMATE COAL DEPTHS	no coal		RFEET
OF PLAT.  TO DRILL DEEPER OR REDRIL  SUBMIT FIVE (5) COPIES	.L: OF OG - 1, SHOWING ORIGI TO 1929, A PERMANENT CO	NAL PERMIT NUMBER A	AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORL
	RIGINALLY DRILLED BEFOR AND ORIGINAL WELL REC		5) COPIES OG - 1, PERFORMANCE
•	RIGINALLY DRILLED ON AN IMBER, AND PERFORMANCE		929, FIVE COPIES OG - 1, SHOW-
Required forms must be file four (24) hours in advance.	d within ninety (90) days of c	ompletion for bond releas	se. Inspector to be notified twenty-
The following waiver must thereof.	be completed by the coal ope	rator if the permit is to b	oe issued within ten days of receipt
	ent forent for		ner or Operator of the coal under
			well being drilled at this location,
	complied with all rules and regu	nations in Articles 4, 5, an	nd 7, Chapter 22 of the West Virginia
Code.			
			40
			For Coal Company
			C CC 1 1 (77) 1

#### ALLEGHENY LAND AND MINERAL CO.



CILAGAS DIVISION THETT. OF MINES

Under lease or grant dated the 7th day of October, 1898, by W. Brent Maxwell and Lillie J. Maxwell, his wife, unto The Carter Oil Company, subsequently Consolidated Gas Supply Corporation. This lease was recorded on the 15th day of September, 1899, in Deed or Lease Book 14 at page 376, in the Office of the County Clerk of Doddridge County, West Virginia.

Allegheny Land and Mineral Company is vested with the drilling rights in the subject lease by virtue of an agreement dated the 18th day of May, 1977, granted by Consolidated Gas Supply Corporation.