

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Thursday, June 21, 2018 WELL WORK PLUGGING PERMIT Vertical Plugging

EQT PRODUCTION COMPANY 625 LIBERTY AVE., SUITE 1700

PITTSBURGH, PA 15222

Re: Permit approval for 6230 47-017-01881-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

06/22/2018

Operator's Well Number: 6230 Farm Name: LODGE, F. L. U.S. WELL NUMBER: 47-017-01881-00-00 Vertical Plugging Date Issued: 6/21/2018

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

17-	ଷ	188	l	P
-----	---	-----	---	---

WW-41	-	1) Date May 21 , 2018
Rev.	2/01	2)Operator's
		Well No. 606230 F. L. Lodge #6230
		3) API Well No. 47-017 - 01881
		ST VIRGINIA
		RONMENTAL PROTECTION OIL AND GAS
	APPLICATION FOR A PERM	11T TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas X/ Liquid	injection/ Waste disposal/
	(If "Gas, Production or Unc	derground storage) Deep/ ShallowX
	-	
5)	Location: Elevation 893	Watershed Middle Fork
	District Cove	CountyDoddridge QuadrangleOxford
6)	Well Operator EQT Production Company	7) Designated Agent Jason Ranson
	Address 2400 Ansys Drive- Suite 200	Address 120 Professional Place
	Canonsburg PA 15317	Bridgeport WV 26330
8)	Oil and Gas Inspector to be notified	QUPLugging Contractor
07	Name Daniel Flack	9)Plugging Contractor _{Name} HydroCarbon Well Service
	Address 587 Rive Road	Address PO Box 995
	Buckhannon WV 26201	Buckhannon WV 26201

10) Work Order: The work order for the manner of plugging this well is as follows: See Attachment for details and procedures.

> RECEIVED Office of Oil and Gas

JUN 2 1 2018

WV Department of Environmental Protection

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector

hlhm

____ Date 6/4/16

PLUGGING PROGNOS

606230 F.L.Lodge API# 47-017-01881 District. Cove Doddridge County, WV

BY: R Green DATE: 01/03/18

CURRENT STATUS: TD @ 1893' Elevation @ 907'

10" casing @ 30' 8 5/8" casing @ 223' (CTS) 5 ½" casing @ 1873' (Cemented with 75 sks)

Fresh Water @ None Reported Saltwater @ None Reported Oil Show @ 1809' Gas shows @ 1742' Coal @ None Reported

- 1. Notify inspector Daniel Flack @ 304-545-0109, 24 hrs. prior to commencing operations.
- 2. TIH and check TD @ or below 1850'
- 3. TIH to 1850' and spot 25 bbl. of 6% gelled water, followed by a 300' C1A cement plug. 1850' to 1550'.WOC 8 hrs. Tag TOC, add additional C1A cement if necessary.
- 4. Free point 5 1/2" casing, cut casing @ free point. TOOH 5 1/2" casing.
- 5. Set a 100' C1A cement plug 50' in/out of casing cut. Perforate all freshwater, saltwater, coal, oil and gas shows below cut. Do not omit any plugs.
- 6. TOOH to 1000' set a 200' C1A cement plug ,1000' to 800'. (Elevation).
- 7. TOOH to 300', set a 300' C1A cement plug 300' to surface.
- 8. Erect monument with API#, date plugged. & company name.
- 9. Reclaim location and road to WV-DEP specifications.

Make every effort to pull all cessing

Chil cm

RECEIVED Office of Oil and Gas

'JUN 21 2018

WV Department of Environmental Protection

06/22/2018

Quadrangle_Holbrook NE 43-4

.

:

STATE OF WEST VIRGINIA



Eqt. 6230

DEPARTMENT OF MINES Oil and Gas Division

WELL RECORD

OIL & GAS DIVISION Rotary_X___ Oil___ X Cable__ Gas Recycling Comb. Water Flood____ Storage_

Permit No. Dodd-1881				Water Floo Disposal	d Storage (Kind)	
Company_ Equitable Gas Company				1		
Address 420 Blvd. of the Allies,	Pah. PA 15	219 Casing and	Used in	Left	Cement fill up	
Farm F.L. Lodge			Drilling	in Well	Cu. ft. (Sks.)	
Location (waters) Hughes River	290ac	_	1			
Weil No. P. O. 6230	lev 907.8'	Size	1			
District_CoveCountyDode	Hev.	20-16		1		
		<u>Cond.</u> 13-10"				
The surface of tract is owned in fee by			30			
Address Auburn, West Virginia		9 5/8				
	Terrett	<u>8 5/8</u> 7	223	223	To surface	
Mineral rights are owned by Furman 0.						
AgentAddress_Morgantown, W.	<u>VA 2650</u> 5	5 1/2	 	1873	755x. to 148	8.
Drilling Commenced. 3-27-78 Drilling Completed. 5-27-78		4 1/2	ļ			
Drilling Completed		3	1			
Initial open flow cu. ft	bbis.	2				
Final production cu. ft. per day.		Liners Used				
Well openhrs. before test.	RP.					
Well treatment details:		Attach copy of a	cementing rec	ord.		
Fractured 5-2-78						
Treating Pressure Detai	18: Max 19	00#. final 190	00#. Aug 1	.500#		
I.S.I.P. 1600#.	15 min S.I.	.P. 1100#				
Total Fluid - 875 BBLS.						
Total Prop - 10.000# 80	/100 sand.	35.000# 20/40) sand			
Coal was encountered atNo_Coal	Eas	•				
Fresh waterF		C-14 1		C3	P	
Producing Sand Big Injun			781CF	1000	_ reet	
inducing sameing ing int		Deptn	1/38	- 1829		
Formation Color Hard or Soft	Top Feet	Bottom Feet	OB, Gas o	r Water	Remarks	
Gas Sand	798	807				
Salt Sand	1000	1038				
Salt Sand	1089	1100				
Salt Sand	1186	1215				
Salt Sand	1313	1365				
Salt Sand w/shale	1424	1452				
Maxton	1500	1547				
Little Lime	1616	1626			^	RECEN
Little Lime	1642	1663			Office	RECEIVED e of Oil and G
Big Lime	1674	1734			_	∼" and e
Big Injun	1 1734	1829	Gaa 1	762 - 176	0 11	

* Indicates Electric Log tops in the remarks section.

T.D.

Big Injun

Note: From Gamma Log

(over)

1829


1893

Gas 1742 - 1769 011 1809 - 1823

1734

JUN 0.5 2018

WV Department of Environmental Protection



17-01881P

WW-4A	
Revised	6-07

1) Date: May 21, 2018 2) Operator's Well Number 606230 F. L. Lodge #6230

3) API Well No.: 47 -01881 017

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4)	Surface Ow	ner(s) to be served:	5) (a) Coal Operator		
	(a) Name	See Attached	Name		_
	Address		Address		-
	(b) Name		(b) Coal Ow	ner(s) with Declaration	-
	Address		Name	See Attached	_
			Address		_
	(c) Name		Name		-
	Address		Address		
6)	Inspector	Daniel Flack	(c) Coal Less	see with Declaration	_
	Address	58 Rive Road	Name		
		Buckhannon WV 26201	Address		
	Telephone	304-545-0109			_

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

(1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and

(2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

	Well Operator	EQT Production Company	
OFFICIAL SEAL	By:	Erin Spine	
NOTARY PUBLIC	Its:	Regional Land Supervisor	_
REBECCA L. WANSTREET	Address	2400 Ansys Drive, Suite 200	
EQT PRODUCTION COMPANY PO BOX 280		Canonsburg PA 15317	
BRIDGEPORT, WV 26330 My commission expires April 07, 2029	Telephone	(304) 848-0035	
Subscribed and sworn before ine t My Commission Expires		ay of June 2018 Notary Public WV Department of Toted	110

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

17-018818

47-017-01881

606230 (F.L. Lodge #6230)

Owner(s) (Surface and Access)

Mansfield Leeson 76 Bear Fork Road New Milton, WV 26411

Coal Owner(s):

Mansfield Leeson 76 Bear Fork Road New Milton, WV 26411

Potential Water Owner(s):

Mansfield Leeson 76 Bear Fork Road New Milton, WV 26411

> Office of Oil and Gas JUN 0 5 2018 WV Department of Environmental Protection

17	1-	0	188	19
	-	0	10-	

W W-9 (5/16)	API Number 47 - 017 _ 01881 Operator's Well No. 606230 F. L. Lodge #6230
DEPARTMENT OF ENVI OFFICE O	WEST VIRGINIA RONMENTAL PROTECTION F OIL AND GAS DSAL & RECLAMATION PLAN
Operator Name EQT Production Company	OP Code
Watershed (HUC 10) Middle Fork	Quadrangle Oxford
Do you anticipate using more than 5,000 bbls of water to comple Will a pit be used? Yes <u>V</u> No <u></u>	
If so, please describe anticipated pit waste: Formation	n Fluids
Will a synthetic liner be used in the pit? Yes 🚺	No If so, what ml.? 20 ml
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide	a completed form WW-9-GPP)
Underground Injection (UIC Permit	Number)
Reuse (at API Number)
Off Site Disposal (Supply form WW Other (Explain	-9 for disposal location)
Will closed loop systembe used? If so, describe:	
Drilling medium anticipated for this well (vertical and horizonta	I)? Air, freshwater, oil based, etc.
-If oil based, what type? Synthetic, petroleum, etc.	
Additives to be used in drilling medium?	
Drill cuttings disposal method? Leave in pit, landfill, removed of	offsite, etc
-If left in pit and plan to solidify what medium will be	used? (cement, lime, sawdust)
-Landfill or offsite name/permit number?	

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law tion can lead to enforcement action. or regulation can lead to enforcement action.

application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining G_{as} the information, I believe that the information is true, accurate, and complete. I am aware that there are significant pendities for submitting false information, including the possibility of fine or imprisonment.

5 5 1	onmenante
Company Official Signature	Sintal Prote of
Company Official (Typed Name) Erin Spine	-oction

Company	Official	Title	Regional Land Supervisor	
				ł

Subseribed and sworn before me this day of June	, 20 18
Allecca Lubanstroel	Notary Public OFFICIAL SEAL
My commission expires <u>4-7-2020</u>	STATE OF WEST VIRGINIA REBECCA L. WANSTREET ECT PRODUCTION COMPANY
	. 06/22/2018

EQT Production Water plan Offsite disposals

Waste Management - Meadowfill Landfill

Rt. 2, Box 68 Dawson Drive Bridgeport, WV 26330 304-326-6027 Permit #SWF-1032-98 Approval #100785WV

Waste Management - Northwestern Landfill

512 E. Dry Road Parkersburg, WV 26104 304-428-0602 Permit #SWF-1025 WV-0109400 Approval #100833WV

RECEIVED Office of Oil and Gas JUN 0 5 2018 WV Department of Environmental Protection

Form WW-9

Operator's Well No. 606230 F. L. Lodge #6230

Proposed Revegetation Trea	tment: Acres Disturbed <u>1±</u>	Preveg etation p	н
Lime 3	Tons/acreor to correct to	pH <u>6.5</u>	
Fertilizer type (10)-20-20) or equivalent	_	
Fertilizer amount_1	/3 ton	_lbs/acre	
Mulch_2	To	ns/acre	
	S	eed Mixtures	
Те	emporar y	Perm	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Aslike Clover	5	Aslike Clover	5
Annual Rve	15		

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: must be made to pullall casing **FFort** Comments: 12-0 0 + Gas Inspector Date: 6/4/18 Field Reviewed? Yes)No RECEIVED Office of Oil and Gas

JUN 21 2018

WV Department of Environmental () () () 18

				17-018	3818
Topo Quad:	Oxford 7.5'	Scale:	1"	= 200'	
County:	Doddridge	Date:	Ma	ay 10, 2018	
District:	Cove	Project I	No: 67	-30-00-08	
	47-017-01881	WV 606230 (F	=. L. L	.odge #6230)	Торо
	5)//	Pit Location Ma	<u>р</u>		
R	1000		-017-018 IV 60623 Existin Access	30 Ig Well	1
	ND Pit Location	BEA	111	WV Department of E:163520 vironmental Protection WGS 84 LAT:39.1	04.87 142025 80.785996
E SLADE YS	ALLEGHENY 1-80 237 Bir Birch R PH: (3	NG SERVICES PERFORMED BY: SURVEYS, INC. 00-482-8606 rch River Road Biver, WV 26610 304) 649-8606 (304) 649-8608	PREPARED EQT	FOR: Production Co 2400 Ansys Drive Canonsburg, PA 15317	

<u>6/22/2018</u>

					17-018818
Topo Quad:	Oxford 7.5		Scale:	1'' = 500'	
County:	Doddridge	·	Date:	May 10, 2018	l
District:	Cove		Project No:	67-30-00-08	
Highway	47-017	7-01881 WV 606	230 (F. I	L. Lodge	#6230)
		19 Pit Loc	ation Map	19 Fork	
			xisting Well ccess Road		
				E	Office of Oil and Gas JUN 0 5 2018 WV Department of nvironmental Protection
LEGEI	ND		62		NAD 27, North Zone N:236418.53 E:1635204.87 WGS 84 LAT:39.142025
Proposed	Pit Location				LONG:-80.785996 ELEV:892.63
L G H C C C C C C C C C C C C C C C C C C		YING AND MAPPING SERVICES PERFO CHENY SURVEY 1-800-482-8606 237 Birch River Road Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608		24	uction Company 400 Ansys Drive onsburg, PA 15317

				17-01881 P
Topo Quad:	Oxford 7.5'	Scale:	1" = 2000'	
County:	Doddridge	Date:	May 10, 2018	1.1
District:	Cove	Project No:	67-30-00-08	
4	7-017-01881 WV 6062	230 (F. L	. Lodge #	6230) Topo
	1000 Leason C CRTE 19	-00- 200 000- 700 000- 700 00- 700 00- 700 00- 700 00- 700 00- 700 00- 700 700	DRAIN R0 000	Williams Hollow Plaugher Hollow
	1100 100 200		200	LONG:-80.785996 ELEV:892.63
LE GHAN O	SURVEYING AND MAPPING SERVICES PERFORM ALLEGHENY SURVEYS 1-800-482-8606 237 Birch River Road Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608		2400 /	tion Company Ansys Drive Durg, PA 15317 06/22/2018

WW-7	
8-30-06	



West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 47-017-01881 WELL NO.: WV 606230 (F. L. Lodge #6230)

FARM NAME: F. L. Lodge

RESPONSIBLE PARTY NAME: EQT Production Company

COUNTY: Doddridge _____ DISTRICT: Cove

QUADRANGLE: Oxford 7.5'

SURFACE OWNER: Mansfield Leeson

ROYALTY OWNER: Mansfield Leeson

UTM GPS NORTHING: 4332559

UTM GPS EASTING: 518494 GPS ELEVATION: 272 m (893 ft)

The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:

- 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) - meters.
- 2. Accuracy to Datum - 3.05 meters
- 3. Data Collection Method:

Survey grade GPS : Post Processed Differential Real-Time Differential Mapping Grade GPS X : Post Processed Differential X Real-Time Differential

RECEIVED Office of Oil and Gas

JUN 0 5 2018

4. Letter size copy of the topography map showing the went identicated with Department of I the undersigned, hereby certify this data is correct to the best of my knowledge and with Department of I the undersigned, hereby certify this data is correct to the best of my knowledge and *WV Department of Protection* prescribed by the Office of Oil and Gas.

PS#2180 Signature

5/11/18

17-01881P



Miss Utility of West Virginia (WV811) (Exhibit A) Directions to Gas Well No. WV 606230 API No. 47-017-01881

- Beginning at the intersection of US Interstate 79 Exit 79 (Burnsville/Glenville) and WV State Route 5 in Braxton County, WV.
- Proceed Northwest on WV State Route 5, for approximately 9.6 miles, to WV County Route 13, on the right.
- Turn right onto WV County Route 13 and proceed Northeast, for approximately 3.1 miles, to WV County Route 26, on the left.
- Turn left onto WV County Route 26 and proceed Northwest, for approximately 4.5 miles, to the junction of US Routes 33 & 119.
- Turn right onto US Routes 33 & 119 and proceed Northeast, for approximately 1.8 miles, to WV County Route 47, on the left.
- Turn left onto WV County Route 47 and proceed Northwest, for approximately 3.6 miles, to the intersection with WV State Route 18.
- Bear right onto WV State Route 18 and proceed Northeast, for approximately 9.4 miles, to *RECEIVED* WV County Route 19, on the left. (Point No. 1)
- Turn left onto WV County Route 19 and proceed Northwest, for approximately 3.1 miles, to WV Department of Environmental Protection

BIRCH RIVER OFFICE 237 Birch River Road Birch River, WV 26610 phone: 304-649-8606 fax: 304-649-8608 BRIDGEPORT OFFICE 172 Thompson Drive Bridgeport, WV 26330 phone: 304-848-5035 fax: 304-848-5037 ALUM CREEK OFFICE P.O. Box 108 • 1413 Childress Road Alum Creek, WV 25003 phone: 304-756-2949 fax: 304-756-2948

06/22/2018

ALLEGHENYSURVEYS.COM

٩.

• Turn left onto WV County Route 62 and proceed Southwest, for approximately 0.2 mile, to the Well Access Road, on the right. (*Point No. 3*)


2

• Turn right onto the Well Access Road and proceed West, for approximately 69 feet, arriving at Gas Well WV 606230. (*Point No. 4*)

RECEIVED Office of Oil and Gas

JUN 0 5 2018

WV Department of Environmental Protection



17-018819



POTENTIAL WATER SAMPLE DATA SHEET

CLIENT: EQT PRODUCTION COMPANY LEASE NAME AND WELL No. F.L. Lodge #6230 - WV 606230 - API No. 47-017-01881

POTENTIAL SAMPLE LOCATIONS

Site: <u>1</u> Spacing: <u>882</u> +/- Owner: <u>Mansfield Leeson</u>			
Address:76 Bear Fork Road, New Milton, WV 26411		Phone No	
Comments:			
Site: 2 Spacing: 752 +/- Owner: Mansfield Leeson	_		
Address:76 Bear Fork Road, New Milton, WV 26411		Phone No	
Comments:			

Office Of Oil and Gas Environmental Protection

06/22/2018

BIRCH RIVER OFFICE 237 Birch River Road Birch River, WV 26610 phone: 304-649-8606 fax: 304-649-8608 BRIDGEPORT OFFICE 172 Thompson Drive Bridgeport, WV 26330 phone: 304-848-5035 fax: 304-848-5037 ALUM CREEK OFFICE P.O. Box 108 • 1413 Childress Road Alum Creek, WV 25003 phone: 304-756-2949 fax: 304-756-2948

ALLEGHENYSURVEYS.COM

					17-01881 6
Topo Quad:	Oxford 7.5'	Scale:		1" = 2000'	
County:	Doddridge	Date:		May 10, 2018	
District:	Cove	Projec	t No:	67-30-00-08	
Water	47-017-01881	WV 606230	(F. L.	Lodge #	6230)
	2 Pote	ential Water Source	e within	1000'	
1100			S WILLIN		A A A
2510	a all	22151	Annon S	30	Williams Hollow
1000	CIMA	Na J	MP)	and	Plaugher Hollow
Middle	Politik	$\mathbb{R}^{\mathbb{R}}$	1025	FRE	11 30 5
900	Leason Cém		s 2 l	FREEDOW RU	
1000-	CO RTE I		25	1	Grove Cem
	1200	1100-000	TAYLOR DR	AIN RD 900-	GROVE SUMMERS RD
70.2	1100		Site 1 Site 2	1 SA	1000
15 ma	1000	T BEAR	y al	1300	40
1000			1	13007	ISTG22
C1200	Company C	47-017-0188 WV 606230		2 M	1200-
- State		100	ML	NO THE	100 1100
10007 785	SSO		1100	OEI	13 Offic Alex
	SVP 200	12002	2	1200 1100	UN 10
1 sup	001, 100, 100, 100, 100, 100, 100, 100,		Tipoo	(12)	NAD 27, North Zone N:236448,53
<u>(</u> 19)	11007	-1000 Bealt-Fork	17		E:1635204.84 Protot
Refe	HO IS	1200 (100	Alt	50	WGS 84 LAT:39.142025
maight	1100 .000 3200	1100	-004	2 (OPEI	LONG:-80.785996 ELEV:892.63
EGHA		IG SERVICES PERFORMED BY:	PREPAR	ED FOR:	
V SECOND	1-800 237 Bird Birch Riv	SURVEYS, INC 0-482-8606 th River Road ver, WV 26610	:. EG	2400	ction Company Ansys Drive burg, PA 15317
VEYS.		04) 649-8606 04) 649-8608			06/22/2018