


LATITUDE 39° 10' 00"

80° 42' 30"

LONGITUDE



7'5 OGIS topo location

7.5' loc 1.88 S
1.99 W

15' loc 1.88 S
(calc.) 4.22 W

Company _____

Farm _____

Elevation top est. 900'

Vadis wa

Quad NEW MILTON 7 1/2'

County DODD RIDGE

District COVE

WELL LOCATION MAP

File No. 017-2202

WELL NAME: *Cove* LEASE NO. *4490* ACRES *1/4* N. DISTRICT NO. *13614*

District *13614* County *Rockledge* State *Fla.*

Completed *10/14/16* Contractor *Green Bay Drilling Co* Purchased From *Green Bay Drilling Co* Date Purchased *1-1-26* Date Connected *1-1-26* Sold To *1-1-26* Date Sold *1-1-26* Date Plugged *1-1-26* Date Abandoned *1-1-26*

CASING AND TUBING

Size	Put In Well	Left In Well	Pulled
13 In. Casing	600		600
10 In. Casing	1279		1279
8 1/2 In. Casing	1964		
6 1/2 In. Casing	2006		2006
4 1/2 In. Casing	2613		2613
2 In. Tubing	2673		2673
1 In. Tubing	2673		2673

SHOOTING

Date	Qts.	Sand	Depth	Test Before	Test After
10/15/16	20	1		538 kg	
5-7-1920	00	Bank		7967	17972
11-2-25	100			776.5	7530
				6611 No.	13614 No.

RECORD

Elevation at Mouth of Well	Formation	Top	Bottom	Thickness	Oil at	Gas at	Water at	Thickness of Pay
	Pittsburgh Coal	390	1065	675			220	
	Red Rock Cave	1065	1080	15				
	Cow Run (First)	1185	1342	57				
	Cow Run (Second)	1515	1525	10				
	Salt Sand (Upper)	1535	1565	30				
	Salt Sand (Middle)	1700	1765	65				
	Salt Sand (Lower)	1845	1850	5				
	Maxon	1894	1909	15				
	Little Lime	1909	1921	12				
	Pencil Cave	1941	1995	54				
	Big Lime	1945	2063	68	2115			
	Keener Sand	2106	2120	14				
	Squaw Sand	2598	2602	4	2598			
	Weir Sand							
	Berca Sand							
	Gantz Sand							
	Fifty Foot Sand							
	Thirty Foot Sand							
	Gordon Stray							
	Gordon Sand							
	Fourth Sand							
	Fifth Sand							
	Corniferous Lime							
	Niagara Lime							
	Cave							
	Clinton							
	Medina Shale							
	Trenton							
	Total Depth	2623						

Remarks

NEED RECORD

PACKERS

Size	Make	Set at
2 1/8	MOS	2607
1 1/2	MOS	2607

01729208

215
1924
19

74 Acres

Connolly Heirs

3

Cove
Doddridge
W.Va.

Location
Rig Completed
Dr'g Commenced 6-14-16
Dr'g Completed 10-14-16
Dr'g Contractor Crotty Drg. Co.

Date Purchased 3-1-16
Sold To
Date Sold
Date Abandoned

Rights Owned By

FORMATION

CASING RECORD

Kind	Top	Bottom	Steel Line Meas.	Tests
Water	220			
Clay	390	1065		
Shale	1065	1080		
Sand	1185	1232		
Clay	1515	1525		
Shale	1535	1565		
Sand	1700	1765		
Clay	1845	1850		
Shale	1894	1909		
Clay	1909	1921		
Shale	1941	1995		
Iron	1995	2063		
	2115			
	2106	2120		
	2598	2602		
	2598	2602		

Size	Bottom Casing Steel Line	Put in Well Tally Meas.	Pulled Tally Meas.	Cemented
10"		600	600	Date
8 1/2"		1279	2179	Size Csg
6-5/8"		1964		Top "
5-3/16"		2006		Bot "
4 1/2" x 1" Liner		547		
2" Tbg.		2623		

PACKERS AND SHOES

Kind	Size	Depth Set	Date Set
H.W. Packer	5-3/16" x 6 1/4"	2006	

TORPEDO RECORD

Date	No. Qts.	Size Shell	Top Shot	Bottom	Results
10-5-16	20				
5-7-29	50		2594	2607	
3-11-36	100		2596	2604	

DRILLING DEEPER

Commenced	Completed	Original Depth	Final Depth	Contractor

ABANDONMENT RECORD

Filled With	From	To	Size	Kind	Depth

Send * At Completion * 30 Days After: *

Gordon 10-Bbl.

APPROVED

TESTS, REPORTS AND REMARKS ON REPER...

017-2202

CAN NOT MAKE OUT INFO ON COPY